



# 2016 Full-Line Catalog

Building Professionals' Entry & Patio Door Directory

**THERMA TRU**<sup>®</sup>  
DOORS



Home begins at the door.



# Table of Contents

**NEW** for 2016

**Introduction** ..... 2-31  
 Door Systems ..... 4-5  
 Door System Components ..... 6-7  
 Door Selections ..... 8-15  
 Decorative & Specialty Glass ..... 16-19  
 The Therma-Tru Difference ..... 20-21  
 Impact Products ..... 22-23  
**NEW** Products ..... 24-30

**Classic-Craft**..... 32-107  
 Decorative & Specialty Glass ..... 32-41  
 Accessories ..... 42-43  
 American Style Collection™ ..... 44-51  
 Mahogany Collection™ ..... 52-63  
 Rustic Collection™ ..... 64-77  
 Oak Collection™ ..... 78-89  
 Canvas Collection® ..... 90-107

**Fiber-Classic® & Smooth-Star**..... 108-199  
 Decorative & Specialty Glass .... 112-121  
 Accessories..... 122

**Steel** ..... 200-226  
 Profiles™ ..... 200, 202-220  
 Traditions ..... 201-204, 221-226  
 Decorative & Specialty Glass .... 203-204

**Fire Doors** ..... 227-231

**Pulse**..... 232-245

**Patio**  
 Hinged ..... 246-254  
 Sliding ..... 255

**Door System Components**  
 ..... 256-265

**Same-Day Stain Kit** ..... 266-267

**Special Quote Program** ..... 268

**3'6" Width Options Chart**  
 ..... 269

**7'0" & 6'6" Height Options Charts** ..... 270-271

**Product Details** ..... 272-273

**Index** ..... 274-286

**Trade Resources** ..... 289



**Classic-Craft. American Style 8'0" Door Options.**  
 Page 24



**Classic-Craft. Rustic 8'0" Door Options.**  
 Page 25



**Pulse. Lite Frame Options.**  
 Page 26



**Riserva™. Decorative Glass.**  
 Page 27



**Satin Etch Privacy & Textured Glass.**  
 Page 28



**Flush-Glazed Privacy & Textured Glass.**  
 Page 29



**Impact-Rated Glass Options.**  
 Page 30

\*Brand Use Study, 2015 *Builder* magazine.

Right Page: Fiber-Classic Oak Collection, Riserva Glass, Door – FC8529, Sidelites – FC8572SL



## • Therma-Tru. You're in expert hands.

Choosing Therma-Tru isn't about just selecting a door. It's about designing an inspired entrance. Creating a look everyone will love. And having confidence that it will perform for years to come.

Whether it's Classic or Contemporary – or somewhere in between – Therma-Tru offers virtually unlimited choices to complement the architecture of a home and a homeowner's sense of style.

But it's more than beauty that makes Therma-Tru the brand building professionals prefer most.\* With more than 50 years of industry experience and technical know-how, we've built a reputation for delivering high-quality, low-maintenance exterior door products for the whole house – from entry to patio.

We invented the fiberglass door because we believe it combines the best characteristics of wood and steel – beauty and performance – without the compromises. And we remain committed to making smart, innovative new products that are better and more beautiful every year.

Whatever the entrance needs – from energy efficiency to security – your search ends here. You'll find a wide range of durable and reliable Therma-Tru products built to meet the needs of the home and the homeowner's lifestyle.

**That's where the beauty of choosing  
Therma-Tru begins.**

# Therma-Tru® Door Systems

Uncompromising quality, inside and out.



A Therma-Tru door with genuine Therma-Tru components is more than a beautiful door – it's a complete door system. One that offers uncompromising quality, inside and out. We manufacture or specify every aspect – from the glass to the hinges – all engineered with craftsman precision for durability and reliability through the years. So you can be confident that it will perform as exceptionally as it looks.

• Backed by our lifetime limited warranty.

## Lifetime Limited Warranty

We stand behind more parts and for longer than other door companies because we make or specify everything that goes into our door system. A Therma-Tru fiberglass door system is backed by the industry's most comprehensive lifetime limited warranty.



## Energy Efficiency

In any region or climate, energy efficiency is key. More than 80% of Therma-Tru door and glass options are ENERGY STAR® qualified and National Fenestration Rating Council (NFRC) certified, helping save money on energy costs.



## Quality Testing

Our doors, glass and components are held to high standards. We conduct thorough testing to help ensure that our products will live up to a homeowner's toughest quality and performance expectations.

## The Beauty of Choice

The architectural beauty of a Therma-Tru door is easy to see. With the look of real wood, rich panel details and intricate, handcrafted decorative glass designs, there are thousands of possibilities to suit the style of a home and express a homeowner's personal style.



### Door System Components

Have confidence in a door system made with genuine Therma-Tru components to meet the needs of many applications. More on pages 6–7.



### Door Selections

Find choices in design, texture and material with many configurations available to find the ideal door system. More on pages 8–15.



### Decorative & Specialty Glass

Complement any Therma-Tru door with a variety of glass shapes and designs. More on pages 16–19.



### Finish Options

Complete the desired look with stain or paint, including the Same-Day® Stain kit available in seven popular finish colors. More on pages 266–267.

## Selecting a Door System

Therma-Tru pays close attention to regional and consumer trends to deliver choices designed to inspire. Keep these considerations in mind when choosing from our portfolio of door system products:

- What is the size of the doorway?
- What is the style of the home?
- Does the homeowner want to stain or paint the door?
- How much light or privacy is desired?


Also consider:

- Regional weather conditions and building codes. See pages 22–23 for more.
- Therma-Tru 2016 new products. See pages 24–31 for more.




# Engineered to Work Together


Our complete door systems feature doors, glass and components engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance.




**1 Sill and bottom sweep** form a tight seal against wind-driven moisture infiltration at the bottom of the door system and help channel moisture away from the home. **Sill pan** (recommended) adds an extra layer of protection to help keep moisture away from the subfloor.




**2 Corner seal pads** (inswing only) complete the seal between the **sill cap, bottom sweep** and **weatherstrip** to help block potential pathways where wind-driven moisture can infiltrate the bottom corner of the door system.




**3 Hinges** position the **door** to properly compress the **weatherstrip** to help form a tight, even seal against air and moisture infiltration when the door closes.



**4 Weatherstrip** is specifically engineered in a variety of profiles to provide the best possible fit with our door systems, helping to deliver a precise seal between the **door and frame**.




**5 Multi-point locking system** (recommended) engages the **door** and **frame** at three points from top to bottom, helping to preserve the **weatherstrip's** seal even under wind pressure.



**6 Lip-lite frame** (shown right) features a **compression seal** against weather on the outside of the **door** and an **adhesive seal** against weather on the outside of the **glass**. **Flush-glazed glass** (shown left) is built directly into the door without a Lip-lite frame, featuring a **high-performance adhesive weather seal** inside and out.


## A Complete Door System

More than beautiful doors and glass; a complete door system includes the components used to assemble it. We manufacture or specify every aspect of a complete door system. The Therma-Tru® genuine components shown here are our premium options for long-lasting durability.



**Composite Adjustable Sills** ❖


Inswing and outswing composite sills resist rotting and insects. Inswing adjustable sills help to maintain a tight seal over time.



**Multi-Point Locking Systems** ❖ (Recommended)

Increased engagement between door and frame enhances stability and the homeowner's sense of security.

(Highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors.)



**Dual-Bulb / Dual-Fin Bottom Sweeps** ❖ (Inswing Only)

A dual-bulb, dual-fin design helps maintain tight contact with adjustable sill caps and creates added barriers against moisture.



**Ball-Bearing Hinges** ❖


Hinges with ball bearings protecting each hinge pivot, or "knuckle", offer added support and stability.

(Recommended for Classic-Craft doors, 8'0" doors, doors with glass, and Impact- and Fire-rated fiberglass doors.)



**7-Shape Corner Seal Pads** ❖ (Inswing Only)

Innovative options include our patented jamb assembly, featuring the 7-shape corner seal pad which creates an air pocket that helps prevent a vacuum from wicking moisture up the weatherstrip.



**Frame Components**

Check with your Therma-Tru seller for options to complete the door system, including rot-resistant brickmould, jambs, mullions and coil cladding manufactured to our specifications.



**Removable Weatherstrip** ❖

Resilient design compresses when closed and springs back when open, protected by a durable jacket, for long-lasting sealing power.

For more, including these additional component options, see pages 256-265:

Sill Pans ❖, Rain Protection ❖, Strike Plate and Astragals ❖.

### Tru-Defense: The Ultimate Protection

Therma-Tru fiberglass doors are available with our exclusive Tru-Defense. system as an option. It integrates specific components engineered and tested to deliver outstanding protection in all kinds of weather conditions. And it's backed by a Warranty Rider that provides for cash reimbursement that may be used toward secondary damage to flooring and trim, and the labor to make repairs if water infiltration occurs.\* Look for the (❖) icon. For details, visit [www.thermatru.com/trudefense](http://www.thermatru.com/trudefense).

#### Water Infiltration Cash Reimbursement Limit

Latch and Deadbolt Lock with Standard Assembly: with a Therma-Tru Sill Pan:	\$250 \$500
Multi-Point Lock with Standard Assembly: with a Therma-Tru Sill Pan:	\$750 \$1,500
Multi-Point Lock with NAFS-Certified Door System: with a Therma-Tru Sill Pan:	\$1,000 <b>\$2,000</b>



\*The Rider does not warrant workmanship of anyone who assembles or installs a Tru-Defense door system, nor any damages caused by improper handling, assembly or installation.

# Door Selections

Choose from our many door selections to complement the architectural style of the home. The possibilities are endless from fiberglass and steel materials to wood-grained and smooth textures to stainable and paintable finishes.

## Classic-Craft® Collections Pages 32-107

Find the right style for any personality. Choose from premium fiberglass entryways in four wood grains or a smooth surface that all rival custom wood.



Both Classic-Craft and Fiber-Classic are rated a *Consumers Digest* Best Buy in the fiberglass entry doors category.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on limited warranties and exclusions.



# Fiber-Classic® Collections Pages 108–199

The industry's first fiberglass door delivers the look and feel of real Mahogany and Oak with excellent performance and value.



**Mahogany Collection™**



**Oak Collection™**



# Smooth-Star® Pages 109–199

A smooth, ready-to-paint fiberglass door that offers excellent performance and value.



**Smooth-Star.**



# Steel Pages 200–226

Bring style and affordability together to create very attractive results with our steel doors.



**Profiles™**

**10 YEAR LIMITED WARRANTY**  
Door & Glass



**Traditions**

**5 YEAR LIMITED WARRANTY** Door  
**10 YEAR LIMITED WARRANTY** Glass

# Pulse® Pages 232–245

Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement.



Fiberglass



Steel



**Ari**



**Línea**



**Echo**



**See the difference.**

Discover architecturally correct designs, exclusive glass options and rich, authentic finishes.



**Feel the difference.**

Experience the integrity of a solid, precision-engineered entryway built for long-term durability, stability and peace of mind.



Extraordinary in every way.



# Classic-Craft® Premium Entryways

A premium entryway that's truly unique and uncompromising in every detail. One that blends precision-engineered features with architecturally correct details to produce an entryway that performs as exceptionally as it looks – instilling confidence and peace of mind. And Classic-Craft entry doors are rated a *Consumers Digest* Best Buy for their exceptional warranty, quality of materials and construction, and resemblance to a real wood door.



## Compare for yourself.



**Premium – right down to the edge.**  
A solid hardwood square edge delivers a genuine wood appearance.

**Standard fiberglass bullnose edge.**  
The bullnose profile, typical of other fiberglass doors, detracts from the authentic wood look.

**Architecturally correct for true classic beauty.**  
Doors designed to be architecturally correct, with proportions modeled after classic architectural principles, to create a more premium entryway.

Up to 25% wider panels\*



**The look of real wood.**  
Realistic wood grains that are virtually indistinguishable from high-grade wood doors, thanks to Therma-Tru's AccuGrain® technology.



**Details that define a custom door.**  
Crisp, handcrafted elegance creates embossments that are deeper than standard fiberglass doors.



**Classic-Craft Premium Door**



**Standard Fiberglass Door**

\*Compared to other standard fiberglass doors.  
Note: See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on limited warranties and exclusions.  
Left Page: Classic-Craft Rustic Collection, Zaha Glass, Door – CCR1851, Sidelites – CCR1851SL



- Find options to fit every entrance.



# Fiber-Classic® & Smooth-Star® Doors

Bring home the authentic look of wood with the low-maintenance benefits of fiberglass. From front entry to patio, you will find flexible options to fit virtually every entrance with beautiful, energy-efficient, durable and secure fiberglass doors. Choose from a wide range of door styles and sizes, glass designs, and options to meet building codes. And Fiber-Classic entry doors are rated a *Consumers Digest* Best Buy for their exceptional warranty, breadth of style options and wood-grained texture.



### Portfolio versatility.

With many door styles in common and interchangeable glass designs between collections, it allows flexibility to find the right door, in the right texture, without compromises.



### On-trend surfaces.

Available in a variety of textures, including grain choices with the look of real wood or a smooth, paintable alternative to steel. (Wood-grained images shown in Natural Oak stain.)



### High-definition panel embossments.

High-definition panel embossments are standard on all doors and sidelites.

Note: See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on limited warranties and exclusions.

Left Page Top: Fiber-Classic Oak Collection, Sedona Glass, Door – FC100, Sidelites – FC816SL

Left Page Bottom Left: Smooth-Star, Screen Vented Lite, Door – S243

Left Page Bottom Right: Smooth-Star, Clear Glass, Door – S8140

# Door Construction

Therma-Tru fiberglass doors offer the authentic look of wood. It's virtually impossible to tell the difference. But the beauty goes beyond skin deep. We combine craftsmanship and innovation to build our doors for long-lasting energy efficiency, durability and security.

## Classic-Craft® Premium Entryways



### 1 Enhanced Weather Resistance

No more worries about rotting, warping or twisting. Classic-Craft premium entryways are tested and designed to resist extreme weather conditions and the damaging effects of moisture. Both the top and bottom of the door are protected by composite rails for a longer-lasting entryway.

### 2 Solid Security

Classic-Craft premium entryways feel solid and close with authority. A 4- $\frac{1}{8}$ " wide beam of engineered lumber runs from the top to the bottom of the locking side of the door to add mass and rigidity, giving the door weight and a natural wood feel.

### 3 Excellent Durability

Built to stand up to the elements and years of wear, Classic-Craft's fiberglass skins are thicker than other standard fiberglass doors to provide added durability and better long-term performance.

### 4 Higher R-Values

Classic-Craft premium entryways contribute to an energy-efficient home. A polyurethane foam core provides up to four times the insulating R-Value of wood.\*

### 5 Edge-to-Edge Moisture Protection

Resist moisture at every turn – and along every edge. Classic-Craft premium entryways have hardwood and composite edges that help prevent moisture penetration.

\*Comparison of fiberglass to wood doors (both without glass).

## Fiber-Classic® & Smooth-Star® Doors



### 1 Weather Resistance

Composite rails protect the door at the top and bottom edges to help block moisture that can wick into doors.

### 2 Security

An enhanced lock block combined with a 1- $\frac{1}{4}$ " engineered lumber lock stile increases rigidity and stability.

### 3 Durability

With very little maintenance, a fiberglass door can bring a home years of durability. Unlike wood, fiberglass will not warp or rot. And, unlike steel, it will not dent or rust.

### 4 R-Values

Built with a polyurethane foam core that offers up to four times the insulating R-Value of wood\*, Therma-Tru fiberglass doors insulate against cold and heat for exceptional energy efficiency.

# Decorative & Specialty Glass

A Therma-Tru door system with decorative glass can create an entrance that makes a statement — one that says the homeowner has high standards for style, quality and craftsmanship.

- Our wide array of glass designs, from simple to intricate, reflect the home design trends and homeowner desires of today and tomorrow.
- Numerous glass colors, textures, shapes and coming options are available to complement any door.
- Our glass designs are researched in the market to ensure they are highly rated in consumer preference.
- Our decorative glass is handcrafted and built with all-glass bevels for premium quality.
- Our glass designs offer varying levels of privacy and light to suit homeowner needs.
- All Low-E and clear glass panels are tempered to provide added safety.

Doors come to life with Therma-Tru® glass.



More than 10%  
wider glass\*



**Classic-Craft  
Premium Glass**

**Standard Glass**

\*Compared to other standard fiberglass doors.  
Note: See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on ENERGY STAR qualified products.

## Classic-Craft® Premium Entryways

- An exclusive collection of 13 decorative glass families, starting on page 32.
- Close attention to detail produces truly distinctive designs you won't find anywhere else.
- More than 10% wider glass\* welcomes more light into the home and creates a distinctive entryway.
- Fiberglass lite frames are made with the same material as the door to blend seamlessly with the rest of the entryway when stained or painted.
- All sidelites are made with flush-glazed glass for a truly seamless, consistent appearance.
- All clear glass options are Low-E, providing long-term energy efficiency.





### Special Quote Program

Don't sacrifice the look you want. With thousands of standard glass choices and additional glass options available through special quote, we can help you find the right look for virtually any home. See page 268.



Contributes to an energy-efficient home.



### Triple-Pane Construction

All triple-pane decorative, as well as privacy and textured, glass panels are enclosed between tempered glass, offering superior quality and thermal performance.

### Fiber-Classic® & Smooth-Star® Doors

- A portfolio of 17 interchangeable decorative glass designs, starting on page 112.
- Invite light into the home for a more brilliant interior with 22" wide glass in a Lip-lite frame, as well as flush-glazed options with 25–27" wide glass – starting on page 165.
- Scrolled profile lite frames are heat and fade resistant, and suitable for use with a storm door.
- Low-E glass is available for internal blinds, divided lites and clear glass, providing exceptional energy efficiency.

## Privacy & Textured Glass

Therma-Tru® doors and sidelites can be fitted with our beautiful privacy and textured glass. This versatile assortment aligns with personal style and homeowner desires for privacy while allowing natural light to brighten the interior.

- Category evolves to include diverse textures for individual design expression.
- Varying opacity levels range from 8–10.
- All privacy and textured glass options are triple-pane, providing thermal efficiency.
- Triple-pane construction also allows for an easy-to-clean surface.
- Available with two Lip-lite frame options, as well as seamless flush-glazed options, in select doors.

Available in Classic-Craft®, Fiber-Classic®, Smooth-Star®, Profiles™, Traditions and Pulse® doors and sidelites.




## Convenient choices for more light.

### Low-E Glass

Factory-coated Low-E glass delivers exceptional energy efficiency. Available in Classic-Craft, Fiber-Classic, Smooth-Star, Profiles, Traditions and Pulse. Look for the ☀ icon.



In cold weather, Low-E glass can help reduce the loss of heat by reflecting the heat back inside the home.



In warm weather, Low-E glass reflects the sun's rays off of the glass, helping to keep the interior of the home cool.

### Flush-Glazed Glass



Features frameless design.

Glass built directly into the door during the manufacturing process eliminates the need for a lite frame and provides a high-performance weather seal. Flush-glazed glass features clean lines and eliminates the need for screw plugs. It also offers up to a 16% increase in visible glass area compared to conventional lite frames.

Available in Classic-Craft, Fiber-Classic and Smooth-Star.

Look for the ☀ icon. See page 121 for more.

\*Available in Special Quote Program.

Top: Classic-Craft Canvas Collection, Chinchilla Glass, Door – CCV05020XJ, Sidelites – CCV100XJSL; Clear Glass, Transom – 19220T

Right Page Top: Smooth-Star, Internal Blinds, Doors – S130, Transom – 19200T

Right Page Bottom: Smooth-Star, Clear Glass with SDLs, Door – S92, Transom – 19200T



## Internal Blinds

Enjoy the privacy and convenience of a cordless blind enclosed between glass. Control the desired level of light and privacy with the simplicity of a single handle.

- Protected between two panes of tempered glass for enhanced safety and performance.
- With no dangling cords, this is a kid- and pet-friendly choice.
- Blinds remain dust free, and glass is easier to clean than traditional blinds.
- Choose Low-E glass for maximum energy efficiency or standard clear glass.

Available in Fiber-Classic®, Smooth-Star®, Profiles™, Traditions and Pulse® doors and sidelites.


## Divided Lites

Enhance the beauty of any home with a variety of divided lite options for entry and patio doors. Tailor the look with different texture, profile and color choices. See pages 120–121 for more.

- Coordinate with the home's window patterns for a cohesive look and increased curb appeal.
- Choose from Colonial, Craftsman or Prairie styles to suit the home's architectural details.
- Available glass options include elegant privacy and textured, as well as energy-efficient Low-E and clear.



### Wood-Grained & Smooth-Textured Simulated Divided Lite (SDL) Bar Options



### Contour & Flat Grilles Between Glass (GBG) Bar Options

Available in Fiber-Classic, Smooth-Star, Profiles and Traditions.



**Also Available:** Removable Wood Grilles & Fixed Grilles

# Discover the Therma-Tru Difference

## Classic-Craft® Canvas Collection®



### • The premium smooth, paintable choice.

For years, Classic-Craft premium entryways have defined beauty and durability for fiberglass doors. The innovative Canvas Collection delivers a high-performing alternative to custom wood and heavy-gauge steel. These doors pair durable Classic-Craft construction with crisp embossments and custom wood details. Find choices to match any home décor with a smooth surface that's paintable inside and out, and available in more than 375 door and glass combinations.

- The aesthetics of wood and the performance of fiberglass in a smooth, paintable door.
- Extraordinary in every detail with precision-engineered features and architecturally correct details.

- The largest line of door and glass combinations available in any Classic-Craft collection.
- Classic-Craft is rated a *Consumers Digest* Best Buy for the fiberglass entry door category.
- Available in many styles and sizes – including 8'0" heights – to complement more home styles.

See the collection, starting on page 90.



Fire-Rated  
Options

Tru-Defense  
Eligible

WBDR / HVHZ  
Options

Note: See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on limited warranties and exclusions, Tru-Defense Rider and ENERGY STAR qualified products.

Top: Classic-Craft Canvas Collection, Arborwatch Glass, Door – CCV1414, Sidelites – CCV1423SL, Transom – ABRT

# Discover the Therma-Tru Difference

## Vented Sidelites



### Ventilation and aesthetics second to none.



#### Perfect for the front entry.

- Enjoy the added curb appeal of an elegant front entry unobstructed by a screen door.
- Choose eye-catching, decorative glass designs to complement the front entry door selection.

Therma-Tru reinvented sidelites to meet the needs of homeowners seeking ventilation, convenience and aesthetics. Keep the incredible look of the entry or patio door system without sacrificing the pleasure of a fresh breeze. There's no need to cover the door with a screen. Choose beautiful vented sidelites instead. And only Therma-Tru offers vented sidelites with decorative glass design options.

- Works as a small swinging door with sturdy stiles to accommodate hinges, multi-point locking system and thumbturn.
- Wide patio mullions provide required structural strength for years of dependable operation.

- Continuous system, recessed strike plates and multi-point locking gears provide security and stability.
- Convenient, removable screens – available in bronze and white – are easy to operate and designed for years of worry-free use.

Available in Fiber-Classic and Smooth-Star, starting on page 108.



Tru-Defense Eligible

Note: See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on limited warranties and exclusions, Tru-Defense Rider and ENERGY STAR qualified products.


Top: Smooth-Star, Clear Glass with SDLs, Doors – S2000-4C, Sidelites – S2000SL-4C

Bottom: Fiber-Classic Oak Collection, Saratoga Glass, Door – FC905, Sidelites – FC815SL

# Tough When You Need It. Beautiful Always.

## High-Power Testing

Our Impact-rated doors pass a large missile impact test. We blast a 9 lb. 2" x 4" stud into the doors at 34 mph to prove they're the better choice for strength and stability.



■ Wind-Borne Debris Region (WBDR)  
■ High Velocity Hurricane Zone (HVHZ)

## Impact-Rated Products

Therma-Tru offers Impact-rated doors and glass that can be used to meet high-wind and coastal region codes and regulations, offering excellent performance in extreme weather conditions while providing added protection.

### 1 Use the map as a guide to find out if you need product for WBDR or HVHZ.

Always confirm building code requirements in your area before buying.\*

### 2 Use the icons to find available Therma-Tru® product options in this catalog.



STANDARD DOOR

+



IMPACT GLASS

=



WBDR Option

Designed to withstand wind forces up to 167 mph (DP-50). (ASTM E 1886 / ASTM E 1996)

Standard Fiberglass Door + Impact Laminated Glass with Impact Lip-Lite Frame = WBDR Option



IMPACT DOOR

+



IMPACT GLASS

=



HVHZ Option

Designed to withstand wind forces up to 195 mph (DP-65).\*\* (TAS 201 / TAS 203)

Impact Steel-Plate Reinforced Fiberglass Door + Impact Laminated Glass with Impact Lip-Lite Frame = HVHZ Option



**WBDR / HVHZ Options:** Look for this icon to find door and sidelite styles that can be configured for WBDR or HVHZ.

### 3 Verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.\*

### 4 Make sure the product is installed in compliance with the product approval to meet building codes.

The performance of the door system depends on how it is installed. Proper installation is required to comply with building codes.

\*Product approvals show that the door system meets applicable codes when selected, assembled and installed as instructed.

\*\*Impact and structural performance of a single Therma-Tru fiberglass door with a steel plate lining and a Therma-Tru multi-point locking system.

Note: See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for product approvals and installation instructions. Always confirm building code requirements in your area before buying. Follow weather and news reports to assess severe weather situations and obey local authorities' shelter and evacuation orders.

No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

Constructed to help protect the interior of the home from flying debris and high winds associated with tropical storms and hurricanes, these products are tested to meet codes and regulations in coastal regions, including parts of Florida, Texas and the Carolinas.\*

### Impact Doors

Feature a built-in 24-gauge steel plate lining.



### Impact Glass


Features special laminated glass construction.



### Impact Lip-Lite Frame

Features durable, paintable aluminum construction.

An attractive scrolled profile gives a thin, sleek appearance and a screw channel cover helps hide unsightly screws.



## Other Considerations

### Fire Doors

We offer an industry-leading selection of fiberglass 20-Minute Fire-rated doors – with 20- and 90-Minute Fire-rated steel options available – for protection with a sense of style. See pages 227–231.

### Noise Reduction Doors

Therma-Tru Sound Transmission Class- (STC) rated Noise Reduction doors deliver aesthetics with a commercial level of performance for residential projects. See page 198.

**NEW**

## Classic-Craft® American Style Collection™

8'0" Door Options



24

• More of the Craftsman doors you love.



8' Craftsman Expanded Lite  
2-Panel Flush-Glazed

3'6" x 8'0"

#### Available Grid Patterns



#### Available Glass Designs



Homeward™

Arborwatch™



Rainglass

Low-E

Ideal for home elevations with an Arts and Crafts flair. As trends in home architecture expand, so does the Classic-Craft American Style Collection. Find attractive new 3'6" x 8'0" door and glass options perfect for today's homes with grand entryways and high ceilings.

Available with select glass designs, as well as a new dentil shelf scaled to fit 3'6" x 8'0" doors, starting on page 44.

#### Flush-Glazed Fiberglass Door Replacement Rider

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door and glass.



Tru-Defense  
Eligible

Note: See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on limited warranties and exclusions, Riders and ENERGY STAR qualified products.

Top: Classic-Craft American Style Collection, Low-E Glass with SDLs,  
Door – CCA87400, ©TheHouseDesigners.com



**NEW**

# Classic-Craft® Rustic Collection™

8'0" Door Options



## More of the Rustic doors you love.

Ideal for home exteriors with Southwest and European styling. As trends in home architecture expand, so does the Classic-Craft Rustic Collection. Find attractive new 3'0" x 8'0" and 3'6" x 8'0" door and glass options perfect for today's homes with grand entryways and high ceilings.

Available with select glass designs, starting on page 64.



8' 2-Panel Square  
Top – WS  
3'0" x 8'0"



8' 2-Panel Square  
Top – WS  
3'6" x 8'0"




Tru-Defense Eligible WBDR / HVHZ Options

Note: See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on limited warranties and exclusions, Tru-Defense Rider and ENERGY STAR qualified products.

Top: Classic-Craft Rustic Collection Door – CCR8222; Low-E Glass, Sidelite – CCR8000SL, ©TheHouseDesigners.com

**NEW**

## Pulse® Lite Frame Options



26

- The entrance as modern art.



**NEW** Flat Profile  
Lite Frame\*



Scrolled Profile  
Lite Frame

**Modern appeal.**

The sleek designs and modern materials of Pulse doors are further enhanced by the clean, contemporary look of the new flat profile lite frame from Therma-Tru.

**Vintage style.**

The soft lines of the scrolled profile lite frame add an element to Pulse doors that turns back the clock to the 1950s, 60s and 70s.

It's your decision, by design. Explore the possibilities, starting on page 232.

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Top: Pulse Echo, Low-E Glass with Flat Lite Frame, Door – S85CL


**NEW**

# Riserva™ Decorative Glass

for Fiber-Classic®, Smooth-Star®, Profiles™, Traditions & Pulse® Doors



## • Majestic with a touch of grace.



Wrought Iron

1

10

Glass Privacy Rating

A combination of linear and curved wrought iron elements creates a simple yet graceful design. Riserva features **1** oceana glass for privacy with a look that enhances a wide variety of home styles, including Mediterranean, Old World and Southwest.

Available in Fiber-Classic and Smooth-Star, starting on page 108, Profiles and Traditions, starting on page 200, and Pulse, starting on page 232.



Fiberglass\*



Steel\*



WBDR / HVHZ  
Options

\*Included in the limited warranty when installed in a Therma-Tru fiberglass or steel door system.

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass design may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on glass privacy ratings and designs, limited warranties and exclusions, and ENERGY STAR qualified products.

Top: Smooth-Star, Riserva Glass, Door – S8508

**NEW**

# Satin Etch Privacy & Textured Glass

for Fiber-Classic®, Smooth-Star®, Profiles™, Traditions & Pulse® Doors



28

## A sleek entry with ultimate privacy.

A fine-textured, soft and shimmering glass that offers extraordinary style. Satin Etch is especially fitting for Modern and Contemporary home styles. This pearlescent glass delivers a pure, simple design aesthetic with ultimate privacy.

Available in Fiber-Classic and Smooth-Star, starting on page 108, Profiles and Traditions, starting on page 200, and Pulse, starting on page 232.



Fiberglass\*



Steel\*

WBDR / HVHZ  
Options

\*Included in the limited warranty when installed in a Therma-Tru fiberglass or steel door system.

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass design may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on glass privacy ratings and designs, limited warranties and exclusions, and ENERGY STAR qualified products.

Top: Pulse Linea, Satin Etch Glass with Flat Lite Frame, Door – FCM81LXE,  
©TheHouseDesigners.com

1

10

Glass Privacy Rating

**NEW**

# Flush-Glazed Privacy & Textured Glass

for Fiber-Classic® Oak Collection™ & Smooth-Star® Doors




## Textured privacy. Seamless beauty.

Bring the functionality of privacy glass and the aesthetics of textured glass together with the benefits of flush-glazed construction. Flush-glazed privacy and textured glass features clean lines and a seamless appearance, with glass built directly into the door during manufacturing and no need for a lite frame.

Available in Fiber-Classic Oak and Smooth-Star, starting on page 108.

### **Flush-Glazed Fiberglass Door Replacement Rider**

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door and glass.



Flush-Glazed  
Privacy & Textured Glass



Note: See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on limited warranties and exclusions, and Rider.


Top: Smooth-Star, Chord Glass with SDLs, Door – S82112XC, ©TheHouseDesigners.com

**NEW**

# Impact-Rated Glass Options

## Impact-Rated Craftsman Glass Size

As Craftsman architectural elements grow in popularity, Therma-Tru introduces a true Craftsman-sized lite in Impact glass.



Maple Park.



Riserva™



Saratoga™



Axis™

Also available in privacy and textured glass, as well as Low-E glass.

### WBDR / HVHZ Options

Available in Fiber-Classic Mahogany and Smooth-Star, starting on page 108.

Right: Fiber-Classic Mahogany Collection, Saratoga Glass, Door - FCM602, Sidelite - FCM815SL, Dentil Shelf



## More New Impact-Rated Glass Options



Riserva™ Decorative Glass



Satin Etch Privacy & Textured Glass

Find Impact-rated options in our new-for-2016 glass designs to create looks that will complement a variety of home styles.

### WBDR / HVHZ Options

Available in Fiber-Classic and Smooth-Star, starting on page 108, Profiles and Traditions, starting on page 200, and Pulse Línea, starting on page 232.



Top: Smooth-Star, Clear Glass, Doors – S118

Bottom Left: Classic-Craft Rustic Collection, Ashurst Glass, Door – CCR804035

Bottom Right: Classic-Craft American Style Collection, Low-E Glass with SDLs, Door – CCA230, Sidelites – CCA3400SL, Transom – 19220T

# Classic-Craft®

## Decorative & Specialty Glass Designs

### Villager™

Villager beautifully interprets the Craftsman chevron design with ① bronze waterglass, ② seeded glass, ③ clear bevels, ④ gray artique glass and coming. Artistically authentic in every detail.

Available in:  
 American Style Collection™  
 Mahogany Collection™  
 Rustic Collection™  
 Oak Collection™  
 Canvas Collection®



Glass Privacy Rating



Black Nickel



Brushed Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size of glass and hand craftsmanship. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more details.



## Homeward™

The balanced Mission-style pattern of Homeward invites light to cascade through its distinctive ① clear bevels, ② seeded glass and ③ gray artique glass.

An ideal complement for a Transitional home design.

Available in:  
 American Style Collection™  
 Mahogany Collection™  
 Rustic Collection™  
 Oak Collection™  
 Canvas Collection.



Black Nickel



Brushed Nickel

## Arcadia™

With its timeless petal design, Arcadia combines ① gray baroque glass, ② seeded glass, ③ clear curved bevels and coming for a distinctive display that evokes a simpler time.

Available in:  
 Mahogany Collection™  
 Rustic Collection™  
 Oak Collection™  
 Canvas Collection.



Black Nickel



Brushed Nickel




Brass

## Augustine

Augustine's swirl leaf design adds that touch of elegance. Made of round wrought iron and ① granite glass for the ultimate in privacy, Augustine pays homage to classic English styling.

Available in:  
 Mahogany Collection™  
 Rustic Collection™  
 Canvas Collection®



Wrought Iron

Note: Features a lite frame with an authentic wrought iron look in a black finish. Refer to the image on page 41 to see an example on a home.

## Ashurst

Ashurst recalls the familiar feel of American-crafted sophistication. ① Clear bevels, ② double waterglass and coming come together to provide modest privacy with a traditional vibe.

Available in:  
 Mahogany Collection™  
 Rustic Collection™  
 Canvas Collection®



Black Nickel




Brushed Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size of glass and hand craftsmanship. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more details.

## Bella™

As its name suggests, Bella's design is delicate and appealing, bringing together ① clear bevels, ② clear baroque glass, ③ rainglass, ④ seeded glass, ⑤ bronze waterglass and coming.

Available in:  
 Mahogany Collection™  
 Rustic Collection™  
 Oak Collection™  
 Canvas Collection.



Black Nickel



Brushed Nickel

## Arborwatch™

An eclectic interpretation of the Arts and Crafts movement, Arborwatch combines ① narrow reed glass, ② M seedy glass, ③ waterglass and coming in a symmetrical arrangement accented by ④ pale amber glass, ⑤ amber artique glass and ⑥ clear bevels.

Available in:  
 American Style Collection™  
 Mahogany Collection™  
 Rustic Collection™  
 Oak Collection™  
 Canvas Collection.



Black Nickel



Brushed Nickel

Note: The use of pale amber and amber artique glass varies based on glass size. Refer to the image on page 41 to see an example on a home.

## Borrassa™

A statement of strength and beauty, Borrassa combines linear and curved wrought iron with **1** hammered glass for the ultimate in privacy. Wrought iron decorative accents add an authentic Old World feel to this stately design.

Available in:  
 Mahogany Collection™  
 Rustic Collection™  
 Canvas Collection®



Wrought Iron

Note: Features a lite frame with an authentic wrought iron look in a black finish. Refer to the image on page 41 to see an example on a home.

## Provincial™

A unique diamond-based motif features **1** double waterglass, **2** clear bevels and coming surrounded by a **3** gray baroque glass border. Provincial captivates with stunning clarity.

Available in:  
 Rustic Collection™  
 Oak Collection™  
 Canvas Collection®



Black Nickel



Brushed Nickel



Brass


Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size of glass and hand craftsmanship. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more details.

## Longford™

The traditional design of Longford integrates a hint of a Celtic knot with ① seeded glass, ② clear bevels, ③ granite glass and coming. A timeless design ideal for entries where modest privacy is desired.

Available in:  
 Mahogany Collection™  
 Rustic Collection™  
 Canvas Collection.

1 8 10  
 Glass Privacy Rating



Black Nickel




Brushed Nickel

## Cambridge™

Ornate and enchanting, Cambridge exhibits a traditional 19<sup>th</sup> century-inspired elegance with modest privacy using ① glue chip glass, ② clear curved bevels, ③ double waterglass and coming.

Available in:  
 Rustic Collection™  
 Oak Collection™  
 Canvas Collection.

1 8 10  
 Glass Privacy Rating



Black Nickel



Brushed Nickel



Brass

## Zaha™

Structured right angles are offset by dynamic curves in this high-energy design. Zaha features **1** oceana and **2** seedy glass, **3** clear and **4** multifaceted bevels, and coming to create a refreshing and unexpected elegance that appeals to Contemporary home styles.

Available in:  
 Mahogany Collection™  
 Rustic Collection™  
 Canvas Collection®



Black Nickel



Brushed Nickel

## Lucerna®

Named for the beauty of light it reflects, Lucerna glass presents an elegant, updated fleur-de-lis pattern in a spectrum of **1** curved, **2** diamond and **3** rectangular bevels surrounded by smooth, swirling **4** barn wood and heavily textured **5** diamond border glass.

Available in:  
 Mahogany Collection™  
 Rustic Collection™  
 Oak Collection™  
 Canvas Collection®



Black Nickel



Brushed Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size of glass and hand craftsmanship. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more details.

## Privacy & Textured Glass

### Chord Glass

A vertical flowing pattern reminiscent of waves on the water.

Available in:  
 American Style Collection™  
 Mahogany Collection™  
 Rustic Collection™  
 Oak Collection™  
 Canvas Collection.

1

10

Glass Privacy Rating



### Chinchilla Glass

A free-flowing configuration, presenting quiet lines and curves.

Available in:  
 American Style Collection™  
 Mahogany Collection™  
 Rustic Collection™  
 Oak Collection™  
 Canvas Collection.

1

10

Glass Privacy Rating



### Rainglass

An elegantly fashioned glass, featuring ripples of cascading water.

Available in:  
 American Style Collection™  
 Mahogany Collection™  
 Rustic Collection™  
 Oak Collection™  
 Canvas Collection®

1 **8** 10  
 Glass Privacy Rating



### Granite Glass

A coarse grained arrangement with surface detail over the entirety of glass.

Available in:  
 American Style Collection™  
 Mahogany Collection™  
 Rustic Collection™  
 Oak Collection™  
 Canvas Collection®

1 **10**  
 Glass Privacy Rating



Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size of glass and hand craftsmanship. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more details.

Right Page Top: Classic-Craft American Style Collection, Arborwatch Glass with SDLs, Door – CCA9300, Sidelites – CCA9100SL  
 Right Page Bottom Left: Classic-Craft Rustic Collection, Borrassa Glass, Door – CCR1528; Hammered Glass, Sidelites – CCR3400XHSL  
 Right Page Bottom Right: Classic-Craft Rustic Collection, Augustine Glass, Door – CCR820537A







## Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware in an authentic, hand-forged wrought iron look with a black finish. Includes pyramid and round clavos, as well as strap hinges.



1-1/2"

1-1/4"

1"


1-3/4"

1-1/4"

1"



18"



Top: Classic-Craft Rustic Collection Door – CCR205; Rainglass, Sidelites – CCR3400XRSL; Clavos & Strap Hinges



**4-Block Dentil Shelf**  
Shown on 3'6" x 8'0" door.



**4-Block Dentil Shelf**  
Shown on 3'0" x 8'0" door.

## Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal or to complement other architectural elements around the house. Includes 4- and 16-block options.



**Classic-Craft. American Style Collection. 4-Block Dentil Shelf**



**Classic-Craft. American Style Collection. 4-Block Dentil Shelf\***



**Classic-Craft. American Style Collection. 16-Block Dentil Shelf**



**Classic-Craft. Canvas Collection. 4-Block Dentil Shelf**

\*Pairs with 3'6" wide doors.

Top: Classic-Craft American Style Collection, Low-E Glass with SDLs, Door – CCA8230, Sidelites – CCA3500SL, Dentil Shelf



Classic-Craft®  
Entry Doors

THERMATEX  
DOORS



INSPIRE

# Classic-Craft<sup>®</sup>

## American Style Collection<sup>™</sup>

- Vertical Douglas Fir grain.

The simple vertical lines and Shaker-style recessed panels of Classic-Craft American Style premium fiberglass entryways create a timeless look that is perfect for Craftsman-inspired Cottage- and Bungalow-style homes.

# Classic-Craft® American Style Collection™

Features high-definition vertical Douglas Fir grain with Craftsman styling, ideal for homes with an Arts and Crafts flair.



## SAME-DAY STAIN

See the difference stain can make. Kit available in seven finish colors on pages 266–267.

### Architectural Character

- Architecturally correct design – up to 25% wider panels.\*
- Deeper embossments.
- Solid hardwood square edges.
- AccuGrain® technology.
- More than 10% wider glass.\*
- Flush-glazed doors and sidelites.
- Exclusive glass designs.
- Low-E glass standard.

### Heavier Construction

- 20% heavier construction.\*
- Top and bottom composite rails.
- 4-1/8" full-length engineered lumber lockstile for added weight and rigidity.
- Thicker fiberglass skins.

### Available Sizes

- 3'0" and 3'6" wide doors in 6'8" and 8'0" heights.
- 2-1/2" of height trimmability allows flexibility to fit 80"–82-1/2" and 96"–98-1/2" rough openings.

### Finish Options

Classic-Craft American Style entryways can be stained or painted any color.

- Tru-Defense® Warranty Rider eligible when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider.

### Flush-Glazed Fiberglass Door Replacement Rider

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door and glass.



\*Compared to other standard fiberglass doors.  
Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size of glass and hand craftsmanship. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more, including details on height trimmability, limited warranties and exclusions, Tru-Defense Rider and ENERGY STAR qualified products.

Bottom: Classic-Craft American Style Collection, Villager Glass with SDLs, Door – CCA232, Sidelites – CCA3402SL, Transom – VGRT  
Right Page: Classic-Craft American Style Collection, Chord Glass with SDLs, Door – CCA260XC, Sidelites – CCA220XC SL, Dentil Shelf

# Decorative Glass Designs



**Villager™** Page 48  
Glass Privacy Rating: **5**



**Homeward™** Page 48  
Glass Privacy Rating: **4**



**Arborwatch™** Page 49  
Glass Privacy Rating: **6**

Also Available:

**Privacy & Textured Glass**

Page 50

**Low-E Glass** Page 51

Glass Privacy Rating Scale

**1 2 3 4 5 6 7 8 9 10**

Clear

Opaque

**Caming Options**

■ Brushed Nickel Caming (1C)

◆ Black Nickel Caming (1D)

■ Simulated divided lites (SDLs) available to create authentic Craftsman glass configurations.



# Villager™



**CCA212**  
 ▲ ■ ◆  
 3'0" x 6'8"

**CCA8212**  
 ▲ ■ ◆  
 3'0" x 8'0"

**CCA222**  
 ▲ ■ ◆  
 3'0" x 6'8"

**CCA8222**  
 ▲ ■ ◆  
 3'0" x 8'0"

**CCA232**  
 ▲ ■ ◆  
 3'0" x 6'8"

**CCA8232**  
 ▲ ■ ◆  
 3'0" x 8'0"

**CCA3402SL**  
 ▲ ■ ◆  
 12" x 6'8"  
 14" x 6'8"

**CCA3502SL**  
 ▲ ■ ◆  
 12" x 8'0"  
 14" x 8'0"

**CCA212SL**  
 ▲ ■ ◆  
 12" x 6'8"  
 14" x 6'8"

**VGRT**  
 ■ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

**VG30T**  
 ■ ◆  
 3'0" Door Only

# Homeward™



**CCA211**  
 ▲ ■ ◆  
 3'0" x 6'8"

**CCA8211**  
 ▲ ■ ◆  
 3'0" x 8'0"

**CCA87112**  
 ▲ ■ ◆  
 3'6" x 8'0"

**CCA221**  
 ▲ ■ ◆  
 3'0" x 6'8"


**CCA8221**  
 ▲ ■ ◆  
 3'0" x 8'0"

**CCA87122**  
 ▲ ■ ◆  
 3'6" x 8'0"

**CCA231**  
 ▲ ■ ◆  
 3'0" x 6'8"

**CCA8231**  
 ▲ ■ ◆  
 3'0" x 8'0"

**CCA87132**  
 ▲ ■ ◆  
 3'6" x 8'0"



**CCA3401SL**  
 ▲ ■ ◆  
 12" x 6'8"  
 14" x 6'8"

**CCA3501SL**  
 ▲ ■ ◆  
 12" x 8'0"  
 14" x 8'0"

**CCA211SL**  
 ▲ ■ ◆  
 12" x 6'8"  
 14" x 6'8"

**HWRT**  
 ■ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

**HW30T**  
 ■ ◆  
 3'0" Door Only



\*Pairs with 3'6" wide doors.

Note: See page 273 for important product details that may help with your purchase decision.

Bottom: Classic-Craft American Style Collection, Homeward Glass, Door – CCA211, Sidelites – CCA3401SL, Transom – HWRT, Dentil Shelf  
 Right Page: Classic-Craft American Style Collection, Rainglass with SDLs, Door – CCA8240XR



# Arborwatch™



CCA9100  
 ▲ ■ ■ ■  
 3'0" x 6'8"



CCA89100  
 ■ ■ ■ ■  
 3'0" x 8'0"



CCA87111  
 ■ ■ ■ ■  
 3'6" x 8'0"



CCA9200  
 ▲ ■ ■ ■  
 3'0" x 6'8"



CCA89200  
 ▲ ■ ■ ■ ■ ■  
 3'0" x 8'0"



CCA87121  
 ▲ ■ ■ ■ ■ ■  
 3'6" x 8'0"



CCA9300  
 ▲ ■ ■ ■ ■ ■  
 3'0" x 6'8"



CCA89300  
 ▲ ■ ■ ■ ■ ■  
 3'0" x 8'0"



CCA87131  
 ▲ ■ ■ ■ ■ ■  
 3'6" x 8'0"



CCA1423SL  
 ▲ ■ ■ ■  
 12" x 6'8"  
 14" x 6'8"



CCA81423SL  
 ▲ ■ ■ ■  
 12" x 8'0"  
 14" x 8'0"



CCA9100SL  
 ▲ ■ ■ ■  
 12" x 6'8"  
 14" x 6'8"



ABRT  
 ■ ■ ■ ■  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



AB30T  
 ■ ■ ■ ■  
 3'0" Door Only






## Options Key

- ■ ■ ■ Brushed Nickel Caming (1C)
- ▲ ■ ■ ■ Black Nickel Caming (1D)

## Features Key

- Simulated Divided Lites (SDL)
- ▲ Flush-Glazed Glass (FG)

## Optional Dentil Shelves

-  4-Block Dentil Shelf
-  16-Block Dentil Shelf
-  **NEW 4-Block Dentil Shelf\***

# Privacy & Textured Glass



CCA210 \_  
3'0" x 6'8"

CCA8210 \_  
3'0" x 8'0"



CCA87100 \_\*  
3'6" x 8'0"



CCA220 \_  
3'0" x 6'8"

CCA8220 \_  
3'0" x 8'0"



CCA87200 \_\*  
3'6" x 8'0"



CCA230 \_  
3'0" x 6'8"

CCA8230 \_  
3'0" x 8'0"



CCA87300 \_\*  
3'6" x 8'0"



CCA240 \_  
3'0" x 6'8"

CCA8240 \_  
3'0" x 8'0"



CCA87400 \_\*  
3'6" x 8'0"



CCA260 \_  
3'0" x 6'8"

CCA8260 \_  
3'0" x 8'0"



CCA87600 \_\*  
3'6" x 8'0"



CCA3400 \_SL  
12" x 6'8"  
14" x 6'8"



CCA3500 \_SL  
12" x 8'0"  
14" x 8'0"



CCA3450 \_SL  
12" x 6'8"  
14" x 6'8"



CCA3560 \_SL  
12" x 8'0"  
14" x 8'0"



CCA210 \_SL  
12" x 6'8"  
14" x 6'8"



CCA220 \_SL  
12" x 6'8"  
14" x 6'8"

## Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 39–41.

XJ = Chinchilla Glass  
XR = Rainglass

XN = Granite Glass  
XC = Chord Glass

\*Available in Rainglass only.

\*\*Pairs with 3'6" wide doors.

Note: See page 273 for important product details that may help with your purchase decision.

# Low-E Glass



CCA210  
 3'0" x 6'8"  
 CCA8210  
 3'0" x 8'0"



CCA87100  
 3'6" x 8'0"



CCA220  
 3'0" x 6'8"  
 CCA8220  
 3'0" x 8'0"



CCA87200  
 3'6" x 8'0"



CCA230  
 3'0" x 6'8"  
 CCA8230  
 3'0" x 8'0"



CCA87300  
 3'6" x 8'0"



CCA240  
 3'0" x 6'8"  
 CCA8240  
 3'0" x 8'0"



CCA87400  
 3'6" x 8'0"



CCA260  
 3'0" x 6'8"  
 CCA8260  
 3'0" x 8'0"



CCA87600  
 3'6" x 8'0"



CCA3400SL  
 12" x 6'8"  
 14" x 6'8"



CCA3500SL  
 12" x 8'0"  
 14" x 8'0"

CCA3450SL  
 12" x 6'8"  
 14" x 6'8"

CCA3560SL  
 12" x 8'0"  
 14" x 8'0"



CCA210SL  
 12" x 6'8"  
 14" x 6'8"



CCA220SL  
 12" x 6'8"  
 14" x 6'8"



19220T  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems




19200T  
 3'0" Door Only

## Features Key

- Simulated Divided Lites (SDL)
- Flush-Glazed Glass (FG)
- Low-E Glass (LE)

## Optional Dentil Shelves



NEW 4-Block Dentil Shelf\*\*



Classic-Craft®  
Entry Doors

THERMA TRU  
DOORS



DREAM

# Classic-Craft<sup>®</sup>

## Mahogany Collection<sup>™</sup>

- Rich, warm Mahogany wood tones.

Especially suited to European, Victorian and Colonial home styles, Classic-Craft Mahogany premium fiberglass entryways are a sophisticated, elegant option for homeowners looking to make a statement by creating dramatic, grand entrances.

# Classic-Craft® Mahogany Collection™

Offers rich, warm wood tones in authentic Honduran Mahogany, especially suited for European, Victorian and Colonial homes.



## SAME-DAY STAIN

See the difference stain can make. Kit available in seven finish colors on pages 266–267.

### Architectural Character

- Architecturally correct design – up to 25% wider panels.\*
- Deeper embossments.
- Solid hardwood square edges.
- AccuGrain® technology.
- More than 10% wider glass.\*
- Flush-glazed sidelites.
- Fiberglass lite frames.
- Exclusive glass designs.
- Low-E glass standard.

### Heavier Construction




- 20% heavier construction.\*
- Top and bottom composite rails.
- 4-1/8" full-length engineered lumber lockstile for added weight and rigidity.
- Thicker fiberglass skins.

### Available Sizes

- 3'0" wide doors in 6'8" and 8'0" heights.
- 2-1/2" of height trimmability allows flexibility to fit 80"–82-1/2" and 96"–98-1/2" rough openings.

### Finish Options

Classic-Craft Mahogany entryways can be stained or painted any color.

- 
**WBDR / HVHZ Options:** Look for this icon to find door styles that can be configured for WBDR or HVHZ.\*\*
- 
**Fire-rated options available on solid-panel doors.** See pages 227–231.
- 
**Tru-Defense® Warranty Rider** eligible when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider.



\*Compared to other standard fiberglass doors.

\*\*Please verify that there is a Therma-Tru product approval for the configuration before buying.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size of glass and hand craftsmanship. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more, including details on height trimmability, limited warranties and exclusions, Tru-Defense Rider, ENERGY STAR qualified products and product approvals.

Bottom: Classic-Craft Mahogany Collection, Arcadia Glass, Door – CCM209, Sidelites – CCM3309SL

Right Page: Classic-Craft Mahogany Collection, Lucerna Glass, Door – CCM702, Sidelites – CCM3412SL, Transom – LCET

# Decorative Glass Designs



**Villager™** Page 56  
Glass Privacy Rating: **5**



**Homeward™** Page 56  
Glass Privacy Rating: **4**



**Arcadia™** Page 57  
Glass Privacy Rating: **5**



**Augustine®** Page 57  
Glass Privacy Rating: **10**



**Ashurst™** Page 58  
Glass Privacy Rating: **8**



**Bella™** Page 58  
Glass Privacy Rating: **6**



**Arborwatch™** Page 59  
Glass Privacy Rating: **6**



**Borrassa™** Page 59  
Glass Privacy Rating: **10**



**Longford™** Page 60  
Glass Privacy Rating: **8**



**Zaha™** Page 60  
Glass Privacy Rating: **3**



**Lucerna®** Page 61  
Glass Privacy Rating: **7**

Also Available:

**Privacy & Textured Glass** Page 61

**Low-E Glass** Page 62

### Caming Options

- ❖ Brass Caming (1A)
- ❑ Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)
- ✕ Wrought Iron (1W)

Glass Privacy Rating Scale

1 2 3 4 5 6 7 8 9 10

Clear

Opaque



# Villager™




CCM9812  
 ♦  
 3'0" x 6'8"



CCM9816  
 ♦  
 3'0" x 6'8"



CCM89818  
 ♦  
 3'0" x 8'0"



CCM9811  
 ♦  
 3'0" x 6'8"



CCM9812SL  
 ♦  
 12" x 6'8"  
 14" x 6'8"



CCM89812SL  
 ♦  
 12" x 8'0"  
 14" x 8'0"



VGRT  
 ♦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



VG30T  
 ♦  
 3'0" Door Only

# Homeward™



CCM9925  
 ♦  
 3'0" x 6'8"



CCM9923  
 ♦  
 3'0" x 6'8"



CCM89922  
 ♦  
 3'0" x 8'0"



CCM9926  
 ♦  
 3'0" x 6'8"



CCM9925SL  
 ♦  
 12" x 6'8"  
 14" x 6'8"



CCM89925SL  
 ♦  
 12" x 8'0"  
 14" x 8'0"



HWRT  
 ♦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



HW30T  
 ♦  
 3'0" Door Only



Note: See page 273 for important product details that may help with your purchase decision.  
 Bottom: Classic-Craft Mahogany Collection, Lucerna Glass, Door – CCM898, Sidelites – CCM8102SL



# Arcadia™



CCM109  
❖ ❖ ❖  
3'0" x 6'8"



CCM209  
❖ ❖ ❖  
3'0" x 6'8"



CCM894  
❖ ❖ ❖  
3'0" x 8'0"



CCM309  
❖ ❖ ❖  
3'0" x 6'8"



CCM409  
❖ ❖ ❖  
3'0" x 6'8"



CCM509  
❖ ❖ ❖  
3'0" x 6'8"



CCM609  
❖ ❖ ❖  
3'0" x 6'8"



CCM709  
❖ ❖ ❖  
3'0" x 6'8"



CCM809  
❖ ❖ ❖  
3'0" x 6'8"



CCM3409SL  
❖ ❖ ❖  
12" x 6'8"  
14" x 6'8"



CCM8003SL  
❖ ❖ ❖  
12" x 8'0"  
14" x 8'0"



CCM3309SL  
❖ ❖ ❖  
10" x 6'8"  
12" x 6'8"  
14" x 6'8"



CCM3509SL  
❖ ❖ ❖  
12" x 6'8"  
14" x 6'8"



ARHRT  
❖ ❖ ❖  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



CC620T  
❖ ❖ ❖  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



CC060T  
❖ ❖ ❖  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



CC600T  
❖ ❖ ❖  
3'0" Door Only

# Augustine®

Note: Product images show exterior side of door.



CCM30027  
X  
3'0" x 6'8"



CCM1485  
X  
3'0" x 6'8"



CCM805027  
X  
3'0" x 8'0"



CCM1495  
X  
3'0" x 6'8"



CCM3400XNSL  
❖  
12" x 6'8"  
14" x 6'8"

Note: Coordinating sidelites feature granite glass without wrought iron.

CCM8000XNSL  
❖  
12" x 8'0"  
14" x 8'0"

## Options Key

- ❖ Brass Caming (1A)
- ❖ Brushed Nickel Caming (1C)
- ❖ Black Nickel Caming (1D)

## Features Key

- ❖ Flush-Glazed Glass (FG)
- X Wrought Iron (1W)

# Ashurst™



CCM105  
 ♦ ♦  
 3'0" x 6'8"



CCM205  
 ♦ ♦  
 3'0" x 6'8"



CCM893  
 ♦ ♦  
 3'0" x 8'0"



CCM305  
 ♦ ♦  
 3'0" x 6'8"



CCM405  
 ♦ ♦  
 3'0" x 6'8"



CCM505  
 ♦ ♦  
 3'0" x 6'8"




CCM605  
 ♦ ♦  
 3'0" x 6'8"



CCM705  
 ♦ ♦  
 3'0" x 6'8"



CCM805  
 ♦ ♦  
 3'0" x 6'8"



CCM3405SL  
 ♦ ♦ ♦  
 12" x 6'8"  
 14" x 6'8"



CCM8002SL  
 ♦ ♦ ♦  
 12" x 8'0"  
 14" x 8'0"



CCM3305SL  
 ♦ ♦ ♦  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



CCM3505SL  
 ♦ ♦ ♦  
 12" x 6'8"  
 14" x 6'8"



ASHRT  
 ♦ ♦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems



ASRT  
 ♦ ♦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



ASET  
 ♦ ♦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



AS30T  
 ♦ ♦  
 3'0" Door Only

# Bella™



CCM110B  
 ♦ ♦  
 3'0" x 6'8"



CCM210B  
 ♦ ♦  
 3'0" x 6'8"



CCM895B  
 ♦ ♦  
 3'0" x 8'0"



CCM310B  
 ♦ ♦  
 3'0" x 6'8"



CCM610B  
 ♦ ♦  
 3'0" x 6'8"



CCM710B  
 ♦ ♦  
 3'0" x 6'8"



CCM810B  
 ♦ ♦  
 3'0" x 6'8"



CCM3410BSL  
 ▲ ◆ ◆ ◆  
 12" x 6'8"  
 14" x 6'8"



CCM8004BSL  
 ▲ ◆ ◆ ◆  
 12" x 8'0"  
 14" x 8'0"



CCM3310BSL  
 ▲ ◆ ◆ ◆  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



BEBHRT  
 ◆ ◆ ◆ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems



BERT-B  
 ◆ ◆ ◆ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



BEET-B  
 ◆ ◆ ◆ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

## Arborwatch™




CCM1423  
 ◆ ◆ ◆ ◆  
 3'0" x 6'8"



CCM1419  
 ◆ ◆ ◆ ◆  
 3'0" x 6'8"



CCM81418  
 ◆ ◆ ◆ ◆  
 3'0" x 8'0"



CCM1424  
 ◆ ◆ ◆ ◆  
 3'0" x 6'8"



CCM1423SL  
 ▲ ◆ ◆ ◆  
 12" x 6'8"  
 14" x 6'8"



CCM81423SL  
 ▲ ◆ ◆ ◆  
 12" x 8'0"  
 14" x 8'0"

ABRT  
 ◆ ◆ ◆ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



AB30T  
 ◆ ◆ ◆ ◆  
 3'0" Door Only

## Borrassa™

Note: Product images show exterior side of door.



CCM1528  
 X  
 3'0" x 6'8"



CCM1475  
 X  
 3'0" x 6'8"



CCM81519  
 X  
 3'0" x 8'0"



CCM1465  
 X  
 3'0" x 6'8"



CCM3400XHSL  
 ▲ ◆ ◆ ◆  
 12" x 6'8"  
 14" x 6'8"

Note: Coordinating sidelites feature hammered glass without wrought iron.

CCM8000XHSL  
 ▲ ◆ ◆ ◆  
 12" x 8'0"  
 14" x 8'0"

### Options Key

- ◆ Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)

### Features Key

- ▲ Flush-Glazed Glass (FG)
- X Wrought Iron (1W)

# Longford™



**CCM103**  
 ♦ ♦ ♦  
 3'0" x 6'8"

**CCM203**  
 ♦ ♦ ♦  
 3'0" x 6'8"

**CCM892**  
 ♦ ♦ ♦  
 3'0" x 8'0"


**CCM303**  
 ♦ ♦ ♦  
 3'0" x 6'8"

**CCM403**  
 ♦ ♦ ♦  
 3'0" x 6'8"

**CCM503**  
 ♦ ♦ ♦  
 3'0" x 6'8"

**CCM603**  
 ♦ ♦ ♦  
 3'0" x 6'8"

**CCM703**  
 ♦ ♦ ♦  
 3'0" x 6'8"



**CCM803**  
 ♦ ♦ ♦  
 3'0" x 6'8"

**CCM3403SL**  
 ♦ ♦ ♦ ♦ ♦  
 12" x 6'8"  
 14" x 6'8"

**CCM8001SL**  
 ♦ ♦ ♦ ♦ ♦  
 12" x 8'0"  
 14" x 8'0"

**CCM3303SL**  
 ♦ ♦ ♦ ♦ ♦  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"

**CCM3503SL**  
 ♦ ♦ ♦ ♦ ♦  
 12" x 6'8"  
 14" x 6'8"

**LFHRT**  
 ♦ ♦ ♦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems

**LFRT**  
 ♦ ♦ ♦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

**LFET**  
 ♦ ♦ ♦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

**LF30T**  
 ♦ ♦ ♦  
 3'0" Door Only

# Zaha™

Note: Product images show exterior side of door.



**CCM1851**  
 ♦ ♦ ♦  
 3'0" x 6'8"

**CCM1844**  
 ♦ ♦ ♦  
 3'0" x 6'8"

**CCM81843**  
 ♦ ♦ ♦  
 3'0" x 8'0"

**CCM1842**  
 ♦ ♦ ♦  
 3'0" x 6'8"

**CCM1851SL**  
 ♦ ♦ ♦ ♦ ♦  
 12" x 6'8"  
 14" x 6'8"

**CCM81851SL**  
 ♦ ♦ ♦ ♦ ♦  
 12" x 8'0"  
 14" x 8'0"

**CCM1843SL**  
 ♦ ♦ ♦ ♦ ♦  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



**ZHHRT**  
 ♦ ♦ ♦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems



**ZHRT**  
 ♦ ♦ ♦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

# Lucerna®



CCM10022  
 ■ ■ ■  
 3'0" x 6'8"

CCM204  
 ■ ■ ■  
 3'0" x 6'8"

CCM898  
 ■ ■ ■  
 3'0" x 8'0"

CCM302  
 ■ ■ ■  
 3'0" x 6'8"

CCM612  
 ■ ■ ■  
 3'0" x 6'8"

CCM702  
 ■ ■ ■  
 3'0" x 6'8"

CCM822  
 ■ ■ ■  
 3'0" x 6'8"



CCM3412SL  
 ■ ■ ■  
 12" x 6'8"  
 14" x 6'8"

CCM8102SL  
 ■ ■ ■  
 12" x 8'0"  
 14" x 8'0"



CCM3302SL  
 ■ ■ ■  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



CCM3502SL  
 ■ ■ ■  
 12" x 6'8"  
 14" x 6'8"



LCRT  
 ■ ■ ■  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems



LCRT  
 ■ ■ ■  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



LCET  
 ■ ■ ■  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



LC30T  
 ■ ■ ■  
 3'0" Door Only

# Privacy & Textured Glass



CCM100  
 3'0" x 6'8"

CCM200  
 3'0" x 6'8"

CCM891  
 3'0" x 8'0"

CCM300  
 3'0" x 6'8"

CCM3400\_SL  
 12" x 6'8"  
 14" x 6'8"

CCM8000\_SL  
 12" x 8'0"  
 14" x 8'0"

## Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 39-41.

XJ = Chinchilla Glass  
 XR = Rainglass

XN = Granite Glass  
 XC = Chord Glass

## Options Key

- ■ ■ Brushed Nickel Caming (1C)
- ■ ■ Black Nickel Caming (1D)

## Features Key

- ▲ Flush-Glazed Glass (FG)

# Low-E Glass



CCM100  
\*  
3'0" x 6'8"



CCM200  
\*  
3'0" x 6'8"



CCM891  
\*  
3'0" x 8'0"



CCM300  
\*  
3'0" x 6'8"



CCM400  
\*  
3'0" x 6'8"



CCM500  
\*  
3'0" x 6'8"



CCM600  
\*  
3'0" x 6'8"



CCM700  
\*  
3'0" x 6'8"



CCM800  
\*  
3'0" x 6'8"



CCM3400SL  
▲\*  
12" x 6'8"  
14" x 6'8"



CCM8000SL  
▲\*  
12" x 8'0"  
14" x 8'0"



CCM3300SL  
▲\*  
10" x 6'8"  
12" x 6'8"  
14" x 6'8"



CCM3500SL  
▲\*  
12" x 6'8"  
14" x 6'8"



DLHRT  
\*  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



19220T  
\*  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



19020T  
\*  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



19200T  
\*  
3'0" Door Only

# Solid Panel



CCM890  
6  
3'0" x 8'0"



CCM60  
6  
3'0" x 6'8"



CCM701  
6  
3'0" x 6'8"



CCM801  
3'0" x 6'8"

## Options Key

6 WBDR / HVHZ Options

## Features Key

\* Low-E Glass (LE)

▲ Flush-Glazed Glass (FG)

Note: See page 273 for important product details that may help with your purchase decision.

Right Page: Classic-Craft Mahogany Collection, Bella Glass, Door – CCM110B, Sidelites – CCM3410BSL





Classic-Craft®  
Entry Doors

THERMA TRU  
DOORS

BEAUTY



# Classic-Craft®

## Rustic

## Collection™

- Casually elegant wood graining.

Designed to complement American Southwest or European-inspired home styles, Classic-Craft Rustic premium fiberglass entryways feature casually elegant wood graining that can be coordinated with decorative glass and accessories to create enchanting entrances.

# Classic-Craft® Rustic Collection™

Seamlessly blends Southwest and European styling with rustic wood grains to evoke Old World charm.



## Architectural Character

- Architecturally correct design – up to 25% wider panels.\*
- Deeper embossments.
- Solid hardwood square edges.
- AccuGrain® technology.
- More than 10% wider glass.\*
- Flush-glazed sidelites.
- Fiberglass lite frames.
- Exclusive glass designs.
- Low-E glass standard.

## Heavier Construction

- 20% heavier construction.\*
- Top and bottom composite rails.
- 4-1/8" full-length engineered lumber lockstile for added weight and rigidity.
- Thicker fiberglass skins.

## Available Sizes

- 3'0" and 3'6" wide doors in 6'8" and 8'0" heights.
- 2-1/2" of height trimmability allows flexibility to fit 80"–82-1/2" and 96"–98-1/2" rough openings.

## Finish Options

Classic-Craft Rustic entryways can be stained or painted any color.



**6** WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.\*\*

**🔥** Fire-rated options available on solid-panel doors. See pages 227–231.

**+** Tru-Defense. Warranty Rider eligible when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider.



## SAME-DAY STAIN

See the difference stain can make. Kit available in seven finish colors on pages 266–267.

\*Compared to other standard fiberglass doors.

\*\*Please verify that there is a Therma-Tru product approval for the configuration before buying.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size of glass and hand craftsmanship. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more, including details on height trimmability, limited warranties and exclusions, Tru-Defense Rider, ENERGY STAR qualified products and product approvals.

Bottom: Classic-Craft Rustic Collection, Ashurst Glass, Door – CCR820525

# Decorative Glass Designs



**Villager™** Page 68  
Glass Privacy Rating: **5**



**Homeward™** Page 68  
Glass Privacy Rating: **4**



**Arcadia™** Page 69  
Glass Privacy Rating: **5**




**Augustine®** Page 69  
Glass Privacy Rating: **10**



**Ashurst™** Page 70  
Glass Privacy Rating: **8**



**Bella™** Page 71  
Glass Privacy Rating: **6**




**Arborwatch™** Page 71  
Glass Privacy Rating: **6**



**Borrassa™** Page 72  
Glass Privacy Rating: **10**



**Provincial™** Page 72  
Glass Privacy Rating: **6**



**Longford™** Page 73  
Glass Privacy Rating: **8**



**Cambridge™** Page 73  
Glass Privacy Rating: **8**



**Zaha™** Page 74  
Glass Privacy Rating: **3**



**Lucerna®** Page 74  
Glass Privacy Rating: **7**

Also Available:

**Privacy & Textured Glass**  
Page 75

**Low-E Glass**  
Page 76


Glass Privacy Rating Scale

1 2 3 4 5 6 7 8 9 10  
Clear Opaque

**Caming Options**

- ❖ Brass Caming (1A)
- ❑ Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)
- ✕ Wrought Iron (1W)


# Panel Embossments




2-Panel Square Top – WS



2-Panel Soft Arch  
4-Panel Round Top  
Arched 2-Panel Soft Arch  
Radiused 4-Panel Round Top  
2-Panel Round Top  
Radiused 2-Panel Round Top



2-Panel Plank Soft Arch  
Arched 2-Panel Plank Soft Arch  
1-Panel Plank Soft Arch  
2-Panel Plank Round Top  
Radiused 2-Panel Plank Round Top



Arched Full Plank  
Full Plank  
Radiused Full Plank

# Villager™



CCR9812  
3'0" x 6'8"

CCR9819  
3'0" x 6'8"

CCR89819  
3'0" x 8'0"



CCR9821  
3'0" x 6'8"

CCR89821  
3'0" x 8'0"

CCR9822  
3'0" x 6'8"

CCR89822  
3'0" x 8'0"



CCR822219  
3'0" x 8'0"



CCR9812SL  
12" x 6'8"  
14" x 6'8"

CCR89812SL  
12" x 8'0"  
14" x 8'0"



VGRT

3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



VG30T

3'0" Door Only

# Homeward™



CCR9925  
3'0" x 6'8"

CCR9921  
3'0" x 6'8"

CCR89921  
3'0" x 8'0"  
3'6" x 8'0"

CCR9919  
3'0" x 6'8"

CCR89919  
3'0" x 8'0"  
3'6" x 8'0"

CCR9918  
3'0" x 6'8"

CCR89918  
3'0" x 8'0"



CCR822218  
3'0" x 8'0"  
3'6" x 8'0"

CCR9925SL  
12" x 6'8"  
14" x 6'8"

CCR89925SL  
12" x 8'0"  
14" x 8'0"



HWRT

3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



HW30T

3'0" Door Only

New for 2016: Now available in 3'6" x 8'0" size, shown in red.

Note: See page 273 for important product details that may help with your purchase decision.

Top: Classic-Craft Rustic Collection, Villager Glass, Door – CCR9822

# Arcadia™



**ARHRT**  
 ❖ ❖ ❖  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems



**CC060T**  
 ❖ ❖ ❖  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



**CC620T**  
 ❖ ❖ ❖  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



**CC600T**  
 ❖ ❖ ❖  
 3'0" Door Only

# Augustine®

Note: Product images show exterior side of door.



Augustine Glass Continues on next page.

## Options Key

- ❖ Brass Caming (1A)
- ❖ Brushed Nickel Caming (1C)
- ❖ Black Nickel Caming (1D)

## Features Key

- 🔥 Flush-Glazed Glass (FG)
- ✗ Wrought Iron (1W)

**Augustine® Glass** *Continued*



CCR20537A ✗ 3'0" x 6'8"	CCR820537A ✗ 3'0" x 8'0" 3'6" x 8'0"	CCR20027 ✗ 3'0" x 6'8"	CCR820027 ✗ 3'0" x 8'0"	CCR822227 ✗ 3'0" x 8'0" 3'6" x 8'0"	CCR20037 ✗ 3'0" x 6'8"	CCR820037 ✗ 3'0" x 8'0"	CCR20037A ✗ 3'0" x 6'8"	CCR820037A ✗ 3'0" x 8'0"	CCR3400XNSL ♦ 12" x 6'8" 14" x 6'8"	CCR8000XNSL ♦ 12" x 8'0" 14" x 8'0"
-------------------------------	---	------------------------------	-------------------------------	--	------------------------------	-------------------------------	-------------------------------	--------------------------------	--	--

Note: Coordinating sidelites feature granite glass without wrought iron.

**Ashurst™**



CCR30025 ♦♦ 3'0" x 6'8"	CCR04025 ♦♦♦ 3'0" x 6'8"	CCR804025 ♦♦♦ 3'0" x 8'0"	CCR804035 ♦♦♦ 3'0" x 8'0"	CCR804035A ♦♦♦ 3'0" x 8'0"	CCR20525 ♦♦♦ 3'0" x 6'8"	CCR820525 ♦♦♦ 3'0" x 8'0"	CCR820535 ♦♦♦ 3'0" x 8'0"
-------------------------------	--------------------------------	---------------------------------	---------------------------------	----------------------------------	--------------------------------	---------------------------------	---------------------------------



CCR820535A ♦♦♦ 3'0" x 8'0"	CCR20025 ♦♦♦ 3'0" x 6'8"	CCR820025 ♦♦♦ 3'0" x 8'0"	CCR822225 ♦♦♦ 3'0" x 8'0"	CCR820035 ♦♦♦ 3'0" x 8'0"	CCR820035A ♦♦♦ 3'0" x 8'0"	CCR3405SL ♦♦♦♦ 12" x 6'8" 14" x 6'8"	CCR8001SL ♦♦♦♦ 12" x 8'0" 14" x 8'0"
----------------------------------	--------------------------------	---------------------------------	---------------------------------	---------------------------------	----------------------------------	---	---



ASHRT ♦♦♦  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



ASET ♦♦♦  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



ASRT ♦♦♦  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



AS30T ♦♦♦  
3'0" Door Only

New for 2016: Now available in 3'6" x 8'0" size, shown in red.

Note: See page 273 for important product details that may help with your purchase decision.

# Bella<sup>™</sup>



**BEBHRT**  
 ■ ■ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems



**BEET-B**  
 ■ ■ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



**BERT-B**  
 ■ ■ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

# Arborwatch<sup>™</sup>



**ABRT**  
 ■ ■ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



**AB30T**  
 ■ ■ ◆  
 3'0" Door Only

## Options Key

- ■ Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)

## Features Key

- ▲ Flush-Glazed Glass (FG)
- ✕ Wrought Iron (1W)

# Borrassa™

Note: Product images show exterior side of door.



CCR1528 ✗ 3'0" x 6'8"	CCR1518 ✗ 3'0" x 6'8"	CCR81518 ✗ 3'0" x 8'0" 3'6" x 8'0"	CCR1514 ✗ 3'0" x 6'8"	CCR81514 ✗ 3'0" x 8'0" 3'6" x 8'0"	CCR1514A ✗ 3'0" x 6'8"	CCR81514A ✗ 3'0" x 8'0" 3'6" x 8'0"	CCR1516 ✗ 3'0" x 6'8"	CCR81516 ✗ 3'0" x 8'0" 3'6" x 8'0"	CCR1512 ✗ 3'0" x 6'8"	CCR81512 ✗ 3'0" x 8'0" 3'6" x 8'0"
-----------------------------	-----------------------------	---	-----------------------------	---	------------------------------	--	-----------------------------	---	-----------------------------	---



CCR1512A ✗ 3'0" x 6'8"	CCR81512A ✗ 3'0" x 8'0" 3'6" x 8'0"	CCR1515 ✗ 3'0" x 6'8"	CCR81515 ✗ 3'0" x 8'0"	CCR822215 ✗ 3'0" x 8'0" 3'6" x 8'0"	CCR1511 ✗ 3'0" x 6'8"	CCR81511 ✗ 3'0" x 8'0"	CCR1511A ✗ 3'0" x 6'8"	CCR81511A ✗ 3'0" x 8'0"	CCR3400XHSL ▲ 12" x 6'8" 14" x 6'8"	CCR8000XHSL ▲ 12" x 8'0" 14" x 8'0"
------------------------------	--	-----------------------------	------------------------------	--	-----------------------------	------------------------------	------------------------------	-------------------------------	--	--

Note:  
Coordinating  
sidelites  
feature  
hammered  
glass without  
wrought iron.

# Provincial™



CCR30028 ◆ ◆ ◆ 3'0" x 6'8"	CCR04028 ◆ ◆ ◆ ◆ 3'0" x 6'8"	CCR804028 ◆ ◆ ◆ ◆ 3'0" x 8'0"	CCR20528 ◆ ◆ ◆ ◆ 3'0" x 6'8"	CCR820528 ◆ ◆ ◆ ◆ ◆ 3'0" x 8'0"	CCR20028 ◆ ◆ ◆ ◆ ◆ 3'0" x 6'8"	CCR820028 ◆ ◆ ◆ ◆ ◆ 3'0" x 8'0"	CCR822228 ◆ ◆ ◆ ◆ 3'0" x 8'0"	CCR3408SL ▲ ◆ ◆ ◆ ◆ 12" x 6'8" 14" x 6'8"	CCR8008SL ▲ ◆ ◆ ◆ ◆ ◆ 12" x 8'0" 14" x 8'0"
----------------------------------	------------------------------------	-------------------------------------	------------------------------------	---------------------------------------	--------------------------------------	---------------------------------------	-------------------------------------	--	--



PRHRT  
◆ ◆ ◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



CC040T  
◆ ◆ ◆ ◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



CC420T  
◆ ◆ ◆ ◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only




CC400T  
◆ ◆ ◆ ◆  
3'0" Door Only

New for 2016: Now available in 3'6" x 8'0" size, shown in red.

Note: See page 273 for important product details that may help with your purchase decision.



# Longford<sup>™</sup>




**LFHRT**  
 ■ ■ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems

**LFET**  
 ■ ■ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

**LFRT**  
 ■ ■ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

**LF30T**  
 ■ ■ ◆  
 3'0" Door Only

# Cambridge<sup>™</sup>



**CBHRT**  
 ◆ ■ ■ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems

**CC090T**  
 ◆ ■ ■ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

**CC920T**  
 ◆ ■ ■ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

**CC900T**  
 ◆ ■ ■ ◆  
 3'0" Door Only

## Options Key

- ◆ Brass Caming (1A)
- ■ Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)

## Features Key

- ▲ Flush-Glazed Glass (FG)
- ✗ Wrought Iron (1W)

# Zaha™

Note: Product images show exterior side of door.



CCR1851  
3'0" x 6'8"



CCR1841  
3'0" x 6'8"

CCR1841  
3'0" x 8'0"



CCR81847  
3'0" x 8'0"



CCR81847A  
3'0" x 8'0"



CCR1839  
3'0" x 6'8"

CCR1839  
3'0" x 8'0"



CCR81846  
3'0" x 8'0"



CCR81846A  
3'0" x 8'0"



CCR1838  
3'0" x 6'8"

CCR81838  
3'0" x 8'0"



CCR822238  
3'0" x 8'0"



CCR81845  
3'0" x 8'0"



CCR81845A  
3'0" x 8'0"



CCR1851SL  
12" x 6'8"  
14" x 6'8"

CCR1851SL  
12" x 8'0"  
14" x 8'0"



ZHHRT  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



ZHRT  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

# Lucerna®



CCR10022  
3'0" x 6'8"



CCR04022  
3'0" x 6'8"



CCR804022  
3'0" x 8'0"  
3'6" x 8'0"



CCR20522  
3'0" x 6'8"



CCR820522  
3'0" x 8'0"  
3'6" x 8'0"



CCR20022  
3'0" x 6'8"



CCR820022  
3'0" x 8'0"



CCR822222  
3'0" x 8'0"  
3'6" x 8'0"



CCR820532  
3'0" x 8'0"

\*Available in Rainglass only.

New for 2016: Now available in 3'6" x 8'0" size, shown in red.

Note: See page 273 for important product details that may help with your purchase decision.



CCR820532A  
 \*\* ◆  
 3'0" x 8'0"



CCR820032  
 \*\* ◆  
 3'0" x 8'0"



CCR820032A  
 \*\* ◆  
 3'0" x 8'0"



CCR804032  
 \*\* ◆  
 3'0" x 8'0"



CCR804032A  
 \*\* ◆  
 3'0" x 8'0"



CCR3412SL  
 ▲ \*\* ◆  
 12" x 6'8"  
 14" x 6'8"

CCR8102SL  
 ▲ \*\* ◆  
 12" x 8'0"  
 14" x 8'0"



LCHRT  
 \*\* ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems



LCET  
 \*\* ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



LCRT  
 \*\* ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



LC30T  
 \*\* ◆  
 3'0" Door Only

## Privacy & Textured Glass



CCR30020  
 3'0" x 6'8"



CCR04020  
 3'0" x 6'8"

CCR804020  
 3'0" x 8'0"  
 3'6" x 8'0"\*



CCR20520  
 3'0" x 6'8"

CCR820520  
 3'0" x 8'0"  
 3'6" x 8'0"\*



CCR20020  
 3'0" x 6'8"

CCR820020  
 3'0" x 8'0"



CCR822220  
 3'0" x 8'0"  
 3'6" x 8'0"\*



CCR804030  
 3'0" x 8'0"

Privacy & Textured Glass *Continues on next page.*

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 39-41.

XJ = Chinchilla Glass  
 XR = Rainglass

XN = Granite Glass  
 XC = Chord Glass

### Options Key

- \*\* Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)

### Features Key

- ▲ Flush-Glazed Glass (FG)

## Privacy & Textured Glass *Continued*



CCR820530  
3'0" x 8'0"



CCR820030  
3'0" x 8'0"



CCR804030A  
3'0" x 8'0"



CCR820530A  
3'0" x 8'0"



CCR820030A  
3'0" x 8'0"



CCR3400 SL	CCR8000 SL
▲ 12" x 6'8"	▲ 12" x 8'0"
▲ 14" x 6'8"	▲ 14" x 8'0"

## Low-E Glass



CCR30020  
★ 3'0" x 6'8"



CCR04020	CCR804020
★ 3'0" x 6'8"	★ 3'0" x 8'0"
	★ 3'6" x 8'0"



CCR804030  
★ 3'0" x 8'0"



CCR804030A  
★ 3'0" x 8'0"



CCR20520	CCR820520
★ 3'0" x 6'8"	★ 3'0" x 8'0"
	★ 3'6" x 8'0"



CCR820530  
★ 3'0" x 8'0"



CCR820530A  
★ 3'0" x 8'0"



CCR20020	CCR820020
★ 3'0" x 6'8"	★ 3'0" x 8'0"



**NEW**  
CCR822220  
★ 3'0" x 8'0"  
★ 3'6" x 8'0"



CCR820030  
★ 3'0" x 8'0"



CCR820030A  
★ 3'0" x 8'0"



CCR3400SL	CCR8000SL
▲ ★ 12" x 6'8"	▲ ★ 12" x 8'0"
▲ 14" x 6'8"	▲ 14" x 8'0"



DLHRT  
★ 3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



19020T  
★ 3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



19220T  
★ 3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



19200T  
★ 3'0" Door Only

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 39–41.

XJ = Chinchilla Glass  
XR = Rainglass

XN = Granite Glass  
XC = Chord Glass

New for 2016: Now available in 3'6" x 8'0" size, shown in red.

Note: See page 273 for important product details that may help with your purchase decision.

# Solid Panel



CCR205  
3'0" x 6'8"

CCR8205  
3'0" x 8'0"  
3'6" x 8'0"



CCR205A  
3'0" x 6'8"

CCR8205A  
3'0" x 8'0"  
3'6" x 8'0"




CCR8225  
3'0" x 8'0"  
3'6" x 8'0"



CCR8225R  
3'0" x 8'0"  
3'6" x 8'0"



CCR8005  
3'0" x 8'0"



CCR8005A  
3'0" x 8'0"



CCR040  
3'0" x 6'8"

CCR8040  
3'0" x 8'0"  
3'6" x 8'0"



CCR040R  
3'0" x 6'8"

CCR8040R  
3'0" x 8'0"  
3'6" x 8'0"



CCR8222  
3'0" x 8'0"  
3'6" x 8'0"



CCR200  
3'0" x 6'8"

CCR8200  
3'0" x 8'0"



CCR200A  
3'0" x 6'8"

CCR8200A  
3'0" x 8'0"



CCR8220  
3'0" x 8'0"



CCR8220R  
3'0" x 8'0"



CCR100  
3'0" x 6'8"  
3'6" x 6'8"

CCR8100  
3'0" x 8'0"  
3'6" x 8'0"



CCR100A  
3'0" x 6'8"  
3'6" x 6'8"

CCR8100A  
3'0" x 8'0"  
3'6" x 8'0"



CCR100R  
3'0" x 6'8"  
3'6" x 6'8"

CCR8100R  
3'0" x 8'0"  
3'6" x 8'0"

## Options Key

WBDR / HVHZ Options

## Features Key

- Low-E Glass (LE)
- Flush-Glazed Glass (FG)



STRIKING

# Classic-Craft<sup>®</sup>

## Oak

## Collection<sup>™</sup>



Warm wood graining.

With warm wood graining, Classic-Craft Oak premium fiberglass entryways are designed as the perfect complement to homes with Traditional styling.

# Solid Panel



CCR205  
3'0" x 6'8"

CCR8205  
3'0" x 8'0"  
3'6" x 8'0"



CCR205A  
3'0" x 6'8"


CCR8205A  
3'0" x 8'0"  
3'6" x 8'0"




CCR8225  
3'0" x 8'0"  
3'6" x 8'0"



CCR8225R  
3'0" x 8'0"  
3'6" x 8'0"



CCR8005  
3'0" x 8'0"



CCR8005A  
3'0" x 8'0"



CCR040  
3'0" x 6'8"

CCR8040  
3'0" x 8'0"  
3'6" x 8'0"



CCR040R  
3'0" x 6'8"

CCR8040R  
3'0" x 8'0"  
3'6" x 8'0"



CCR8222  
3'0" x 8'0"  
3'6" x 8'0"



CCR200  
3'0" x 6'8"

CCR8200  
3'0" x 8'0"




CCR200A  
3'0" x 6'8"

CCR8200A  
3'0" x 8'0"



CCR8220  
3'0" x 8'0"



CCR8220R  
3'0" x 8'0"



CCR100  
3'0" x 6'8"  
3'6" x 6'8"

CCR8100  
3'0" x 8'0"  
3'6" x 8'0"



CCR100A  
3'0" x 6'8"  
3'6" x 6'8"

CCR8100A  
3'0" x 8'0"  
3'6" x 8'0"



CCR100R  
3'0" x 6'8"  
3'6" x 6'8"

CCR8100R  
3'0" x 8'0"  
3'6" x 8'0"

## Options Key

WBDR / HVHZ Options

## Features Key

Low-E Glass (LE)

Flush-Glazed Glass (FG)



# Classic-Craft® Oak Collection™

Features warm wood grains with the look of classic Oak, suitable for homes with Traditional styling.



## Architectural Character

- Architecturally correct design – up to 25% wider panels.\*
- Deeper embossments.
- Solid hardwood square edges.
- AccuGrain® technology.
- More than 10% wider glass.\*
- Flush-glazed sidelites.
- Fiberglass lite frames.
- Exclusive glass designs.
- Low-E glass standard.

## Heavier Construction

- 20% heavier construction.\*
- Top and bottom composite rails.
- 4-1/8" full-length engineered lumber lockstile for added weight and rigidity.
- Thicker fiberglass skins.

## Available Sizes

- 2'8", 3'0" and 3'6" wide doors in 6'8" and 8'0" heights.
- 2-1/2" of height trimmability allows flexibility to fit 80"-82-1/2" and 96"-98-1/2" rough openings.

## Finish Options

Classic-Craft Oak entryways can be stained or painted any color.



**6** WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.\*\*

**🔥** Fire-rated options available on solid-panel doors. See pages 227–231.

**+** Tru-Defense® Warranty Rider eligible when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider.



\*Compared to other standard fiberglass doors.

\*\*Please verify that there is a Therma-Tru product approval for the configuration before buying.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size of glass and hand craftsmanship. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more, including details on height trimmability, limited warranties and exclusions, Tru-Defense Rider, ENERGY STAR qualified products and product approvals.

Bottom: Classic-Craft Oak Collection, Lucerna Glass, Door – CC822  
Right Page: Classic-Craft Oak Collection, Granite Glass, Door – CC90XN, Sidelites – CC2020XNSL



## SAME-DAY STAIN

See the difference stain can make. Kit available in seven finish colors on pages 266–267.

# Decorative Glass Designs



**Villager™** Page 82  
Glass Privacy Rating: **5**



**Homeward™** Page 82  
Glass Privacy Rating: **4**



**Arcadia™** Page 82  
Glass Privacy Rating: **5**



**Bella™** Page 83  
Glass Privacy Rating: **6**



**Arborwatch™** Page 84  
Glass Privacy Rating: **6**



**Provincial™** Page 85  
Glass Privacy Rating: **6**



**Cambridge™** Page 86  
Glass Privacy Rating: **8**



**Lucerna™** Page 87  
Glass Privacy Rating: **7**

Also Available:

**Privacy & Textured Glass**  
Page 87

**Low-E Glass**  
Page 88

Glass Privacy Rating Scale

**1 2 3 4 5 6 7 8 9 10**  
Clear Opaque

**Caming Options**

- ◆ Brass Caming (1A)
- Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)

▶ Removable wood grilles available to create authentic Colonial configurations.



# Villager™



**CC9812**  
 ■ ■ ◆  
 3'0" x 6'8"

**CC89816**  
 ■ ■ ◆  
 3'0" x 8'0"

**CC9818**  
 ■ ■ ◆  
 3'0" x 6'8"

**CC89818**  
 ■ ■ ◆  
 3'0" x 8'0"

**CC89815**  
 ■ ■ ◆  
 3'0" x 8'0"

**CC9811**  
 ■ ■ ◆  
 3'0" x 6'8"

**CC9812SL**  
 ▲ ■ ■ ◆  
 12" x 6'8"  
 14" x 6'8"

**CC89812SL**  
 ▲ ■ ■ ◆  
 12" x 8'0"  
 14" x 8'0"

**VG30T**  
 ■ ■ ◆  
 3'0" Door Only

**VGRT**  
 ■ ■ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

# Homeward™



**CC9925**  
 ■ ■ ◆  
 3'0" x 6'8"

**CC89923**  
 ■ ■ ◆  
 3'0" x 8'0"

**CC9922**  
 ■ ■ ◆  
 3'0" x 6'8"

**CC89922**  
 ■ ■ ◆  
 3'0" x 8'0"

**CC89924**  
 ■ ■ ◆  
 3'0" x 8'0"

**CC9926**  
 ■ ■ ◆  
 3'0" x 6'8"

**CC9925SL**  
 ▲ ■ ■ ◆  
 12" x 6'8"  
 14" x 6'8"

**CC89925SL**  
 ▲ ■ ■ ◆  
 12" x 8'0"  
 14" x 8'0"

**HW30T**  
 ■ ■ ◆  
 3'0" Door Only

**HWRT**  
 ■ ■ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

# Arcadia™



**CC109**  
 ◆ ■ ■ ◆  
 3'0" x 6'8"

**CC889**  
 ◆ ■ ■ ◆  
 3'0" x 8'0"

**CC99**  
 ◆ ■ ■ ◆  
 3'0" x 6'8"

**CC899**  
 ◆ ■ ■ ◆  
 3'0" x 8'0"

**CC839**  
 ◆ ■ ■ ◆  
 3'0" x 8'0"

**CC45**  
 ◆ ■ ■ ◆  
 2'8" x 6'8"  
 3'0" x 6'8"

**CC79**  
 ◆ ■ ■ ◆  
 3'0" x 6'8"



**CC879**  
 ♦ ♦ ♦ ♦  
 3'0" x 8'0"



**CC19**  
 ♦ ♦ ♦ ♦  
 3'0" x 6'8"



**CC2060SL**  
 ▲ ♦ ♦ ♦ ♦ ♦  
 12" x 6'8"  
 14" x 6'8"



**CC8009SL**  
 ▲ ♦ ♦ ♦ ♦ ♦  
 12" x 8'0"  
 14" x 8'0"



**CC2279SL**  
 ▲ ♦ ♦ ♦ ♦ ♦  
 12" x 6'8"  
 14" x 6'8"



**CC2160SL**  
 ▲ ♦ ♦ ♦ ♦ ♦  
 12" x 6'8"  
 14" x 6'8"



**CC1019SL**  
 ▲ ♦ ♦ ♦ ♦ ♦  
 12" x 6'8"  
 14" x 6'8"



**ARHRT**  
 ♦ ♦ ♦ ♦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems



**CC060T**  
 ♦ ♦ ♦ ♦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



**CC620T**  
 ♦ ♦ ♦ ♦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



**CC600T**  
 ♦ ♦ ♦ ♦  
 3'0" Door Only

## Bella™



**CC111B**  
 ♦ ♦ ♦ ♦  
 3'0" x 6'8"



**CC902B**  
 ♦ ♦ ♦ ♦  
 3'0" x 8'0"



**CC114B**  
 ♦ ♦ ♦ ♦  
 3'0" x 6'8"



**CC901B**  
 ♦ ♦ ♦ ♦  
 3'0" x 8'0"



**CC900B**  
 ♦ ♦ ♦ ♦  
 3'0" x 8'0"



**CC110B**  
 ♦ ♦ ♦ ♦  
 3'0" x 6'8"



**CC113B**  
 ♦ ♦ ♦ ♦  
 3'0" x 6'8"



**CC112B**  
 ♦ ♦ ♦ ♦  
 3'0" x 6'8"



**CC2080BSL**  
 ▲ ♦ ♦ ♦ ♦ ♦  
 12" x 6'8"  
 14" x 6'8"



**CC8010BSL**  
 ▲ ♦ ♦ ♦ ♦ ♦  
 12" x 8'0"  
 14" x 8'0"



**BEBHRT**  
 ♦ ♦ ♦ ♦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems



**BEET-B**  
 ♦ ♦ ♦ ♦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



**BERT-B**  
 ♦ ♦ ♦ ♦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

### Options Key

- ♦ Brass Caming (1A)
- Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)

### Features Key

- ▲ Flush-Glazed Glass (FG)

# Arborwatch™



CC1423  
 3'0" x 6'8"



CC81419  
 3'0" x 8'0"



CC1418  
 3'0" x 6'8"



CC81418  
 3'0" x 8'0"



CC81420  
 3'0" x 8'0"



CC1424  
 3'0" x 6'8"



CC1423SL  
 12" x 6'8"  
 14" x 6'8"



CC81423SL  
 12" x 8'0"  
 14" x 8'0"



ABRT  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



AB30T  
 3'0" Door Only



# Provincial™



CC107  
 ❖ ❖ ❖  
 3'0" x 6'8"



CC887  
 ❖ ❖ ❖  
 3'0" x 8'0"



CC97 | CC897  
 ❖ ❖ ❖ | ❖ ❖ ❖  
 3'0" x 6'8" | 3'0" x 8'0"



CC837  
 ❖ ❖ ❖  
 3'0" x 8'0"



CC47  
 ❖ ❖ ❖  
 2'8" x 6'8"  
 3'0" x 6'8"



CC77  
 ❖ ❖ ❖  
 3'0" x 6'8"



CC877  
 ❖ ❖ ❖  
 3'0" x 8'0"



CC17  
 ❖ ❖ ❖  
 3'0" x 6'8"



CC2040SL | CC8007SL  
 ❖ ❖ ❖ | ❖ ❖ ❖  
 12" x 6'8" | 12" x 8'0"  
 14" x 6'8" | 14" x 8'0"



CC2277SL  
 ❖ ❖ ❖  
 12" x 6'8"  
 14" x 6'8"



CC2140SL  
 ❖ ❖ ❖  
 12" x 6'8"  
 14" x 6'8"



CC1017SL  
 ❖ ❖ ❖  
 12" x 6'8"  
 14" x 6'8"



PRHRT  
 ❖ ❖ ❖  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems



CC040T  
 ❖ ❖ ❖  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



CC420T  
 ❖ ❖ ❖  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



CC400T  
 ❖ ❖ ❖  
 3'0" Door Only

## Options Key

- ❖ Brass Caming (1A)
- ❖ Brushed Nickel Caming (1C)
- ❖ Black Nickel Caming (1D)

## Features Key

- 🔥 Flush-Glazed Glass (FG)

# Cambridge™



**CC106**  
 ❖ ❖ ❖  
 3'0" x 6'8"



**CC886**  
 ❖ ❖ ❖  
 3'0" x 8'0"



**CC96** | **CC896**  
 ❖ ❖ ❖ | ❖ ❖ ❖  
 3'0" x 6'8" | 3'0" x 8'0"



**CC836**  
 ❖ ❖ ❖  
 3'0" x 8'0"



**CC44**  
 ❖ ❖ ❖  
 2'8" x 6'8"  
 3'0" x 6'8"



**CC76**  
 ❖ ❖ ❖  
 3'0" x 6'8"



**CC876**  
 ❖ ❖ ❖  
 3'0" x 8'0"



**CC16**  
 ❖ ❖ ❖  
 3'0" x 6'8"



**CC2044SL** | **CC8006SL**  
 ❖ ❖ ❖ | ❖ ❖ ❖  
 12" x 6'8" | 12" x 8'0"  
 14" x 6'8" | 14" x 8'0"



**CC2276SL**  
 ❖ ❖ ❖  
 12" x 6'8"  
 14" x 6'8"



**CC2144SL**  
 ❖ ❖ ❖  
 12" x 6'8"  
 14" x 6'8"



**CC1016SL**  
 ❖ ❖ ❖  
 12" x 6'8"  
 14" x 6'8"



**CBHRT**  
 ❖ ❖ ❖  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems



**CC090T**  
 ❖ ❖ ❖  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



**CC920T**  
 ❖ ❖ ❖  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



**CC900T**  
 ❖ ❖ ❖  
 3'0" Door Only

# Lucerna<sup>®</sup>



CC10022  
 ■ ■ ◆  
 3'0" x 6'8"

CC881  
 ■ ■ ◆  
 3'0" x 8'0"

CC922  
 ■ ■ ◆  
 3'0" x 6'8"

CC898  
 ■ ■ ◆  
 3'0" x 8'0"

CC833  
 ■ ■ ◆  
 3'0" x 8'0"

CC612  
 ■ ■ ◆  
 3'0" x 6'8"

CC78  
 ■ ■ ◆  
 3'0" x 6'8"

CC822  
 ■ ■ ◆  
 3'0" x 6'8"



CC3412SL  
 ▲ ■ ■ ◆  
 12" x 6'8"  
 14" x 6'8"



CC8102SL  
 ▲ ■ ■ ◆  
 12" x 8'0"  
 14" x 8'0"



CC2272SL  
 ▲ ■ ■ ◆  
 12" x 6'8"  
 14" x 6'8"



CC2122SL  
 ▲ ■ ■ ◆  
 12" x 6'8"  
 14" x 6'8"



LCHRT  
 ■ ■ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems



LCRT  
 ■ ■ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



LCET  
 ■ ■ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



LC30T  
 ■ ■ ◆  
 3'0" Door Only

## Privacy & Textured Glass with Divided Lites



CC102\_>  
 3'0" x 6'8"

CC882\_>  
 3'0" x 8'0"

CC92\_>  
 3'0" x 6'8"

CC892\_>  
 3'0" x 8'0"

CC832\_>  
 3'0" x 8'0"

CC2025\_SL  
 ▲ >  
 12" x 6'8"  
 14" x 6'8"

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 39-41.

XJ = Chinchilla Glass  
 XR = Rainglass

XN = Granite Glass  
 XC = Chord Glass

### Options Key

- ◆ Brass Caming (1A)
- ■ Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)

### Features Key

- ▲ Flush-Glazed Glass (FG)
- > Removable Wood Grilles (RG)



# Privacy & Textured Glass



CC100  
3'0" x 6'8"



CC880  
3'0" x 8'0"



CC90 | CC890  
3'0" x 6'8" | 3'0" x 8'0"



CC830  
3'0" x 8'0"



CC2020\_SL | CC8000\_SL  
12" x 6'8" | 12" x 8'0"  
14" x 6'8" | 14" x 8'0"

# Low-E Glass with Divided Lites



CC102  
3'0" x 6'8"



CC882  
3'0" x 8'0"



CC92 | CC892  
3'0" x 6'8" | 3'0" x 8'0"



CC49  
2'8" x 6'8"  
3'0" x 6'8"



CC832  
3'0" x 8'0"



CC2025SL  
12" x 6'8"  
14" x 6'8"



19020T  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only  
Grille Sticks Applied



19220T  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only  
Grille Sticks Applied



19200T  
3'0" Door Only  
Grille Sticks Applied

# Low-E Glass



CC100  
3'0" x 6'8"



CC880  
3'0" x 8'0"



CC90 | CC890  
3'0" x 6'8" | 3'0" x 8'0"



CC48  
2'8" x 6'8"  
3'0" x 6'8"



CC830  
3'0" x 8'0"



CC70  
3'0" x 6'8"



CC870  
3'0" x 8'0"

## Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 39–41.

XJ = Chinchilla Glass  
XR = Rainglass

XN = Granite Glass  
XC = Chord Glass



CC10

★  
3'0" x 6'8"

CC811

★  
3'0" x 8'0"  
3'6" x 8'0"

CC61

★  
3'0" x 6'8"

CC2020SL

★  
12" x 6'8"  
14" x 6'8"

CC8000SL

★  
12" x 8'0"  
14" x 8'0"

CC2270SL

★  
12" x 6'8"  
14" x 6'8"

CC2120SL

★  
12" x 6'8"  
14" x 6'8"

CC1010SL

★  
12" x 6'8"  
14" x 6'8"



DLHRT

★  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



19020T

★  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



19220T

★  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



19200T

★  
3'0" Door Only

## Solid Panel



CC91

9  
3'0" x 6'8"

CC831

9  
3'0" x 8'0"

CC40

3'6" x 6'8"

CC11

3'0" x 6'8"

CC810

9  
3'0" x 8'0"  
3'6" x 8'0"

CC60

9  
2'8" x 6'8"  
3'0" x 6'8"

CC860

9  
3'6" x 8'0"

### Options Key

9 WBDR / HVHZ Options

### Features Key

- ★ Low-E Glass (LE)
- 🔥 Flush-Glazed Glass (FG)
- Removable Wood Grilles (RG)



EXCLUSIVE



# Classic-Craft®

## Canvas

## Collection®



- Premium paintable surfaces.

The first premium smooth, paintable fiberglass door to carry the Therma-Tru® brand name, Classic-Craft Canvas is designed for homeowners seeking the aesthetics of a sleek, modern entryway that can be adapted to suit multiple styles.

# Classic-Craft® Canvas Collection®

Creates a sleek, modern entryway with a smooth, paintable surface for virtually unlimited color options both inside and out.



## Architectural Character

- Architecturally correct design – up to 25% wider panels.\*
- Deeper embossments.
- Solid hardwood square edges.
- More than 10% wider glass.\*
- Flush-glazed sidelites.
- Fiberglass lite frames.
- Exclusive glass designs.
- Low-E glass standard.

## Heavier Construction




- 20% heavier construction.\*
- Top and bottom composite rails.
- 4- $\frac{1}{8}$ " full-length engineered lumber lockstile for added weight and rigidity.
- Thicker fiberglass skins.

## Available Sizes

- 3'0" wide doors in 6'8" and 8'0" heights.
- 2- $\frac{1}{2}$ " of height trimmability allows flexibility to fit 80"–82- $\frac{1}{2}$ " and 96"–98- $\frac{1}{2}$ " rough openings.

## Finish Options

Classic-Craft Canvas entryways can be painted any color.

-  WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.\*\*
-  Fire-rated options available on solid-panel doors. See pages 227–231.
-  Tru-Defense® Warranty Rider eligible when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider.



\*Compared to other standard fiberglass doors.

\*\*Please verify that there is a Therma-Tru product approval for the configuration before buying.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size of glass and hand craftsmanship. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more, including details on height trimmability, limited warranties and exclusions, Tru-Defense Rider, ENERGY STAR qualified products and product approvals.

Bottom: Classic-Craft Canvas Collection, Longford Glass, Door – CCV806023

# Decorative Glass Designs



**Villager™** Page 95  
Glass Privacy Rating: **5**



**Homeward™** Page 95  
Glass Privacy Rating: **4**



**Arcadia™** Page 96  
Glass Privacy Rating: **5**




**Augustine®** Page 97  
Glass Privacy Rating: **10**



**Ashurst™** Page 97  
Glass Privacy Rating: **8**



**Bella™** Page 98  
Glass Privacy Rating: **6**




**Arborwatch™** Page 99  
Glass Privacy Rating: **6**



**Borrassa™** Page 99  
Glass Privacy Rating: **10**



**Provincial™** Page 100  
Glass Privacy Rating: **6**



**Longford™** Page 101  
Glass Privacy Rating: **8**



**Cambridge™** Page 101  
Glass Privacy Rating: **8**



**Zaha™** Page 102  
Glass Privacy Rating: **3**



**Lucerna®** Page 103  
Glass Privacy Rating: **7**

Also Available:

**Privacy & Textured Glass**

Page 103

**Low-E Glass**

Page 105

Glass Privacy Rating Scale



Clear

Opaque

**Caming Options**

- ◆ Brass Caming (1A)
- Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)
- ✗ Wrought Iron (1W)

▶ Simulated divided lites (SDLs) and removable wood grilles available to create authentic Craftsman and Colonial configurations.

# Panel Embossments



4-Panel Square Top  
4-Panel Soft Arch  
Arched 4-Panel Soft Arch  
6-Panel



2-Panel Plank Soft Arch  
Arched 2-Panel Plank Soft Arch



2-Panel Square Top - WS



2-Panel 3/4 Top  
3-Panel  
5-Panel




Craftsman Lite  
1-Panel Plank



# Villager™



CCV9812 ◆ 3'0" x 6'8"	CCV9818 ◆ 3'0" x 6'8"	CCV89818 ◆ 3'0" x 8'0"	CCV9821 ◆ 3'0" x 6'8"	CCV89821 ◆ 3'0" x 8'0"	CCV9822 ◆ 3'0" x 6'8"	CCV89822 ◆ 3'0" x 8'0"	CCV9820 ◆ 3'0" x 6'8"	CCV9811 ◆ 3'0" x 6'8"	CCV89819 ◆ 3'0" x 8'0"
-----------------------------	-----------------------------	------------------------------	-----------------------------	------------------------------	-----------------------------	------------------------------	-----------------------------	-----------------------------	------------------------------



CCV89815 ◆ 3'0" x 8'0"	CCV912 ◆◆ 3'0" x 6'8"	CCV922 ◆◆◆ 3'0" x 6'8"	CCV932 ◆◆◆ 3'0" x 6'8"	CCV912SL ◆◆◆ 12" x 6'8" 14" x 6'8"	CCV8112SL ◆◆◆ 12" x 8'0" 14" x 8'0"	CCV9012SL ◆◆◆ 12" x 6'8" 14" x 6'8"
------------------------------	-----------------------------	------------------------------	------------------------------	---	--	--



**VGRT**  
◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



**VG30T**  
◆  
3'0" Door Only

# Homeward™



CCV9925 ◆ 3'0" x 6'8"	CCV9922 ◆ 3'0" x 6'8"	CCV89922 ◆ 3'0" x 8'0"	CCV9919 ◆ 3'0" x 6'8"	CCV89919 ◆ 3'0" x 8'0"	CCV9918 ◆ 3'0" x 6'8"	CCV89918 ◆ 3'0" x 8'0"	CCV9920 ◆ 3'0" x 6'8"	CCV9926 ◆ 3'0" x 6'8"	CCV89921 ◆ 3'0" x 8'0"
-----------------------------	-----------------------------	------------------------------	-----------------------------	------------------------------	-----------------------------	------------------------------	-----------------------------	-----------------------------	------------------------------

**Homeward Glass** *Continues on next page.*

## Options Key

- ◆ Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)

## Features Key

- ◆ Simulated Divided Lites (SDL)
- ◆ Flush-Glazed Glass (FG)

## Optional Dentil Shelf

Available option for all Craftsman-style Canvas Collection doors.



**4-Block Dentil Shelf**

Note: See page 273 for important product details that may help with your purchase decision.

Left Page: Classic-Craft Canvas Collection, Homeward Glass, Door – CCV9925, Sidelites – CCV911SL, Transom – HWRT



Homeward™ Glass *Continued*



CCV89924  
 ♦ ♦ ♦  
 3'0" x 8'0"



CCV911  
 ♦ ♦ ♦  
 3'0" x 6'8"



CCV921  
 ♦ ♦ ♦ ♦  
 3'0" x 6'8"



CCV931  
 ♦ ♦ ♦ ♦  
 3'0" x 6'8"



CCV911SL  
 ♦ ♦ ♦ ♦  
 12" x 6'8"  
 14" x 6'8"



CCV8111SL  
 ♦ ♦ ♦ ♦  
 12" x 8'0"  
 14" x 8'0"

CCV9011SL  
 ♦ ♦ ♦ ♦  
 12" x 6'8"  
 14" x 6'8"



HWRT  
 ♦ ♦ ♦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



HW30T  
 ♦ ♦ ♦  
 3'0" Door Only

Arcadia™



CCV10029  
 ♦ ♦ ♦ ♦  
 3'0" x 6'8"



CCV05029  
 ♦ ♦ ♦ ♦ ♦  
 3'0" x 6'8"

CCV805029  
 ♦ ♦ ♦ ♦ ♦  
 3'0" x 8'0"



CCV20529  
 ♦ ♦ ♦ ♦ ♦  
 3'0" x 6'8"

CCV820529  
 ♦ ♦ ♦ ♦ ♦  
 3'0" x 8'0"



CCV22029  
 ♦ ♦ ♦ ♦ ♦  
 3'0" x 6'8"

CCV822029  
 ♦ ♦ ♦ ♦ ♦  
 3'0" x 8'0"



CCV45529  
 ♦ ♦ ♦ ♦  
 3'0" x 6'8"



CCV06029  
 ♦ ♦ ♦ ♦ ♦  
 3'0" x 6'8"

CCV806029  
 ♦ ♦ ♦ ♦ ♦  
 3'0" x 8'0"




CCV803029  
 ♦ ♦ ♦ ♦ ♦  
 3'0" x 8'0"



CCV109SL  
 ♦ ♦ ♦ ♦ ♦  
 12" x 6'8"  
 14" x 6'8"

CCV8109SL  
 ♦ ♦ ♦ ♦ ♦  
 12" x 8'0"  
 14" x 8'0"



ARHRT  
 ♦ ♦ ♦ ♦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems



CC620T  
 ♦ ♦ ♦ ♦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



CC060T  
 ♦ ♦ ♦ ♦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



CC600T  
 ♦ ♦ ♦ ♦  
 3'0" Door Only

# Augustine

Note: Product images show exterior side of door.



CCV10027 X 3'0" x 6'8"	CCV05027 X 3'0" x 6'8"	CCV805027 X 3'0" x 8'0"	CCV20527 X 3'0" x 6'8"	CCV820527 X 3'0" x 8'0"	CCV22027 X 3'0" x 6'8"	CCV822027 X 3'0" x 8'0"	CCV45527 X 3'0" x 6'8"	CCV20537 X 3'0" x 6'8"	CCV820537 X 3'0" x 8'0"
------------------------------	------------------------------	-------------------------------	------------------------------	-------------------------------	------------------------------	-------------------------------	------------------------------	------------------------------	-------------------------------



CCV45537 X 3'0" x 6'8"	CCV20537A X 3'0" x 6'8"	CCV820537A X 3'0" x 8'0"	CCV45537A X 3'0" x 6'8"	CCV803027 X 3'0" x 8'0"	CCV806027 X 3'0" x 8'0"	CCV100XNSL ◆ 12" x 6'8" 14" x 6'8"	CCV8100XNSL ◆ 12" x 8'0" 14" x 8'0"
------------------------------	-------------------------------	--------------------------------	-------------------------------	-------------------------------	-------------------------------	---	--

Note:  
Coordinating  
sidelites feature  
granite glass  
without  
wrought iron.

# Ashurst™



CCV10025 ◆ 3'0" x 6'8"	CCV05025 ◆ 3'0" x 6'8"	CCV805025 ◆ 3'0" x 8'0"	CCV20525 ◆ 3'0" x 6'8"	CCV820525 ◆ 3'0" x 8'0"	CCV22025 ◆ 3'0" x 6'8"	CCV822025 ◆ 3'0" x 8'0"	CCV45525 ◆ 3'0" x 6'8"	CCV820535 ◆ 3'0" x 8'0"
------------------------------	------------------------------	-------------------------------	------------------------------	-------------------------------	------------------------------	-------------------------------	------------------------------	-------------------------------

Ashurst Glass Continues on next page.

### Options Key

- ◆ Brass Caming (1A)
- ◆ Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)

### Features Key

- ◆ Simulated Divided Lites (SDL)
- ◆ Flush-Glazed Glass (FG)
- X Wrought Iron (1W)

### Optional Dentil Shelf

Available option for all Craftsman-style Canvas Collection doors.



4-Block Dentil Shelf

Ashurst™ Glass *Continued*



**CCV06025**   **CCV806025**  
 :: ♦   :: ♦  
 3'0" x 6'8"   3'0" x 8'0"



**CCV803025**  
 :: ♦   :: ♦  
 3'0" x 8'0"



**CCV820535A**  
 :: ♦   :: ♦  
 3'0" x 8'0"



**CCV105SL**   **CCV8105SL**  
 ▲ :: ♦   ▲ :: ♦  
 12" x 6'8"   12" x 8'0"  
 14" x 6'8"   14" x 8'0"



**ASHRT**  
 :: ♦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems



**ASET**  
 :: ♦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



**ASRT**  
 :: ♦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



**AS30T**  
 :: ♦  
 3'0" Door Only

**Bella™**



**CCV10024B**  
 :: ♦  
 3'0" x 6'8"



**CCV05024B**   **CCV805024B**  
 :: ♦   :: ♦  
 3'0" x 6'8"   3'0" x 8'0"



**CCV20524B**   **CCV820524B**  
 :: ♦   :: ♦  
 3'0" x 6'8"   3'0" x 8'0"



**CCV22024B**   **CCV822024B**  
 :: ♦   :: ♦  
 3'0" x 6'8"   3'0" x 8'0"




**CCV45524B**  
 :: ♦  
 3'0" x 6'8"



**CCV06024B**   **CCV806024B**  
 :: ♦   :: ♦  
 3'0" x 6'8"   3'0" x 8'0"



**CCV803024B**  
 :: ♦  
 3'0" x 8'0"



**CCV104BSL**   **CCV8104BSL**  
 ▲ :: ♦   ▲ :: ♦  
 12" x 6'8"   12" x 8'0"  
 14" x 6'8"   14" x 8'0"



**BEBHRT**  
 :: ♦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems



**BEET-B**  
 :: ♦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



**BERT-B**  
 :: ♦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

# Arborwatch™



CCV1423  
 ■ ■ ■  
 3'0" x 6'8"

CCV1418  
 ■ ■ ■  
 3'0" x 6'8"

CCV81418  
 ■ ■ ■  
 3'0" x 8'0"

CCV1415  
 ■ ■ ■  
 3'0" x 6'8"

CCV81415  
 ■ ■ ■  
 3'0" x 8'0"

CCV1414  
 ■ ■ ■  
 3'0" x 6'8"

CCV81414  
 ■ ■ ■  
 3'0" x 8'0"

CCV1416  
 ■ ■ ■  
 3'0" x 6'8"

CCV1424  
 ■ ■ ■  
 3'0" x 6'8"

CCV81417  
 ■ ■ ■  
 3'0" x 8'0"



CCV81420  
 ■ ■ ■  
 3'0" x 8'0"

CCV4100  
 ▲ ■ ■ ■  
 3'0" x 6'8"

CCV4200  
 ▲ ■ ■ ■  
 3'0" x 6'8"

CCV4300  
 ▲ ■ ■ ■  
 3'0" x 6'8"

CCV1423SL  
 ▲ ■ ■ ■  
 12" x 6'8"  
 14" x 6'8"

CCV81423SL  
 ▲ ■ ■ ■  
 12" x 8'0"  
 14" x 8'0"

CCV4100SL  
 ▲ ■ ■ ■  
 12" x 6'8"  
 14" x 6'8"

ABRT  
 ■ ■ ■  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



AB30T  
 ■ ■ ■  
 3'0" Door Only

# Borrassa™

Note: Product images show exterior side of door.



CCV1528  
 X  
 3'0" x 6'8"

CCV1519  
 X  
 3'0" x 6'8"

CCV81519  
 X  
 3'0" x 8'0"

CCV1516  
 X  
 3'0" x 6'8"

CCV81516  
 X  
 3'0" x 8'0"

CCV1515  
 X  
 3'0" x 6'8"

CCV81515  
 X  
 3'0" x 8'0"

CCV1517  
 X  
 3'0" x 6'8"

CCV1512  
 X  
 3'0" x 6'8"

CCV81512  
 X  
 3'0" x 8'0"

Borrassa Glass Continues on next page.

## Options Key

- ■ ■ Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)

## Features Key

- Simulated Divided Lites (SDL)
- ▲ Flush-Glazed Glass (FG)
- X Wrought Iron (1W)

## Optional Dentil Shelf

Available option for all Craftsman-style Canvas Collection doors.



4-Block Dentil Shelf



CCV1513  
✗  
3'0" x 6'8"



CCV1512A ✗  
3'0" x 6'8" | CCV81512A ✗  
3'0" x 8'0"



CCV1513A ✗  
3'0" x 6'8"



CCV81518 ✗  
3'0" x 8'0"



CCV81520 ✗  
3'0" x 8'0"



CCV100XHSL ▲  
12" x 6'8"  
14" x 6'8" | CCV8100XHSL ▲  
12" x 8'0"  
14" x 8'0"

Note: Coordinating sidelites feature hammered glass without wrought iron.

## Provincial™



CCV10028  
❖ ❖ ❖  
3'0" x 6'8"



CCV05028 ❖ ❖ ❖  
3'0" x 6'8" | CCV805028 ❖ ❖ ❖  
3'0" x 8'0"



CCV20528 ❖ ❖ ❖  
3'0" x 6'8" | CCV820528 ❖ ❖ ❖  
3'0" x 8'0"



CCV22028 ❖ ❖ ❖  
3'0" x 6'8" | CCV822028 ❖ ❖ ❖  
3'0" x 8'0"




CCV45528 ❖ ❖ ❖  
3'0" x 6'8"



CCV06028 ❖ ❖ ❖  
3'0" x 6'8" | CCV806028 ❖ ❖ ❖  
3'0" x 8'0"



CCV803028 ❖ ❖ ❖  
3'0" x 8'0"



CCV108SL ▲ ❖ ❖ ❖  
12" x 6'8"  
14" x 6'8" | CCV8108SL ▲ ❖ ❖ ❖  
12" x 8'0"  
14" x 8'0"



PRHRT  
❖ ❖ ❖  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



CC420T  
❖ ❖ ❖  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



CC040T  
❖ ❖ ❖  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



CC400T  
❖ ❖ ❖  
3'0" Door Only

# Longford<sup>™</sup>



CCV10023  
 ■ ■ ◆  
 3'0" x 6'8"



CCV05023  
 ■ ■ ◆  
 3'0" x 6'8"

CCV805023  
 ■ ■ ◆  
 3'0" x 8'0"



CCV20523  
 ■ ■ ◆  
 3'0" x 6'8"

CCV820523  
 ■ ■ ◆  
 3'0" x 8'0"



CCV22023  
 ■ ■ ◆  
 3'0" x 6'8"

CCV822023  
 ■ ■ ◆  
 3'0" x 8'0"



CCV45523  
 ■ ■ ◆  
 3'0" x 6'8"



CCV60023  
 ■ ■ ◆  
 3'0" x 6'8"

CCV806023  
 ■ ■ ◆  
 3'0" x 8'0"



CCV803023  
 ■ ■ ◆  
 3'0" x 8'0"



CCV103SL  
 ▲ ■ ■ ◆  
 12" x 6'8"  
 14" x 6'8"

CCV8103SL  
 ▲ ■ ■ ◆  
 12" x 8'0"  
 14" x 8'0"



LFHRT

■ ■ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems



LFRT

■ ■ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



LFET

■ ■ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



LF30T

■ ■ ◆  
 3'0" Door Only

# Cambridge<sup>™</sup>



CCV10026  
 ■ ■ ◆ ◆  
 3'0" x 6'8"



CCV05026  
 ■ ■ ◆ ◆  
 3'0" x 6'8"

CCV805026  
 ■ ■ ◆ ◆  
 3'0" x 8'0"



CCV20526  
 ■ ■ ◆ ◆  
 3'0" x 6'8"

CCV820526  
 ■ ■ ◆ ◆  
 3'0" x 8'0"



CCV22026  
 ■ ■ ◆ ◆  
 3'0" x 6'8"

CCV822026  
 ■ ■ ◆ ◆  
 3'0" x 8'0"



CCV45526  
 ■ ■ ◆ ◆  
 3'0" x 6'8"

Cambridge Glass *Continues on next page.*

## Options Key

- ◆ Brass Caming (1A)
- ■ Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)

## Features Key

- ▲ Flush-Glazed Glass (FG)
- ✕ Wrought Iron (1W)

**Cambridge™ Glass** *Continued*



**CCV06026**  
 ♦ ♦ ♦  
 3'0" x 6'8"

**CCV806026**  
 ♦ ♦ ♦  
 3'0" x 8'0"



**CCV803026**  
 ♦ ♦ ♦  
 3'0" x 8'0"



**CCV106SL**  
 ♦ ♦ ♦ ♦  
 12" x 6'8"  
 14" x 6'8"

**CCV8106SL**  
 ♦ ♦ ♦ ♦  
 12" x 8'0"  
 14" x 8'0"



**CBHRT**  
 ♦ ♦ ♦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems



**CC920T**  
 ♦ ♦ ♦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



**CC090T**  
 ♦ ♦ ♦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



**CC900T**  
 ♦ ♦ ♦  
 3'0" Door Only

**Zaha™**

Note: Product images show exterior side of door.



**CCV1851**  
 ♦ ♦ ♦  
 3'0" x 6'8"



**CCV1843**  
 ♦ ♦ ♦  
 3'0" x 6'8"

**CCV81843**  
 ♦ ♦ ♦  
 3'0" x 8'0"



**CCV1839**  
 ♦ ♦ ♦  
 3'0" x 6'8"

**CCV81839**  
 ♦ ♦ ♦  
 3'0" x 8'0"



**CCV1838**  
 ♦ ♦ ♦  
 3'0" x 6'8"

**CCV81838**  
 ♦ ♦ ♦  
 3'0" x 8'0"



**CCV1840**  
 ♦ ♦ ♦  
 3'0" x 6'8"



**CCV81841**  
 ♦ ♦ ♦  
 3'0" x 8'0"




**CCV81840**  
 ♦ ♦ ♦  
 3'0" x 8'0"



**CCV81846**  
 ♦ ♦ ♦  
 3'0" x 8'0"



**CCV81846A**  
 ♦ ♦ ♦  
 3'0" x 8'0"



**CCV1851SL**  
 ♦ ♦ ♦ ♦  
 12" x 6'8"  
 14" x 6'8"

**CCV81851SL**  
 ♦ ♦ ♦ ♦  
 12" x 8'0"  
 14" x 8'0"




**ZHHRT**  
 ♦ ♦ ♦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems




**ZHRT**  
 ♦ ♦ ♦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

# Lucerna<sup>®</sup>



<b>CCV10022</b> ◆ ◆ ◆ 3'0" x 6'8"	<b>CCV05022</b> ◆ ◆ ◆ 3'0" x 6'8"	<b>CCV805022</b> ◆ ◆ ◆ 3'0" x 8'0"	<b>CCV20522</b> ◆ ◆ ◆ 3'0" x 6'8"	<b>CCV820522</b> ◆ ◆ ◆ 3'0" x 8'0"	<b>CCV22022</b> ◆ ◆ ◆ 3'0" x 6'8"	<b>CCV822022</b> ◆ ◆ ◆ 3'0" x 8'0"	<b>CCV45522</b> ◆ ◆ ◆ 3'0" x 6'8"	<b>CCV06022</b> ◆ ◆ ◆ 3'0" x 6'8"	<b>CCV806022</b> ◆ ◆ ◆ 3'0" x 8'0"
---	---	--	---	--	---	--	---	---	--



<b>CCV803022</b> ◆ ◆ ◆ 3'0" x 8'0"	<b>CCV820532</b> ◆ ◆ ◆ 3'0" x 8'0"	<b>CCV820532A</b> ◆ ◆ ◆ 3'0" x 8'0"	<b>CCV3412SL</b> ◆ ◆ ◆ 12" x 6'8" 14" x 6'8"	<b>CCV8102SL</b> ◆ ◆ ◆ 12" x 8'0" 14" x 8'0"	<b>LCHRT</b> ◆ ◆ ◆ 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems	<b>LCRT</b> ◆ ◆ ◆ 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only	<b>LC30T</b> ◆ ◆ ◆ 3'0" Door Only
--	--	---	---	---	--	--	---

## Privacy & Textured Glass with Divided Lites



<b>CCV10015</b> > 3'0" x 6'8"	<b>CCV05012</b> > 3'0" x 6'8"	<b>CCV805015</b> > 3'0" x 8'0"	<b>CCV822012</b> > 3'0" x 8'0"	<b>CCV820512</b> > 3'0" x 8'0"	<b>CCV806012</b> > 3'0" x 8'0"	<b>CCV803012</b> > 3'0" x 8'0"
-------------------------------------	-------------------------------------	--------------------------------------	--------------------------------------	--------------------------------------	--------------------------------------	--------------------------------------

Privacy & Textured Glass with Divided Lites *Continues on next page.*

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 39-41.

XJ = Chinchilla Glass  
XR = Rainglass

XN = Granite Glass  
XC = Chord Glass

### Options Key

- ◆ Brass Caming (1A)
- ◆ Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)

### Features Key


- ◆ Flush-Glazed Glass (FG)
- > Removable Wood Grilles (RG)



Privacy & Textured Glass with Divided Lites *Continued*



## Privacy & Textured Glass



### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 39–41.

XJ = Chinchilla Glass  
XR = Rainglass

XN = Granite Glass  
XC = Chord Glass

# Low-E Glass with Divided Lites



CCV10015  
 \* >  
 3'0" x 6'8"

CCV05012  
 \* >  
 3'0" x 6'8"

CCV805015  
 \* >  
 3'0" x 8'0"

CCV822012  
 \* >  
 3'0" x 8'0"

CCV820512  
 \* >  
 3'0" x 8'0"

CCV0609  
 \* >  
 3'0" x 6'8"

CCV806012  
 \* >  
 3'0" x 8'0"

CCV803012  
 \* >  
 3'0" x 8'0"



CCV920  
 \* \* \*  
 3'0" x 6'8"

CCV930  
 \* \* \*  
 3'0" x 6'8"

CCV940  
 \* \* \*  
 3'0" x 6'8"

CCV960  
 \* \* \*  
 3'0" x 6'8"

CCV950SL  
 \* \* \*  
 12" x 6'8"  
 14" x 6'8"

CCV8950SL  
 \* \* \*  
 12" x 6'8"  
 14" x 6'8"

CCV9020SL  
 \* \* \*  
 12" x 6'8"  
 14" x 6'8"

# Low-E Glass



CCV10020  
 \*  
 3'0" x 6'8"

CCV05020  
 \*  
 3'0" x 6'8"

CCV805020  
 \*  
 3'0" x 8'0"

CCV20520  
 \*  
 3'0" x 6'8"

CCV820520  
 \*  
 3'0" x 8'0"

CCV22020  
 \*  
 3'0" x 6'8"

CCV822020  
 \*  
 3'0" x 8'0"

CCV45520  
 \*  
 3'0" x 6'8"

Low-E Glass *Continues on next page.*

## Features Key

- \* Low-E Glass (LE)
- \* Simulated Divided Lites (SDL)
- \* Flush-Glazed Glass (FG)
- > Removable Wood Grilles (RG)

## Optional Dentil Shelf

Available option for all Craftsman-style Canvas Collection doors.



4-Block Dentil Shelf

Low-E Glass *Continued*



CCV06020  
\*  
3'0" x 6'8"

CCV806020  
\*  
3'0" x 8'0"

CCV910  
\*  
3'0" x 6'8"

CCV803020  
\*  
3'0" x 8'0"

CCV820530  
\*  
3'0" x 8'0"

CCV820530A  
\*  
3'0" x 8'0"

CCV100SL  
\*  
12" x 6'8"  
14" x 6'8"

CCV8100SL  
\*  
12" x 8'0"  
14" x 8'0"

CCV9010SL  
\*  
12" x 6'8"  
14" x 6'8"



DLHRT  
\*  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



19020T  
\*  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



19220T  
\*  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems




19200T  
\*  
3'0" Door Only



19210T  
\*  
12" & 14"  
Sidelite Only

## Solid Panel



CCV400  
6  
3'0" x 6'8"

CCV205  
6  
3'0" x 6'8"

CCV8205  
6  
3'0" x 8'0"

CCV205A  
6  
3'0" x 6'8"

CCV8205A  
6  
3'0" x 8'0"

CCV455  
6  
3'0" x 6'8"

CCV455A  
6  
3'0" x 6'8"

CCV220  
6  
3'0" x 6'8"

CCV8220  
6  
3'0" x 8'0"

CCV200  
6  
3'0" x 6'8"



CCV060  
6  
3'0" x 6'8"

CCV860  
6  
3'0" x 8'0"

CCV831  
6  
3'0" x 8'0"

CCV050  
6  
3'0" x 6'8"



Note: See page 273 for important product details that may help with your purchase decision.

Bottom: Classic-Craft Canvas Collection Door – CCV455; Ashurst Glass, Sidelites – CCV105SL, Transom – ASET

### Options Key

WBDR / HVHZ Options

### Features Key

Low-E Glass (LE)  
Flush-Glazed Glass (FG)

### Optional Dentil Shelf

Available option for all Craftsman-style Canvas Collection doors.



4-Block Dentil Shelf



Top: Classic-Craft Mahogany Collection, Borrassa Glass, Door – CCM81519  
Bottom Left: Classic-Craft Canvas Collection, Zaha Glass, Door – CCV1843  
Bottom Right: Classic-Craft Canvas Collection, Villager Glass, Door – CCV9811, Sidelites – CCV912SL

# Fiber-Classic®

Mahogany Collection™ & Oak Collection™



108

- Wood grains to suit any style.



Choose from two wood-grained collections for the perfect fiberglass door to fit a variety of home styles at an excellent value. Fiber-Classic Mahogany complements rich wood tones in home interiors, extending the look to the outside with beauty and elegance. Fiber-Classic Oak is the door that started the fiberglass revolution, featuring the distinctive look of natural Oak graining.

Top: Fiber-Classic Mahogany Collection, Sedona Art Glass, Door – FCM604-A, Sidelites – FCM816SL-A, Transom – 19520T-A  
 Bottom: Fiber-Classic Oak Collection, Element Glass, Door – FC756, Sidelites – FC756LSL, FC756RSL; Transom – EMRT

# Smooth-Star®



## • Smooth, paintable surfaces.



Smooth-Star is the answer when the best look for the home is delivered in a sleek, paintable package. The more attractive and durable alternative to steel, Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours that meet the needs of homeowners seeking more color options for their doorways.

Top: Smooth-Star, Sedona Glass, Door – S91, Sidelites – S139SL, Transom – 19520T  
Bottom: Smooth-Star, Saratoga Glass, Door – S6029, Sidelites – S291SL, Transom – 19750T


# Fiber-Classic® & Smooth-Star® Fiberglass Doors


Therma-Tru gives the homeowner options to choose the style that best fits their personality and home without compromise. Fiber-Classic and Smooth-Star share many door styles in common. And the available glass families cross over between door collections. Find flexible options to fit virtually every entrance from front entry to patio to utility doors.





## Fiber-Classic & Smooth-Star fiberglass doors offer:

- High-definition panel embossments.
- Composite top and bottom rails.
- 1-1/4" engineered lumber lock stiles.
- 22-1/2" lock block in Fiber-Classic and 12-1/2" lock block in Smooth-Star.
- Durable, long-lasting fiberglass skins.

 WBDR Options: Look for this icon to find door styles that can be configured for WBDR.\*

 WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.\*

 Fire-rated options available on solid-panel doors. See pages 227–231.

 Tru-Defense® Warranty Rider eligible when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider.



## Fiber-Classic® Mahogany Collection™

Features deep Mahogany graining to complement homes with richer wood tones.



## Fiber-Classic® Oak Collection™

Features the warm look and feel of Oak graining.



## Smooth-Star®

Features smooth, ready-to-paint surfaces.

\*Please verify that there is a Therma-Tru product approval for the configuration before buying.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more, including details on limited warranties and exclusions, Tru-Defense Rider, ENERGY STAR qualified products and product approvals.

## Vented Sidelites



More than a sidelite. Vented sidelites from Therma-Tru let the homeowner enjoy the added curb appeal of an elegant front entry unobstructed by a screen door. Choose from convenient specialty glass options or eye-catching decorative designs. In fact, only Therma-Tru offers vented sidelites with decorative glass. Look for the (●) icon.

- Sturdy stiles and hinges make the unit work as a small swinging door.
- Wide patio mullions provide dependable operation.
- Multi-point lock and continuous system help provide security and stability.
- Convenient removable screens – available in bronze and white – are designed for worry-free use.

### Available Configurations:



Single Door with Vented Sidelites (Inswing Only)



Double Doors with Vented Sidelites (Inswing Only)

Note: No Impact options available for vented sidelites.

Top: Fiber-Classic Oak Collection, Saratoga Glass, Door – FC905, Sidelites – FC815SL

- = Available
- = Not Applicable
- S = Stain
- P = Paint

	Fiber-Classic <sup>®</sup> Mahogany Collection <sup>™</sup>	Fiber-Classic <sup>®</sup> Oak Collection <sup>™</sup>	Smooth-Star <sup>®</sup>
--	--	---	--------------------------

### Door Widths

2'0"	■	■	■
2'4"	■	■	■
2'6"	■	■	■
2'8"	■	■	■
2'10"	■	■	■
3'0"	■	■	■
3'6"	●	●	■

### Door Heights

6'6"	■	■	■
6'8"	■	■	■
7'0"	■	■	■
8'0"	■	■	■

### Glass Options

Decorative	17	17	17
Privacy & Textured	5	5	5
Internal Blinds	■	■	■
Flush-Glazed	●	■	■
Screen Vented	●	●	■
Simulated Divided Lites	■	■	■
Grilles Between Glass	■	■	■
Removable Wood Grilles	■	■	■
Fixed Grilles	■	■	■
Low-E	■	■	■
Clear	■	■	■

### Additional Options

Finish	S / P	S / P	P
Vented Sidelites	■	■	■

## Retrofit Hinged Patio Doors

Replacing common slider sizes? Find hinged patio door options in this section. For more about our patio door systems, see pages 246–248.

5'0" Patio Opening = (2) 2'4" Doors

6'0" Patio Opening = (2) 2'10" Doors



## SAME-DAY<sup>®</sup> STAIN


See the difference stain can make. Kit available in seven finish colors on pages 266–267.



# Decorative & Specialty Glass Designs

## Blackstone® Page 123

Traditional English design meets  
**1** clear curved bevels, **2** rainglass  
 and coming to create the distinctive  
 styling of Blackstone. Entries get  
 the best of both privacy and  
 simple refinement.



Black Nickel



Brushed Nickel

## Crystalline™ Page 125

This time-honored design features  
 geometric styling brought to life  
 with **1** glue chip glass, **2** glue chip  
 bevels, **3** clear bevels and coming.  
 Offering modest privacy, Crystalline  
 is a shining example of traditional  
 decorative glass with lasting beauty.



Black Nickel



Brushed Nickel



Brass

## Sedona Page 128

Art meets glass in Sedona where Arts  
 and Crafts simplicity is designed with  
**1** slump glass, **2** clear bevels, **3** clear  
 antique glass and coming. Sedona Art  
 glass featuring ruby red granite glass is  
 also available with black nickel coming.



Art Glass /  
Black Nickel



Black Nickel




Brushed Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size of glass and hand craftsmanship. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more details.

**Salinas®** Page 131

1 Oceana glass and wrought iron come together to create a cheerful entry glass design that offers the ultimate in privacy with yesterday's charm.



Wrought Iron

**Element** Page 134

Clean lines and contemporary styling make Element the ideal choice for entries with a modern aesthetic. Modest privacy is achieved with the 1 red and 2 white wispy glass surrounded by black nickel coming.



Black Nickel

**Maple Park®** Page 135

With hints of Mission style and the American Southwest, Maple Park provides a sophisticated appearance with 1 waterglass, 2 clear bevels, 3 granite glass and coming. The curved design adds unique appeal.



Black Nickel



Brushed Nickel

## Avonlea® Page 137

The dainty leaf design seemingly grows upward in this elegant glass design. Light pours through Avonlea's **1** clear baroque glass and **2** bronze waterglass surrounded by black nickel coming.



Black Nickel

## Saratoga™ Page 139

Saratoga evokes a certain urban sophistication while offering modest privacy with its **1** clear bevels, **2** diamond glass, **3** reed glass and coming. The geometric pattern bridges both modern and traditional designs.




Black Nickel



Brushed Nickel

## Arden® Page 142

Reminiscent of historic leaded glass with modern sensibilities, Arden glass features an architectural pattern of smooth, wavy **1** frosted delta glass, lightly textured **2** chinchilla glass and elegant **3** diamond bevels with flexible options to customize accent glass textures and coming.



Red Waterglass / Black Nickel



Red Waterglass / Brushed Nickel



Granite Glass / Black Nickel



Granite Glass / Brushed Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size of glass and hand craftsmanship. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more details.

## Texas Star Page 144

Beautifully crafted with ① clear bevels, ② curved bevels, ③ clear waterglass, ④ granite glass, ⑤ glue chip glass and brushed nickel coming, there's no mistaking the inspiration for this recognizable design. Strong, independent and all-American.



Brushed Nickel



## Wellesley™ Page 146

Simple yet charming, Wellesley's Victorian-inspired design uses ① clear baroque glass, ② clear curved bevels, ③ waterglass, ④ granite glass and coming to add beauty to any entry.



Black Nickel



Brushed Nickel




Brass

## NEW Riserva™ Page 149

Riserva decorative glass features a combination of linear and curved wrought iron elements that create a simple yet graceful design. Riserva features ① oceana glass for privacy with a look that enhances a wide variety of home styles, including Mediterranean, Old World and Southwest.



Wrought Iron



## Concorde™ Page 152

There's just something friendly about Concorde's cheery four-leaf design.

1 Glue chip glass, 2 clear curved bevels, 3 clear glass and coming make up its Old World charm.



Black Nickel



Brushed Nickel



Brass

## Kensington™ Page 155

Kensington speaks European elegance while offering modest privacy with its

1 clear bevels, 2 glue chip glass, 3 granite glass and coming.



Black Nickel



Brushed Nickel


## Crystal Diamonds™

Page 157

Perfect for the place where friends and families meet. And with its 1 glue chip glass, 2 clear bevels and brass coming, Crystal Diamonds provides privacy with a welcoming touch.



Brass




Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size of glass and hand craftsmanship. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more details.

## Axis™ Page 160

Simple and smart, Axis combines **1** narrow reed glass in horizontal and vertical arrangements to create contrast and modest privacy. A vertical band of **2** clear glass bevels completes this linear design, ideal for Modern home styles.



Black Nickel



## Frosted Images®

Page 163

Delicate and ornate, Frosted Images offers a high privacy rating with an elegant aesthetic achieved with the simplicity of


**1** white-frosted glass.



## Internal Blinds Page 175

Internal blinds provide the privacy and convenience of a cordless blind enclosed between glass. A single-hand operator opens, closes and tilts the blinds to control the desired level of privacy and light.

- 1** Single-Hand Operator
- 2** Privacy Bar



## Screen Vented Page 176

Screen vented lites offer a built-in screen for ventilation, featuring a gliding operation and sash locking system.



# Privacy & Textured Glass Page 165



**NEW Satin Etch Glass**



Glass Privacy Rating



**Chord Glass**



Glass Privacy Rating



**Chinchilla Glass**



Glass Privacy Rating



**Rainglass**



Glass Privacy Rating



**Granite Glass**



Glass Privacy Rating

Also Available:  
**Clear Glass** Page 194



Top: Smooth-Star, Blackstone Glass, Door – S6002, Sidelites – S6002SL  
Bottom Left: Fiber-Classic Oak Collection, Avonlea Glass, Door – FC785, Sidelites – FC758SL, Transom – AVRT  
Bottom Right: Smooth-Star, Salinas Glass, Door – S81937P



### Simulated Divided Lites with Grilles Between Glass

Choose wood-grained or smooth-textured SDL bars layered over flat bronze GBG bars to achieve the most authentic divided lite look.

Look for the (   ) icons.

Shown with flat bronze GBGs, recommended.



### Simulated Divided Lites (SDLs)



Wood-grained or smooth SDL bars are adhered to the interior and exterior panes of tempered glass. Can be stained or painted to complement the door and home.


Look for the (  ) icon.



### Grilles Between Glass (GBGs)

Contour or flat GBG bars are thermally sealed between two panes of tempered glass for the convenience of a smooth, easy-to-clean glass surface.


Look for the (   ) icons.



### Removable Wood Grilles

Removable wood grilles snap on and off the interior pane of tempered glass for easy cleaning. Can be stained or painted to complement the home décor.

Look for the (  ) icon.



Interior view.

\*Available in Special Quote Program.

\*\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 273 for important product details that may help with your purchase decision.


**Fixed Grilles**



Fixed grilles are molded as part of the lite frame on the interior and exterior panes of tempered glass. Can be stained or painted to complement the home décor.

Look for the (◆) icon.

**New for 2016:** Find new flush-glazed privacy and textured glass options, starting on page 165.



**Long-Term Performance**

Glass built directly into the door during manufacturing offers long-term performance. The 1 polyurethane foam core surrounds the glass, helping to provide durability and strength, and a 2 dual adhesive weather seal provides high-performance protection inside and out.

**16% Wider Daylight Opening\*\*\***

Let in more natural light with up to a 16% increase in visible glass area.

**Seamless, Clean Lines**

Factory-built, seamless construction eliminates the need for a lite frame and screw plugs.

**Authentic Wood Door Appeal**

Features true flush-glazed construction, crafted with attention to detail that replicates traditional wood door construction.


Available in privacy and textured glass, as well as divided lites, Low-E and clear glass. Look for the (🔥) icon.

**Flush-Glazed Fiberglass Door Replacement Rider**

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door and glass.


\*\*\*Compared to conventional lite frames.  
Note: See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on limited warranties and exclusions, and Rider.

**SDL Bar Options**



(28.6 mm / 1.125 in.)


**GBG Bar Options**



(20 mm / 0.787 in.)

(18 mm / 0.708 in.)

**GBG Color Options**





**Options Key**

- 🔥 Simulated Divided Lites (SDL)\*\*
- ◆ Flat White Grilles Between Glass Only (GBGFW)
- 🔥 Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)
- ◆ Fixed Grilles (FXG)

# Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware.



# Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal.



Fiber-Classic. 4-Block Dentil Shelf\*



Smooth-Star. 4-Block Dentil Shelf\*



\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Bottom: Fiber-Classic Mahogany Collection, Chord Glass with SDLs, Door – FCM608XC, Sidelites – FCM6126XCSSL, Dentil Shelf

# Blackstone®

## Fiber-Classic® Mahogany



<b>FCM108</b> ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM871</b> ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM310</b> ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'6" x 6'8" † ‡ 2'8" x 6'8" † ‡ 2'10" x 6'8" † ‡ 3'0" x 6'8" † ‡	<b>FCM816</b> ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM765</b> ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM109</b> ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM863</b> ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM6032</b> ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM6052</b> ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	--	---	---	--	--	--	---	---



<b>FCM110</b> ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM164</b> ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM760</b> ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM808SL</b> ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 10" x 6'8" 12" x 6'8" † ‡ 14" x 6'8" † ‡	<b>FCM81918SL</b> ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 12" x 8'0" 14" x 8'0"	<b>FCM871SL</b> ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 12" x 8'0" 14" x 8'0"	<b>FCM765SL</b> ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 12" x 6'8" 14" x 6'8"	<b>FCM882SL</b> ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 12" x 8'0" 14" x 8'0"	<b>FCM109SL</b> ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 12" x 6'8" 14" x 6'8"	<b>FCM863SL</b> ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 12" x 8'0" 14" x 8'0"
--	--	--	--	--	--	--	--	--	--

## Fiber-Classic® Oak



<b>FC108</b> ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'6" x 6'8" 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	<b>81918P</b> ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC310</b> ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'6" x 6'8" † ‡ 2'8" x 6'8" † ‡ 2'10" x 6'8" † ‡ 3'0" x 6'8" † ‡	<b>FC816</b> ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC765</b> ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC770</b> ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>81952P</b> ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC109</b> ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'6" x 6'8" 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	<b>81933P</b> ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	--	--	--	---	---	--	--	--

**Blackstone** Continues on next page.

### Options Key

- ◆◆ Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")

### Features Key

- WBDP Options
- WBDP / HVHZ Options
- ▲ 6'6" Height Available
- ‡ 7'0" Height Available
- No Stile Lines

**Blackstone®** *Continued*



**81975P**  
 :: ◆ ◆ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FC129**  
 :: ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC714**  
 :: ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC164**  
 :: ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC794**  
 :: ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC801**  
 :: ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC80943**  
 :: ◆ ◆ ◆ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC86243**  
 :: ◆ ◆ ◆ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FC108SL**  
 :: ◆ ◆ 6  
 10" x 6'8"  
 12" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



**81918PSL**  
 :: ◆ ◆ ◆ 6  
 12" x 8'0"  
 14" x 8'0"




**FC808SL**  
 ■ :: ◆ ◆ ◆ 6  
 12" x 6'8" Δ ‡  
 14" x 6'8" Δ ‡



**81918SL**  
 ■ :: ◆ ◆ ◆ 6  
 12" x 8'0"  
 14" x 8'0"



**FC765SL**  
 :: ◆ ◆ 6  
 12" x 6'8"  
 14" x 6'8"



**81952PSL**  
 :: ◆ ◆ ◆ 6  
 12" x 8'0"  
 14" x 8'0"



**FC109SL**  
 :: ◆ ◆ 6  
 12" x 6'8"  
 14" x 6'8"



**81933PSL**  
 :: ◆ ◆ ◆ 6  
 12" x 8'0"  
 14" x 8'0"

**Smooth-Star®**



**S6002**  
 :: ◆ ◆ ◆ 6  
 2'6" x 6'8" Δ ‡  
 2'8" x 6'8" Δ ‡  
 2'10" x 6'8" Δ ‡  
 3'0" x 6'8" Δ ‡



**S85892**  
 :: ◆ ◆ ◆ 6  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S310**  
 ■ :: ◆ ◆ ◆ 6  
 2'6" x 6'8" Δ ‡  
 2'8" x 6'8" Δ ‡  
 2'10" x 6'8" Δ ‡  
 3'0" x 6'8" Δ ‡  
 3'6" x 6'8"



**S816**  
 ■ :: ◆ ◆ ◆ 6  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"  
 3'6" x 8'0"



**S975**  
 :: ◆ ◆ ◆ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S979**  
 :: ◆ ◆ ◆ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S894**  
 :: ◆ ◆ ◆ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S6000**  
 :: ◆ ◆ ◆ 6  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡




**S81933P**  
 :: ◆ ◆ ◆ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S6032**  
 :: ◆ ◆ ◆ 6  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



<b>S6052</b> ◆◆◆◆◆◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S972</b> ◆◆◆◆◆◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S85905</b> ◆◆◆◆◆◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S6013</b> ◆◆◆◆◆◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S771</b> ◆◆◆◆◆◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S6085</b> ◆◆◆◆◆◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S997</b> ◆◆◆◆◆◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S6111</b> ◆◆◆◆◆◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S9343</b> ◆◆◆◆◆◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	---	---	--	---	--	---	--	--



<b>S83143</b> ◆◆◆◆◆◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S6002SL</b> ◆◆◆◆◆◆ 12" x 6'8" 14" x 6'8"	<b>S85892SL</b> ◆◆◆◆◆◆ 12" x 8'0" 14" x 8'0"	<b>S4570SL</b> ◆◆◆◆◆◆◆◆ 10" x 6'8" 12" x 6'8" △ ‡ 14" x 6'8" △ ‡	<b>S85927SL</b> ◆◆◆◆◆◆◆◆ 12" x 8'0" 14" x 8'0"	<b>S975SL</b> ◆◆◆◆◆◆ 12" x 6'8" 14" x 6'8"	<b>S894SL</b> ◆◆◆◆◆◆ 12" x 8'0" 14" x 8'0"	<b>S6000SL</b> ◆◆◆◆◆◆ 12" x 6'8" 14" x 6'8"	<b>S85912SL</b> ◆◆◆◆◆◆ 12" x 8'0" 14" x 8'0"
---	--	---	--	---	---	---	--	---



**BSHRT**  
◆◆◆◆◆◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



**BSRT**  
◆◆◆◆◆◆  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

# Crystalline™

## Fiber-Classic® Mahogany



<b>FCM16</b> ◆◆◆◆◆◆◆◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM8114</b> ◆◆◆◆◆◆◆◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM668</b> ◆◆◆◆◆◆◆◆ 2'6" x 6'8" △ ‡ 2'8" x 6'8" △ ‡ 2'10" x 6'8" △ ‡ 3'0" x 6'8" △ ‡	<b>FCM814</b> ◆◆◆◆◆◆◆◆ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM38</b> ◆◆◆◆◆◆◆◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM45</b> ◆◆◆◆◆◆◆◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM898</b> ◆◆◆◆◆◆◆◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM6027</b> ◆◆◆◆◆◆◆◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM6047</b> ◆◆◆◆◆◆◆◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	--	--	--	--	--	---	--	--

Crystalline Continues on next page.


- Options Key**
- ◆ Brass Caming (1A)
  - ◆◆ Brushed Nickel Caming (1C)
  - ◆◆◆ Black Nickel Caming (1D)

- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- ⊕ WBDR Options

- ⊕ WBDR / HVHZ Options
- △ 6'6" Height Available  
(8'0" only in 14")
- ‡ 7'0" Height Available

- Features Key**
- No Stile Lines

**Crystalline™** *Continued*




<b>FCM124</b> ❖ ❖ ❖ ❖ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM802</b> ❖ ❖ ❖ ❖ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM18101SL</b> ❖ ❖ ❖ ❖ ❖ ❖ 10" x 6'8" 12" x 6'8" † ‡ 14" x 6'8" † ‡	<b>FCM81800SL</b> ❖ ❖ ❖ ❖ ❖ ❖ 12" x 8'0" 14" x 8'0"	<b>FCM8114SL</b> ❖ ❖ ❖ ❖ ❖ 12" x 8'0" 14" x 8'0"	<b>FCM38SL</b> ❖ ❖ ❖ ❖ ❖ 12" x 6'8" 14" x 6'8"	<b>FCM8105SL</b> ❖ ❖ ❖ ❖ ❖ 12" x 8'0" 14" x 8'0"	<b>FCM707SL</b> ❖ ❖ ❖ ❖ ❖ 12" x 6'8" 14" x 6'8"	<b>FCM45SL</b> ❖ ❖ ❖ ❖ ❖ 12" x 6'8" 14" x 6'8"	<b>FCM898SL</b> ❖ ❖ ❖ ❖ ❖ 12" x 8'0" 14" x 8'0"
--	--	--	--	---	---	---	--	---	--

**Fiber-Classic.® Oak**



<b>FC16</b> ❖ ❖ ❖ ❖ ❖ 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>81800P</b> ❖ ❖ ❖ ❖ ❖ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC668</b> ❖ ❖ ❖ ❖ ❖ ❖ 2'6" x 6'8" † ‡ 2'8" x 6'8" † ‡ 2'10" x 6'8" † ‡ 3'0" x 6'8" † ‡	<b>FC814</b> ❖ ❖ ❖ ❖ ❖ ❖ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC38</b> ❖ ❖ ❖ ❖ ❖ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC772</b> ❖ ❖ ❖ ❖ ❖ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>81953P</b> ❖ ❖ ❖ ❖ ❖ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC45</b> ❖ ❖ ❖ ❖ ❖ 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>81935P</b> ❖ ❖ ❖ ❖ ❖ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>81977P</b> ❖ ❖ ❖ ❖ ❖ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	--	--	--	--	---	--	---	--	--




<b>FC43</b> ❖ ❖ ❖ ❖ ❖ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC124</b> ❖ ❖ ❖ ❖ ❖ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC80941</b> ❖ ❖ ❖ ❖ ❖ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC86241</b> ❖ ❖ ❖ ❖ ❖ 2'6" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC21</b> ❖ ❖ ❖ ❖ ❖ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC802</b> ❖ ❖ ❖ ❖ ❖ 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>FC46SL</b> ❖ ❖ ❖ ❖ ❖ 10" x 6'8" 12" x 6'8" 14" x 6'8"	<b>81800PSL</b> ❖ ❖ ❖ ❖ ❖ 12" x 8'0" 14" x 8'0"
--	---	---	---	---	--	--	--

Note: See page 273 for important product details that may help with your purchase decision.

# Smooth-Star®



<b>18101SL</b> ❖❖❖❖❖❖ 6 12" x 6'8" ⚠ ‡ 14" x 6'8" ⚠ ‡	<b>81800SL</b> ❖❖❖❖❖❖ 6 12" x 8'0" 14" x 8'0"	<b>FC38SL</b> ❖❖❖❖❖❖ 6 12" x 6'8" 14" x 6'8"	<b>81953PSL</b> ❖❖❖❖❖❖ 6 12" x 8'0" 14" x 8'0"	<b>FC707SL</b> ❖❖❖❖❖❖ 6 12" x 6'8" 14" x 6'8"	<b>FC43SL</b> ❖❖❖❖❖❖ 6 12" x 6'8" 14" x 6'8"	<b>81935PSL</b> ❖❖❖❖❖❖ 6 12" x 8'0" 14" x 8'0"
---	---	--	--	---	--	--



<b>S916</b> ❖❖❖❖❖❖ 6 2'6" x 6'8" ⚠ 2'8" x 6'8" ⚠ ‡ 2'10" x 6'8" ⚠ ‡ 3'0" x 6'8" ⚠ ‡	<b>S814</b> ❖❖❖❖❖❖ 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S668</b> ❖❖❖❖❖❖ 6 2'6" x 6'8" ⚠ 2'8" x 6'8" ⚠ ‡ 2'10" x 6'8" ⚠ ‡ 3'0" x 6'8" ⚠ ‡ 3'6" x 6'8"	<b>S815</b> ❖❖❖❖❖❖ 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"
---	---	--	--



<b>S977</b> ❖❖❖❖❖❖ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S981</b> ❖❖❖❖❖❖ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S888</b> ❖❖❖❖❖❖ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S926</b> ❖❖❖❖❖❖ 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>S81935P</b> ❖❖❖❖❖❖ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S6027</b> ❖❖❖❖❖❖ 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>S6047</b> ❖❖❖❖❖❖ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S38</b> ❖❖❖❖❖❖ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S85907</b> ❖❖❖❖❖❖ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	--	--	---	---	--	---	---	--



<b>S950</b> ❖❖❖❖❖❖ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S930</b> ❖❖❖❖❖❖ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S6113</b> ❖❖❖❖❖❖ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S9341</b> ❖❖❖❖❖❖ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S83141</b> ❖❖❖❖❖❖ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S6123</b> ❖❖❖❖❖❖ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S936</b> ❖❖❖❖❖❖ 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>S916SL</b> ❖❖❖❖❖❖ 6 12" x 6'8" 14" x 6'8"	<b>S814SL</b> ❖❖❖❖❖❖ 6 12" x 8'0" 14" x 8'0"
---	---	--	---	--	--	--	--	--

**Crystalline** *Continues on next page.*

## Options Key

- ❖ Brass Caming (1A)
- ❖ Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- ❖ WBDR / HVHZ Options
- ❖ Brushed Nickel Caming (1C)
- ❖ WBDR Options
- ❖ Black Nickel Caming (1D)
- ⚠ 6'6" Height Available  
(8'0" Height Available)
- ‡ 7'0" Height Available

## Features Key

- No Stile Lines



## Crystalline™ Continued



- |   |  |  |  |  |  |  |  |
|---|--|--|--|--|--|--|--|
| <b>S6130SL</b><br>◆◆◆◆◆<br>◆◆◆◆◆<br>◆◆◆◆◆<br>10" x 6'8"<br>12" x 6'8" ▲ ‡<br>14" x 6'8" ▲ ‡ | <b>S84586SL</b><br>◆◆◆◆◆<br>◆◆◆◆◆<br>◆◆◆◆◆<br>12" x 8'0"<br>14" x 8'0" | <b>S758SL</b><br>◆◆◆◆◆<br>◆◆◆◆◆<br>◆◆◆◆◆<br>12" x 6'8"<br>14" x 6'8" | <b>S888SL</b><br>◆◆◆◆◆<br>◆◆◆◆◆<br>◆◆◆◆◆<br>12" x 8'0"<br>14" x 8'0" | <b>S768SL</b><br>◆◆◆◆◆<br>◆◆◆◆◆<br>◆◆◆◆◆<br>12" x 6'8"<br>14" x 6'8" | <b>S930SL</b><br>◆◆◆◆◆<br>◆◆◆◆◆<br>◆◆◆◆◆<br>12" x 6'8"<br>14" x 6'8" | <b>S85914SL</b><br>◆◆◆◆◆<br>◆◆◆◆◆<br>◆◆◆◆◆<br>12" x 8'0"<br>14" x 8'0" | <b>S950SL</b><br>◆◆◆◆◆<br>◆◆◆◆◆<br>◆◆◆◆◆<br>12" x 6'8"<br>14" x 6'8" |
|---|--|--|--|--|--|--|--|



**BLHRT** ◆◆◆◆◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



**19080T** ◆◆◆◆◆  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



**19810T** ◆◆◆◆◆  
12" & 14" Sidelite Only



**19800T** ◆◆◆◆◆  
3'0" Door Only



**19820T** ◆◆◆◆◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.


## Sedona

Note: Shown in art glass with black nickel caming.

### Fiber-Classic® Mahogany



- |  |  |   |  |  |  |  |  |  |
|--|--|---|--|--|--|--|--|--|
| <b>FCM100-A</b><br>▶<br><b>FCM100</b><br>◆◆◆◆◆<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FCM872-A</b><br>▶<br><b>FCM872</b><br>◆◆◆◆◆<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>FCM241-A</b><br>▶<br><b>FCM241</b><br>◆◆◆◆◆<br>2'6" x 6'8" ▲ ‡<br>2'8" x 6'8" ▲ ‡<br>2'10" x 6'8" ▲ ‡<br>3'0" x 6'8" ▲ ‡ | <b>FCM822-A</b><br>▶<br><b>FCM822</b><br>◆◆◆◆◆<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>FCM131-A</b><br>▶<br><b>FCM131</b><br>◆◆◆◆◆<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FCM101-A</b><br>▶<br><b>FCM101</b><br>◆◆◆◆◆<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FCM864-A</b><br>▶<br><b>FCM864</b><br>◆◆◆◆◆<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>FCM6025-A</b><br>▶<br><b>FCM6025</b><br>◆◆◆◆◆<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FCM6045-A</b><br>▶<br><b>FCM6045</b><br>◆◆◆◆◆<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" |
|--|--|---|--|--|--|--|--|--|



- |  |  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|--|
| <b>FCM604-A</b><br>▶<br><b>FCM604</b><br>◆◆◆◆◆<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FCM126-A</b><br>▶<br><b>FCM126</b><br>◆◆◆◆◆<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FCM816SL-A</b><br>▶<br><b>FCM816SL</b><br>◆◆◆◆◆<br>10" x 6'8"<br>12" x 6'8" ▲ ‡<br>14" x 6'8" ▲ ‡ | <b>FCM81968SL-A</b><br>▶<br><b>FCM81968SL</b><br>◆◆◆◆◆<br>12" x 8'0"<br>14" x 8'0" | <b>FCM872SL-A</b><br>▶<br><b>FCM872SL</b><br>◆◆◆◆◆<br>12" x 8'0"<br>14" x 8'0" | <b>FCM131SL-A</b><br>▶<br><b>FCM131SL</b><br>◆◆◆◆◆<br>12" x 6'8"<br>14" x 6'8" | <b>FCM883SL-A</b><br>▶<br><b>FCM883SL</b><br>◆◆◆◆◆<br>12" x 8'0"<br>14" x 8'0" | <b>FCM101SL-A</b><br>▶<br><b>FCM101SL</b><br>◆◆◆◆◆<br>12" x 6'8"<br>14" x 6'8" | <b>FCM864SL-A</b><br>▶<br><b>FCM864SL</b><br>◆◆◆◆◆<br>12" x 8'0"<br>14" x 8'0" |
|--|--|--|--|--|--|--|--|--|

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
Note: See page 273 for important product details that may help with your purchase decision.

# Fiber-Classic® Oak



- |   |  |   |  |  |  |  |   |  |
|---|--|---|--|--|--|--|---|--|
| <b>FC100-A</b><br>▶<br><b>FC100</b><br>◆ ◆<br>2'6" x 6'8"<br>2'8" x 6'8" ‡<br>2'10" x 6'8" ‡<br>3'0" x 6'8" ‡ | <b>81968P-A</b><br>▶<br><b>81968P</b><br>◆ ◆ ◆ ◆<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>FC241-A</b><br>■ ▶<br><b>FC241</b><br>■ ◆ ◆ ◆<br>2'6" x 6'8" △ ‡<br>2'8" x 6'8" △ ‡<br>2'10" x 6'8" △ ‡<br>3'0" x 6'8" △ ‡ | <b>FC822-A</b><br>■ ▶<br><b>FC822</b><br>■ ◆ ◆ ◆<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>FC131-A</b><br>▶<br><b>FC131</b><br>◆ ◆ ◆<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FC773-A</b><br>▶<br><b>FC773</b><br>◆ ◆ ◆ ◆<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>81954P-A</b><br>▶<br><b>81954P</b><br>◆ ◆ ◆ ◆<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>FC101-A</b><br>▶<br><b>FC101</b><br>◆ ◆ ◆ ◆<br>2'6" x 6'8"<br>2'8" x 6'8" ‡<br>2'10" x 6'8" ‡<br>3'0" x 6'8" ‡ | <b>81936P-A</b><br>▶<br><b>81936P</b><br>◆ ◆ ◆ ◆<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" |
|---|--|---|--|--|--|--|---|--|



- |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|
| <b>81978P-A</b><br>▶<br><b>81978P</b><br>◆ ◆ ◆<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>FC128-A</b><br>▶<br><b>FC128</b><br>◆ ◆ ◆ ◆<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FC126-A</b><br>▶<br><b>FC126</b><br>◆ ◆ ◆ ◆<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FC80952-A</b><br>▶<br><b>FC80952</b><br>◆ ◆ ◆ ◆<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FC86252-A</b><br>▶<br><b>FC86252</b><br>◆ ◆ ◆ ◆<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>FC100SL-A</b><br>▶<br><b>FC100SL</b><br>◆ ◆ ◆ ◆<br>10" x 6'8"<br>12" x 6'8"<br>14" x 6'8" | <b>81968PSL-A</b><br>▶<br><b>81968PSL</b><br>◆ ◆ ◆ ◆<br>12" x 8'0"<br>14" x 8'0" |
|--|--|--|--|--|--|--|

## Smooth-Star®



- |  |  |  |  |  |  |
|--|--|--|--|--|--|
| <b>FC816SL-A</b><br>■ ▶ ◆<br><b>FC816SL</b><br>■ ◆ ◆ ◆ ◆ ◆<br>12" x 6'8" △ ‡<br>14" x 6'8" △ ‡ | <b>81968SL-A</b><br>■ ▶ ◆<br><b>81968SL</b><br>■ ◆ ◆ ◆ ◆ ◆<br>12" x 8'0"<br>14" x 8'0" | <b>FC131SL-A</b><br>▶<br><b>FC131SL</b><br>◆ ◆ ◆ ◆<br>12" x 6'8"<br>14" x 6'8" | <b>81954PSL-A</b><br>▶<br><b>81954PSL</b><br>◆ ◆ ◆ ◆<br>12" x 8'0"<br>14" x 8'0" | <b>FC101SL-A</b><br>▶<br><b>FC101SL</b><br>◆ ◆ ◆ ◆<br>12" x 6'8"<br>14" x 6'8" | <b>81936PSL-A</b><br>▶<br><b>81936PSL</b><br>◆ ◆ ◆ ◆<br>12" x 8'0"<br>14" x 8'0" |
|--|--|--|--|--|--|



- |   |  |
|---|--|
| <b>S139-A</b><br>▶<br><b>S139</b><br>◆ ◆ ◆ ◆<br>2'6" x 6'8" △<br>2'8" x 6'8" △ ‡<br>2'10" x 6'8" △ ‡<br>3'0" x 6'8" △ ‡ | <b>S241-A</b><br>■ ▶ ◆<br><b>S241</b><br>■ ◆ ◆ ◆ ◆ ◆<br>2'6" x 6'8" △<br>2'8" x 6'8" △ ‡<br>2'10" x 6'8" △ ‡<br>3'0" x 6'8" △ ‡<br>3'6" x 6'8" |
|---|--|

**Sedona** Continues on next page.

### Options Key

- ◆ Brass Caming (1A)
- Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- ⚙️ WBDR Options
- ⚙️ WBDR / HVHZ Options
- △ 6'6" Height Available
- ‡ 7'0" Height Available

### Features Key

- ▶ Art Glass / Black Nickel Caming (1D)
- No Stile Lines

### Optional Dentil Shelf\*





**S95-A**

▶ **S95**  
 ■ ■ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S91-A**

▶ **S91**  
 ■ ■ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S887-A**

▶ **S887**  
 ■ ■ ◆  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S211-A**

▶ **S211**  
 ■ ■ ◆  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**S81936P-A**

▶ **S81936P**  
 ■ ■ ◆  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S6025-A**

▶ **S6025**  
 ■ ■ ◆  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**S6045-A**


▶ **S6045**  
 ■ ■ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S35-A**

▶ **S35**  
 ■ ■ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S833-A**

▶ **S833**  
 ■ ■ ◆  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S294-A**

▶ **S294**  
 ■ ■ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S604-A**

▶ **S604**  
 ■ ■ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S8604-A**

▶ **S8604**  
 ■ ■ ◆  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S12-A**

▶ **S12**  
 ■ ■ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S9352-A**

▶ **S9352**  
 ■ ■ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S83152-A**

▶ **S83152**  
 ■ ■ ◆  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S139SL-A**

▶ **S139SL**  
 ■ ■ ◆  
 12" x 6'8"  
 14" x 6'8"

**S604SL-A**

▶ **S604SL**  
 ■ ■ ◆  
 10" x 6'8"  
 12" x 6'8" † ‡  
 14" x 6'8" † ‡



**S91SL-A**

▶ **S91SL**  
 ■ ■ ◆  
 12" x 6'8"  
 14" x 6'8"

**S887SL-A**

▶ **S887SL**  
 ■ ■ ◆  
 12" x 8'0"  
 14" x 8'0"

**S294SL-A**

▶ **S294SL**  
 ■ ■ ◆  
 12" x 6'8"  
 14" x 6'8"

**S85915SL-A**

▶ **S85915SL**  
 ■ ■ ◆  
 12" x 8'0"  
 14" x 8'0"



**19520T-A**

▶ **19520T**  
 ■ ■ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



**19055T-A**

▶ **19055T**  
 ■ ■ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
 Note: See page 273 for important product details that may help with your purchase decision.

## Fiber-Classic® Mahogany



<b>FCM113</b> X6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM873</b> X6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM369</b> ■ X6 2'6" x 6'8" †‡ 2'8" x 6'8" †‡ 2'10" x 6'8" †‡ 3'0" x 6'8" †‡	<b>FCM817</b> ■ X6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM115</b> X6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM114</b> X6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM865</b> X6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM6031</b> X6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM6051</b> X6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM118</b> X 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
---	---	--	--	---	---	---	--	--	--



<b>FCM814SL</b> ■ X6 10" x 6'8" 12" x 6'8" †‡ 14" x 6'8" †‡	<b>FCM81919SL</b> ■ X6 12" x 8'0" 14" x 8'0"	<b>FCM873SL</b> X6 12" x 8'0" 14" x 8'0"	<b>FCM115SL</b> X6 12" x 6'8" 14" x 6'8"	<b>FCM884SL</b> X6 12" x 8'0" 14" x 8'0"	<b>FCM114SL</b> X6 12" x 6'8" 14" x 6'8"	<b>FCM865SL</b> X6 12" x 8'0" 14" x 8'0"
---	---	---	---	---	---	---

## Fiber-Classic® Oak



<b>FC113</b> X6 2'6" x 6'8" 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	<b>81919P</b> X6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC369</b> ■ X6 2'6" x 6'8" †‡ 2'8" x 6'8" †‡ 2'10" x 6'8" †‡ 3'0" x 6'8" †‡	<b>FC817</b> ■ X6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	---	---	---



<b>FC115</b> X6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC775</b> X6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>81955P</b> X6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC114</b> X6 2'6" x 6'8" 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	<b>81937P</b> X6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>81980P</b> X6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC130</b> X 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC118</b> X 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC80953</b> X6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	--	---	---	---	---	---	---	--

Salinas Continues on next page.

### Options Key

- Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- ‡ 6'6" Height Available
- ‡ 7'0" Height Available

### Features Key






- ▶ Art Glass / Black Nickel Caming (1D)
- X Wrought Iron (1W)
- No Stile Lines

### Optional Dentil Shelf\*






- 4-Block Dentil Shelf  
Available for S604-A, S604, S8604-A  
and S8604 only.

**Salinas.** *Continued*








Note: Product images show exterior side of door.

				
<b>FC86253</b> <b>X6</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC113SL</b> <b>X6</b> 10" x 6'8" 12" x 6'8" 14" x 6'8"	<b>81919PSL</b> <b>X6</b> 12" x 8'0" 14" x 8'0"	<b>FC814SL</b> <b>X6</b> 12" x 6'8" † ‡ 14" x 6'8" † ‡	<b>81919SL</b> <b>X6</b> 12" x 8'0" 14" x 8'0"
<b>FC115SL</b> <b>X6</b> 12" x 6'8" 14" x 6'8"	<b>81955PSL</b> <b>X6</b> 12" x 8'0" 14" x 8'0"	<b>FC114SL</b> <b>X6</b> 12" x 6'8" 14" x 6'8"	<b>81937PSL</b> <b>X6</b> 12" x 8'0" 14" x 8'0"	

**Smooth-Star.**

					
<b>S6008</b> <b>X6</b> 2'6" x 6'8" † 2'8" x 6'8" † ‡ 2'10" x 6'8" † ‡ 3'0" x 6'8" † ‡	<b>S85893</b> <b>X6</b> 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S369</b> <b>X6</b> 2'6" x 6'8" † 2'8" x 6'8" † ‡ 2'10" x 6'8" † ‡ 3'0" x 6'8" † ‡ 3'6" x 6'8"	<b>S817</b> <b>X6</b> 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	<b>S6009</b> <b>X6</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S6010</b> <b>X6</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
<b>S895</b> <b>X6</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S6006</b> <b>X6</b> 2'6" x 6'8" 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	<b>S81937P</b> <b>X6</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S6031</b> <b>X6</b> 2'6" x 6'8" 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †		

						
<b>S6051</b> <b>X6</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S973</b> <b>X6</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S893</b> <b>X6</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S6011</b> <b>X</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S6014</b> <b>X</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S6012</b> <b>X</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S9353</b> <b>X6</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
<b>S83153</b> <b>X6</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"						

Note: See page 273 for important product details that may help with your purchase decision.

Right Page: Smooth-Star, Arden Red Waterglass, Door – S701R, Sidelites – S9021RSL



<b>S6008SL</b> X 9 12" x 6'8" 14" x 6'8"	<b>S85893SL</b> X 9 12" x 8'0" 14" x 8'0"	<b>S6134SL</b> X 9 10" x 6'8" 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡	<b>S85931SL</b> X 9 12" x 8'0" 14" x 8'0"	<b>S6009SL</b> X 9 12" x 6'8" 14" x 6'8"	<b>S895SL</b> X 9 12" x 8'0" 14" x 8'0"	<b>S6006SL</b> X 9 12" x 6'8" 14" x 6'8"	<b>S85916SL</b> X 9 12" x 8'0" 14" x 8'0"
---	--	---	--	---	--	---	--



**SART**  
X  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.



**Options Key**

- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- ⊗ WBDR Options

- ⊗ WBDR / HVHZ Options
- Δ 6'6" Height Available
- ‡ 7'0" Height Available

**Features Key**

- X Wrought Iron (1W)
- No Stile Lines

# Element

Note: Product images show exterior side of door.

## Fiber-Classic® Mahogany



**FCM756**  
 ◆ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM1051**  
 ■ ◆ 6  
 2'8" x 6'8" Δ ‡  
 2'10" x 6'8" Δ ‡  
 3'0" x 6'8" Δ ‡



**FCM811LSL**  
 ■ ◆ ◆ 6  
 10" x 6'8"  
 12" x 6'8" Δ ‡  
 14" x 6'8" Δ ‡



**FCM811RSL**  
 ■ ◆ ◆ 6  
 10" x 6'8"  
 12" x 6'8" Δ ‡  
 14" x 6'8" Δ ‡



**FCM8111LSL**  
 ◆ 6  
 12" x 8'0"  
 14" x 8'0"



**FCM8111RSL**  
 ◆ 6  
 12" x 8'0"  
 14" x 8'0"



Note: Element glass is designed as a continuous configuration with left and right sidelites for a stunning mural-like entry door.

The glass is shown photographed on a dark background to highlight the marble-like white wispy art glass.


## Fiber-Classic® Oak



**FC756**  
 ◆ 6  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**FC1051**  
 ■ ◆ 6  
 2'8" x 6'8" Δ ‡  
 2'10" x 6'8" Δ ‡  
 3'0" x 6'8" Δ ‡




**81965P**  
 ◆ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FC756LSL**  
 ◆ 6  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



**FC756RSL**  
 ◆ 6  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



**FC811LSL**  
 ■ ◆ ◆ 6  
 12" x 6'8" Δ ‡  
 14" x 6'8" Δ ‡



**FC811RSL**  
 ■ ◆ ◆ 6  
 12" x 6'8" Δ ‡  
 14" x 6'8" Δ ‡



**81965LPSL**  
 ◆ 6  
 12" x 8'0"  
 14" x 8'0"



**81965RPSL**  
 ◆ 6  
 12" x 8'0"  
 14" x 8'0"

## Smooth-Star®



**S6060**  
 ◆ 6  
 2'8" x 6'8" ‡  
 2'10" x 6'8" Δ ‡  
 3'0" x 6'8" Δ ‡



**S1051**  
 ■ ◆ 6  
 2'8" x 6'8" Δ ‡  
 2'10" x 6'8" Δ ‡  
 3'0" x 6'8" Δ ‡  
 3'6" x 6'8"



**S85903**  
 ◆ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S6136LSL**  
 ◆ 6  
 12" x 6'8"  
 14" x 6'8"



**S6136RSL**  
 ◆ 6  
 12" x 6'8"  
 14" x 6'8"



**S6060LSL**  
 ■ ◆ ◆ 6  
 10" x 6'8"  
 12" x 6'8" Δ ‡  
 14" x 6'8" Δ ‡



**S6060RSL**  
 ■ ◆ ◆ 6  
 10" x 6'8"  
 12" x 6'8" Δ ‡  
 14" x 6'8" Δ ‡



**S85903LSL**  
 ◆ 6  
 12" x 8'0"  
 14" x 8'0"



**S85903RSL**  
 ◆ 6  
 12" x 8'0"  
 14" x 8'0"



**EMRT**  
 ◆  
 3'0" door + (2) 12" sidelites  
 Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
 Note: See page 273 for important product details that may help with your purchase decision.

# Maple Park®

## Fiber-Classic® Mahogany



**FCM900**  
 ■ ■ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM1006**  
 ■ ■ ◆ ◆ ◆  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †



**FCM902**  
 ■ ■ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM901**  
 ■ ■ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM886**  
 ■ ■ ◆ ◆ ◆  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FCM6107**  
 ■ ■ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM6108**  
 ■ ■ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM609**  
 ■ ■ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM904**  
 ■ ■ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM736**  
 ■ ■ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM8736**  
 ■ ■ ◆ ◆ ◆  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FCM812SL**  
 ■ ■ ◆ ◆ ◆ ●  
 10" x 6'8"  
 12" x 6'8" †  
 14" x 6'8" †



**FCM902SL**  
 ■ ■ ◆ ◆ ◆  
 12" x 6'8"  
 14" x 6'8"



**FCM887SL**  
 ■ ■ ◆ ◆ ◆  
 12" x 8'0"  
 14" x 8'0"



**FCM901SL**  
 ■ ■ ◆ ◆ ◆  
 12" x 6'8"  
 14" x 6'8"



**FCM886SL**  
 ■ ■ ◆ ◆ ◆  
 12" x 8'0"  
 14" x 8'0"

## Fiber-Classic® Oak



**FC900**  
 ■ ■ ◆ ◆ ◆  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †



**FC1006**  
 ■ ■ ◆ ◆ ◆  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †



**FC902**  
 ■ ■ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC777**  
 ■ ■ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**81957P**  
 ■ ■ ◆ ◆ ◆  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FC901**  
 ■ ■ ◆ ◆ ◆  
 2'6" x 6'8"  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †



**81939P**  
 ■ ■ ◆ ◆ ◆  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**81982P**  
 ■ ■ ◆ ◆ ◆  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FC903**  
 ■ ■ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

Maple Park Continues on next page.

### Options Key

- ■ Brushed Nickel Caming (1C)
- ◆ ◆ Black Nickel Caming (1D)
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- 6 WBDR Options
- 9 WBDR / HVHZ Options
- △ 6'6" Height Available
- † 7'0" Height Available

### Features Key

- No Stile Lines

### Optional Dentil Shelf\*



4-Block Dentil Shelf  
 Available for FCM609 only.



Maple Park. *Continued*



<b>FC904</b> :: ♦ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC80955</b> :: ♦ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC86255</b> :: ♦ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC736</b> :: ♦ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>FC8736</b> :: ♦ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC900SL</b> :: ♦ 6 10" x 6'8" 12" x 6'8" 14" x 6'8"	<b>FC812SL</b> :: ♦ 6 12" x 6'8" ‡ 14" x 6'8" ‡	<b>FC902SL</b> :: ♦ 6 12" x 6'8" 14" x 6'8"	<b>81957PSL</b> :: ♦ 6 12" x 8'0" 14" x 8'0"	<b>FC901SL</b> :: ♦ 6 12" x 6'8" 14" x 6'8"	<b>81939PSL</b> :: ♦ 6 12" x 8'0" 14" x 8'0"
--	--	--	--	---	--	--	--	---	--	---

Smooth-Star.®



<b>S6100</b> :: ♦ 6 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>S1006</b> :: ♦ 6 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡ 3'6" x 6'8"	<b>S6102</b> :: ♦ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S6103</b> :: ♦ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S85898</b> :: ♦ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S6101</b> :: ♦ 6 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>S81939P</b> :: ♦ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S6107</b> :: ♦ 6 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>S6108</b> :: ♦ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	---	--	--	---	--	--	--	--



<b>S6106</b> :: ♦ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S85897</b> :: ♦ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S6104</b> :: ♦ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S609</b> :: ♦ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S8609</b> :: ♦ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S6105</b> :: ♦ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S9355</b> :: ♦ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S83155</b> :: ♦ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	---	--	---	--	--	--	---

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
Note: See page 273 for important product details that may help with your purchase decision.



- |  |   |   |   |   |  |   |  |
|--|---|---|---|---|--|---|--|
| <b>S736</b><br>◆ ◆<br>2'8" x 6'8" ‡<br>2'10" x 6'8" ‡<br>3'0" x 6'8" ‡ | <b>S8736</b><br>◆ ◆<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>S6100SL</b><br>◆ ◆ ◆ ◆<br>12" x 6'8"<br>14" x 6'8" | <b>S6131SL</b><br>◆ ◆ ◆ ◆ ◆ ◆<br>10" x 6'8"<br>12" x 6'8" ‡ ‡<br>14" x 6'8" ‡ ‡ | <b>S6102SL</b><br>◆ ◆ ◆ ◆<br>12" x 6'8"<br>14" x 6'8" | <b>S85898SL</b><br>◆ ◆ ◆ ◆<br>12" x 8'0"<br>14" x 8'0" | <b>S6101SL</b><br>◆ ◆ ◆ ◆<br>12" x 6'8"<br>14" x 6'8" | <b>S85918SL</b><br>◆ ◆ ◆ ◆<br>12" x 8'0"<br>14" x 8'0" |
|--|---|---|---|---|--|---|--|



**FWRT** ◆ ◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

# Avonlea®

Note: Product images show exterior side of door.

## Fiber-Classic® Mahogany



- |  |   |  |  |  |  |  |  |  |
|--|---|--|--|--|--|--|--|--|
| <b>FCM758</b><br>◆ ◆ ◆<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FCM1027</b><br>◆ ◆ ◆ ◆ ◆ ◆<br>2'8" x 6'8" ‡ ‡<br>2'10" x 6'8" ‡ ‡<br>3'0" x 6'8" ‡ ‡ | <b>FCM764</b><br>◆ ◆ ◆ ◆<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FCM761</b><br>◆ ◆ ◆ ◆<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FCM896</b><br>◆ ◆ ◆ ◆<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>FCM968</b><br>◆ ◆ ◆ ◆<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FCM966</b><br>◆ ◆ ◆ ◆<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FCM785</b><br>◆ ◆ ◆<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FCM788</b><br>◆ ◆ ◆<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" |
|--|---|--|--|--|--|--|--|--|



- |  |  |  |   |  |  |
|--|--|--|---|--|--|
| <b>FCM800</b><br>◆ ◆ ◆<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FCM807SL</b><br>◆ ◆ ◆ ◆ ◆ ◆<br>10" x 6'8"<br>12" x 6'8" ‡ ‡<br>14" x 6'8" ‡ ‡ | <b>FCM764SL</b><br>◆ ◆ ◆ ◆ ◆ ◆<br>12" x 6'8"<br>14" x 6'8" | <b>FCM8104SL</b><br>◆ ◆ ◆ ◆ ◆ ◆<br>12" x 8'0"<br>14" x 8'0" | <b>FCM761SL</b><br>◆ ◆ ◆ ◆ ◆ ◆<br>12" x 6'8"<br>14" x 6'8" | <b>FCM896SL</b><br>◆ ◆ ◆ ◆ ◆ ◆<br>12" x 8'0"<br>14" x 8'0" |
|--|--|--|---|--|--|

## Fiber-Classic® Oak



- |   |  |   |
|---|--|---|
| <b>FC758</b><br>◆ ◆ ◆ ◆<br>2'8" x 6'8" ‡<br>2'10" x 6'8" ‡<br>3'0" x 6'8" ‡ | <b>FC1027</b><br>◆ ◆ ◆ ◆ ◆ ◆<br>2'8" x 6'8" ‡ ‡<br>2'10" x 6'8" ‡ ‡<br>3'0" x 6'8" ‡ ‡ | <b>FC764</b><br>◆ ◆ ◆ ◆<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" |
|---|--|---|

Avonlea Continues on next page.

### Options Key

- ◆ ◆ Brushed Nickel Caming (1C)
- ◆ ◆ Black Nickel Caming (1D)
- ◆ Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- ◆ WBDR Options
- ◆ WBDR / HVHZ Options
- ◆ 6'6" Height Available
- ‡ 7'0" Height Available

### Features Key

- ◆ No Stile Lines

### Optional Dentil Shelf\*

- ◆ 4-Block Dentil Shelf  
Available for S609 and S8609 only.



<b>FC769</b> ◆ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>81967P</b> ◆ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC761</b> ◆ 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>81932P</b> ◆ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>81974P</b> ◆ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC782</b> ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC785</b> ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC788</b> ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC792</b> ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
---	--	--	--	--	---	---	---	---




<b>FC800</b> ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC80956</b> ◆ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC86256</b> ◆ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC758SL</b> ◆ 6 10" x 6'8" 12" x 6'8" 14" x 6'8"	<b>FC807SL</b> ■ ◆ 6 12" x 6'8" ‡ ‡ 14" x 6'8" ‡ ‡	<b>FC764SL</b> ◆ 6 12" x 6'8" 14" x 6'8"	<b>81967PSL</b> ◆ 6 12" x 8'0" 14" x 8'0"	<b>FC761SL</b> ◆ 6 12" x 6'8" 14" x 6'8"	<b>81932PSL</b> ◆ 6 12" x 8'0" 14" x 8'0"
---	---	---	---	---	---	--	---	--

## Smooth-Star®



<b>S962</b> ◆ 6 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ ‡ 3'0" x 6'8" ‡ ‡	<b>S1027</b> ■ ◆ 6 2'8" x 6'8" ‡ ‡ 2'10" x 6'8" ‡ ‡ 3'0" x 6'8" ‡ ‡ 3'6" x 6'8"	<b>S976</b> ◆ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S980</b> ◆ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S85900</b> ◆ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S964</b> ◆ 6 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>S81932P</b> ◆ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S968</b> ◆ 6 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>S966</b> ◆ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	--	--	--	--	--	---	--	--

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
Note: See page 273 for important product details that may help with your purchase decision.



**S970**  
◆ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S85906**  
◆ 6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**S985**  
◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"


**S988**  
◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S991**  
◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S995**  
◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S6121**  
◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S9356**  
◆ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**S83156**  
◆ 6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**S962SL**  
◆ 6  
12" x 6'8"  
14" x 6'8"


**S6127SL**  
◆ 6  
10" x 6'8"  
12" x 6'8" † ‡  
14" x 6'8" † ‡

**S976SL**  
◆ 6  
12" x 6'8"  
14" x 6'8"

**S85900SL**  
◆ 6  
12" x 8'0"  
14" x 8'0"

**S964SL**  
◆ 6  
12" x 6'8"  
14" x 6'8"

**S85911SL**  
◆ 6  
12" x 8'0"  
14" x 8'0"




**AVRT** ◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

# Saratoga™

## Fiber-Classic® Mahogany



**FCM905**  
◆ ◆ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**FCM6093**  
◆ ◆ ◆ 6  
2'6" x 6'8" † ‡  
2'8" x 6'8" † ‡  
2'10" x 6'8" † ‡  
3'0" x 6'8" † ‡

**FCM907**  
◆ ◆ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**FCM906**  
◆ ◆ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**FCM888**  
◆ ◆ 6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**FCM6029**  
◆ ◆ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**FCM6049**  
◆ ◆ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**FCM602**  
◆ ◆ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**FCM909**  
◆ ◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**Saratoga** Continues on next page.

### Options Key

- ◆ Black Nickel Caming (1D)
- ◆◆ Brushed Nickel Caming (1C)
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")

- 6 WBDR Options
- 6 WBDR / HVHZ Options
- † 6'6" Height Available

‡ 7'0" Height Available

### Features Key

- No Stile Lines

### Optional Dentil Shelf\*



4-Block Dentil Shelf  
Available for FCM602 only.

## Fiber-Classic® Oak



**FCM707**  
 ■ ■ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM8707**  
 ■ ■ ◆ ◆  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FCM815SL**  
 ■ ■ ◆ ◆ ◆ ◆  
 10" x 6'8"  
 12" x 6'8" † †  
 14" x 6'8" † †



**FCM81986SL**  
 ■ ■ ◆ ◆ ◆ ◆  
 12" x 8'0"  
 14" x 8'0"



**FCM893SL**  
 ■ ■ ◆ ◆ ◆ ◆  
 12" x 8'0"  
 14" x 8'0"



**FCM907SL**  
 ■ ■ ◆ ◆ ◆ ◆  
 12" x 6'8"  
 14" x 6'8"



**FCM889SL**  
 ■ ■ ◆ ◆ ◆ ◆  
 12" x 8'0"  
 14" x 8'0"



**FCM906SL**  
 ■ ■ ◆ ◆ ◆ ◆  
 12" x 6'8"  
 14" x 6'8"



**FCM888SL**  
 ■ ■ ◆ ◆ ◆ ◆  
 12" x 8'0"  
 14" x 8'0"



**FC905**  
 ■ ■ ◆ ◆ ◆ ◆  
 2'6" x 6'8"  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †



**FC6093**  
 ■ ■ ◆ ◆ ◆ ◆  
 2'6" x 6'8" † †  
 2'8" x 6'8" † †  
 2'10" x 6'8" † †  
 3'0" x 6'8" † †



**FC907**  
 ■ ■ ◆ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC776**  
 ■ ■ ◆ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**81956P**  
 ■ ■ ◆ ◆ ◆ ◆  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FC906**  
 ■ ■ ◆ ◆ ◆ ◆  
 2'6" x 6'8"  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †



**81938P**  
 ■ ■ ◆ ◆ ◆ ◆  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**81981P**  
 ■ ■ ◆ ◆ ◆ ◆  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FC908**  
 ■ ■ ◆ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC909**  
 ■ ■ ◆ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC80954**  
 ■ ■ ◆ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC86254**  
 ■ ■ ◆ ◆ ◆ ◆  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FC707**  
 ■ ■ ◆ ◆ ◆ ◆  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †



**FC8707**  
 ■ ■ ◆ ◆ ◆ ◆  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FC905SL**  
 ■ ■ ◆ ◆ ◆ ◆  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"




**81986PSL**  
 ■ ■ ◆ ◆ ◆ ◆  
 12" x 8'0"  
 14" x 8'0"



**FC815SL**  
 ■ ■ ◆ ◆ ◆ ◆ ◆ ◆  
 12" x 6'8" † †  
 14" x 6'8" † †



**81986SL**  
 ■ ■ ◆ ◆ ◆ ◆ ◆ ◆  
 12" x 8'0"  
 14" x 8'0"



**FC907SL**  
 ■ ■ ◆ ◆ ◆ ◆ ◆ ◆  
 12" x 6'8"  
 14" x 6'8"



**81956PSL**  
 ■ ■ ◆ ◆ ◆ ◆ ◆ ◆  
 12" x 8'0"  
 14" x 8'0"



**FC906SL**  
 ■ ■ ◆ ◆ ◆ ◆ ◆ ◆  
 12" x 6'8"  
 14" x 6'8"



**81938PSL**  
 ■ ■ ◆ ◆ ◆ ◆ ◆ ◆  
 12" x 8'0"  
 14" x 8'0"

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
 Note: See page 273 for important product details that may help with your purchase decision.

# Smooth-Star®



**S154**  
 ■ ■ ◆ ◆ ◆ ◆  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲ ‡  
 2'10" x 6'8" ▲ ‡  
 3'0" x 6'8" ▲ ‡

**S6093**  
 ■ ■ ◆ ◆ ◆ ◆  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲ ‡  
 2'10" x 6'8" ▲ ‡  
 3'0" x 6'8" ▲ ‡  
 3'6" x 6'8"

**S6092**  
 ■ ■ ◆ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S982**  
 ■ ■ ◆ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S891**  
 ■ ■ ◆ ◆ ◆ ◆  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S213**  
 ■ ■ ◆ ◆ ◆ ◆  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**S81938P**  
 ■ ■ ◆ ◆ ◆ ◆  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S6029**  
 ■ ■ ◆ ◆ ◆ ◆  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**S6049**  
 ■ ■ ◆ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S41**  
 ■ ■ ◆ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S85908**  
 ■ ■ ◆ ◆ ◆ ◆  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S291**  
 ■ ■ ◆ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"


**S602**  
 ■ ■ ◆ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S8602**  
 ■ ■ ◆ ◆ ◆ ◆  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S20**  
 ■ ■ ◆ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S9354**  
 ■ ■ ◆ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S83154**  
 ■ ■ ◆ ◆ ◆ ◆  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S707**  
 ■ ■ ◆ ◆ ◆ ◆  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**S8707**  
 ■ ■ ◆ ◆ ◆ ◆  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S154SL**  
 ■ ■ ◆ ◆ ◆ ◆  
 12" x 6'8"  
 14" x 6'8"

**S8602SL**  
 ■ ■ ◆ ◆ ◆ ◆  
 12" x 8'0"  
 14" x 8'0"

**S602SL**  
 ■ ■ ◆ ◆ ◆ ◆  
 10" x 6'8"  
 12" x 6'8" ▲ ‡  
 14" x 6'8" ▲ ‡

**S85932SL**  
 ■ ■ ◆ ◆ ◆ ◆  
 12" x 8'0"  
 14" x 8'0"

**S6092SL**  
 ■ ■ ◆ ◆ ◆ ◆  
 12" x 6'8"  
 14" x 6'8"

**S891SL**  
 ■ ■ ◆ ◆ ◆ ◆  
 12" x 8'0"  
 14" x 8'0"

**S291SL**  
 ■ ■ ◆ ◆ ◆ ◆  
 12" x 6'8"  
 14" x 6'8"

**S85917SL**  
 ■ ■ ◆ ◆ ◆ ◆  
 12" x 8'0"  
 14" x 8'0"



**S19740T**  
 ■ ■ ◆ ◆ ◆ ◆  
 3'0" Door Only



**S19750T**  
 ■ ■ ◆ ◆ ◆ ◆  
 3'0" door + (2) 12" sidelites  
 Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

## Options Key

- ■ Brushed Nickel Caming (1C)
- ◆ ◆ Black Nickel Caming (1D)
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
 (8'0" only in 14")
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- ▲ 6'6" Height Available
- ‡ 7'0" Height Available

## Features Key

- No Stile Lines

## Optional Dentil Shelf\*



# Arden®

Note: Shown in red waterglass with black nickel caming.

## Fiber-Classic.® Mahogany



FCM9021R  
 FCM9021G  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM922R  
 FCM922G  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †



FCM918R  
 FCM918G  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM60221R  
 FCM60221G  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM860221R  
 FCM860221G  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FCM6721R  
 FCM6721G  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM923R  
 FCM923G  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM701R  
 FCM701G  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM920R  
 FCM920G  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM2321R  
 FCM2321G  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM806RSL  
 FCM806GSL  
 10" x 6'8"  
 12" x 6'8" †  
 14" x 6'8" †



FCM768RSL  
 FCM768GSL  
 12" x 6'8"  
 14" x 6'8"



FCM81421RSL  
 FCM81421GSL  
 12" x 8'0"  
 14" x 8'0"



FCM6721RSL  
 FCM6721GSL  
 12" x 6'8"  
 14" x 6'8"



FCM86721RSL  
 FCM86721GSL  
 12" x 8'0"  
 14" x 8'0"

## Fiber-Classic.® Oak



FC9021R  
 FC9021G  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †



FC922R  
 FC922G  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †



FC918R  
 FC918G  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FC919R  
 FC919G  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FC803021R  
 FC803021G  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FC60221R  
 FC60221G  
 2'6" x 6'8"  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †



FC860221R  
 FC860221G  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

FC85901R  
 FC85901G  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

Note: See page 273 for important product details that may help with your purchase decision.




FC924R  
 FC924G  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FC701R  
 FC701G  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FC920R  
 FC920G  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FC921R  
 FC921G  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FC2321R  
 FC2321G  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FC80921R  
 FC80921G  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FC86221R  
 FC86221G  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FC9021RSL  
 FC9021GSL  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



FC806RSL  
 FC806GSL  
 12" x 6'8" †  
 14" x 6'8" †



FC768RSL  
 FC768GSL  
 12" x 6'8"  
 14" x 6'8"



FC81421RSL  
 FC81421GSL  
 12" x 8'0"  
 14" x 8'0"



FC6721RSL  
 FC6721GSL  
 12" x 6'8"  
 14" x 6'8"



FC86721RSL  
 FC86721GSL  
 12" x 8'0"  
 14" x 8'0"

Smooth-Star®



S9021R  
 S9021G  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †



S922R  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †  
 3'6" x 6'8"



S918R  
 S918G  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



S919R  
 S919G  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



S803021R  
 S803021G  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



S60221R  
 S60221G  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †




S860221R  
 S860221G  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"




S6721R  
 S6721G  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †



S923R  
 S923G  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



S5901R  
 S5901G  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



S85901R  
 S85901G  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

Arden *Continues on next page.*

Options Key

- Red Waterglass / Brushed Nickel Caming (1C)
- Red Waterglass / Black Nickel Caming (1D)
- Granite Glass / Brushed Nickel Caming (1C)
- Granite Glass / Black Nickel Caming (1D)

- WBDR Options
- WBDR / HVHZ Options
- Vented Sidelite (No Impact)  
 (6'6" & 6'8" only in 12" & 14")  
 (8'0" only in 14")

- 6'6" Height Available
- 7'0" Height Available

Features Key

- No Stile Lines





S924R  
 S924G  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



S701R  
 S701G  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



S920R  
 S920G  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



S921R  
 S921G  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



S2321R  
 S2321G  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



S9321R  
 S9321G  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



S83121R  
 S83121G  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



S9021RSL  
 S9021GSL  
 12" x 6'8"  
 14" x 6'8"



S806RSL  
 S806GSL  
 10" x 6'8"  
 12" x 6'8" Δ ‡  
 14" x 6'8" Δ ‡



S768RSL  
 S768GSL  
 12" x 6'8"  
 14" x 6'8"



S81421RSL  
 S81421GSL  
 12" x 8'0"  
 14" x 8'0"



S6721RSL  
 S6721GSL  
 12" x 6'8"  
 14" x 6'8"



S86721RSL  
 S86721GSL  
 12" x 8'0"  
 14" x 8'0"

ANRTR  
 ANRTG  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

## Texas Star

### Fiber-Classic. Mahogany



FCM142  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM1029  
 2'8" x 6'8" Δ ‡  
 2'10" x 6'8" Δ ‡  
 3'0" x 6'8" Δ ‡



FCM143  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM144  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM899  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FCM6074  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM6075  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM146  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM165  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

## Fiber-Classic® Oak



<b>FCM817SL</b> ■ ● ● ● ● 10" x 6'8" 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡	<b>FCM143SL</b> ■ ● ● ● ● 12" x 6'8" 14" x 6'8"	<b>FCM8103SL</b> ■ ● ● ● ● 12" x 8'0" 14" x 8'0"	<b>FCM144SL</b> ■ ● ● ● ● 12" x 6'8" 14" x 6'8"	<b>FCM899SL</b> ■ ● ● ● ● 12" x 8'0" 14" x 8'0"
--	--	---	--	--



<b>FC142</b> ■ ● ● ● ● 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>FC1029</b> ■ ● ● ● ● 2'8" x 6'8" Δ ‡ 2'10" x 6'8" Δ ‡ 3'0" x 6'8" Δ ‡	<b>FC143</b> ■ ● ● ● ● 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC778</b> ■ ● ● ● ● 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>81958P</b> ■ ● ● ● ● 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	--	---	---	--



<b>FC144</b> ■ ● ● ● ● 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>81940P</b> ■ ● ● ● ● 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>81983P</b> ■ ● ● ● ● 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC145</b> ■ ● ● ● ● 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC146</b> ■ ● ● ● ● 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC165</b> ■ ● ● ● ● 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC795</b> ■ ● ● ● ● 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC80957</b> ■ ● ● ● ● 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	--	--	---	---	---	---	---

## Smooth-Star®



<b>FC86257</b> ■ ● ● ● ● 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC142SL</b> ■ ● ● ● ● 10" x 6'8" 12" x 6'8" 14" x 6'8"	<b>FC817SL</b> ■ ● ● ● ● 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡	<b>FC143SL</b> ■ ● ● ● ● 12" x 6'8" 14" x 6'8"	<b>81958PSL</b> ■ ● ● ● ● 12" x 8'0" 14" x 8'0"	<b>FC144SL</b> ■ ● ● ● ● 12" x 6'8" 14" x 6'8"	<b>81940PSL</b> ■ ● ● ● ● 12" x 8'0" 14" x 8'0"
---	---	---	---	--	---	--



<b>S6070</b> ■ ● ● ● ● 2'8" x 6'8" ‡ 2'10" x 6'8" Δ ‡ 3'0" x 6'8" Δ ‡	<b>S1029</b> ■ ● ● ● ● 2'8" x 6'8" Δ ‡ 2'10" x 6'8" Δ ‡ 3'0" x 6'8" Δ ‡ 3'6" x 6'8"	<b>S6071</b> ■ ● ● ● ● 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
---	--	---

Texas Star Continues on next page.

### Options Key

- Brushed Nickel Caming (1C)
- Red Waterglass / Brushed Nickel Caming (1C)
- Red Waterglass / Black Nickel Caming (1D)
- Granite Glass / Brushed Nickel Caming (1C)
- Granite Glass / Black Nickel Caming (1D)

- WBDL Options
- WBDL / HVHZ Options
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14"  
(8'0" only in 14")

- Δ 6'6" Height Available
- ‡ 7'0" Height Available

### Features Key

- No Stile Lines

## Texas Star *Continued*



**S6072**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S85901**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S6073**  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**S81940P**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S6075**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S6074**  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**S6076**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S81983**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S6077**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S6078**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S6079**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S998**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S9357**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S83157**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S6070SL**  
 12" x 6'8"  
 14" x 6'8"

**S6135SL**  
 10" x 6'8"  
 12" x 6'8" ‡ ‡  
 14" x 6'8" ‡ ‡

**S6071SL**  
 12" x 6'8"  
 14" x 6'8"

**85901SL**  
 12" x 8'0"  
 14" x 8'0"

**S6073SL**  
 12" x 6'8"  
 14" x 6'8"

**85919SL**  
 12" x 8'0"  
 14" x 8'0"

## Wellesley™

### Fiber-Classic.® Mahogany



**FCM104**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FCM874**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**FCM6094**  
 2'6" x 6'8" ‡ ‡  
 2'8" x 6'8" ‡ ‡  
 2'10" x 6'8" ‡ ‡  
 3'0" x 6'8" ‡ ‡

**FCM821**  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**FCM147**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FCM105**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FCM866**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**FCM6030**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FCM6050**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



<b>FCM106</b> ❖ ❖ ❖ ❖ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM163</b> ❖ ❖ ❖ ❖ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM125</b> ❖ ❖ ❖ ❖ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM721</b> ❖ ❖ ❖ ❖ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM8721</b> ❖ ❖ ❖ ❖ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM818SL</b> ❖ ❖ ❖ ❖ 10" x 6'8" 12" x 6'8" † 14" x 6'8" †	<b>FCM81921SL</b> ❖ ❖ ❖ ❖ 12" x 8'0" 14" x 8'0"	<b>FCM874SL</b> ❖ ❖ ❖ ❖ 12" x 8'0" 14" x 8'0"
--	--	--	--	---	--	--	--

## Fiber-Classic® Oak



<b>FCM147SL</b> ❖ ❖ ❖ ❖ 12" x 6'8" 14" x 6'8"	<b>FCM885SL</b> ❖ ❖ ❖ ❖ 12" x 8'0" 14" x 8'0"	<b>FCM105SL</b> ❖ ❖ ❖ ❖ 12" x 6'8" 14" x 6'8"	<b>FCM866SL</b> ❖ ❖ ❖ ❖ 12" x 8'0" 14" x 8'0"	<b>FC104</b> ❖ ❖ ❖ ❖ 2'6" x 6'8" 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	<b>81921P</b> ❖ ❖ ❖ ❖ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC6094</b> ❖ ❖ ❖ ❖ 2'6" x 6'8" † 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	<b>FC821</b> ❖ ❖ ❖ ❖ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC147</b> ❖ ❖ ❖ ❖ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC779</b> ❖ ❖ ❖ ❖ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>81959P</b> ❖ ❖ ❖ ❖ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	--	--	--	--	--	---	--	---	---	--



<b>FC105</b> ❖ ❖ ❖ ❖ 2'6" x 6'8" 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	<b>81941P</b> ❖ ❖ ❖ ❖ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>81984P</b> ❖ ❖ ❖ ❖ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC127</b> ❖ ❖ ❖ ❖ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC713</b> ❖ ❖ ❖ ❖ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC163</b> ❖ ❖ ❖ ❖ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC796</b> ❖ ❖ ❖ ❖ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC125</b> ❖ ❖ ❖ ❖ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	--	--	---	---	---	---	---

Wellesley *Continues on next page.*

### Options Key

- ❖ Brass Caming (1A)
- ❖❖ Brushed Nickel Caming (1C)
- ❖❖❖ Black Nickel Caming (1D)


- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- ⤴ WBDR Options
- ⤵ WBDR / HVHZ Options

- ⤴ 6'6" Height Available
- ⤵ 7'0" Height Available


### Features Key

- No Stile Lines

**Wellesley™** *Continued*



**Smooth-Star®**



\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
Note: See page 273 for important product details that may help with your purchase decision.



S721

❖ ❖ ❖  
2'8" x 6'8" ±  
2'10" x 6'8" ±  
3'0" x 6'8" ±



S8721

❖ ❖ ❖  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



S155SL

❖ ❖ ❖ 6  
12" x 6'8"  
14" x 6'8"



S85896SL

❖ ❖ ❖ 6  
12" x 8'0"  
14" x 8'0"



S5870SL

❖ ❖ ❖ ❖  
10" x 6'8"  
12" x 6'8" Δ ±  
14" x 6'8" Δ ±



S85934SL

❖ ❖ ❖ ❖  
12" x 8'0"  
14" x 8'0"



S6091SL

❖ ❖ ❖ 6  
12" x 6'8"  
14" x 6'8"



S892SL

❖ ❖ ❖ 6  
12" x 8'0"  
14" x 8'0"



S292SL

❖ ❖ ❖ 6  
12" x 6'8"  
14" x 6'8"



WLHRT ❖ ❖ ❖  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



19720T ❖ ❖ ❖  
3'0" Door Only



19730T ❖ ❖ ❖  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

# NEW Riserva™

## Fiber-Classic® Mahogany

Note: Product images show exterior side of door.



FCM574

❖ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM8574

❖ 6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FCM543

❖ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM581

❖ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM8581

❖ 6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FCM575

❖ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FCM577

❖ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM508

❖ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM506

❖  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM572SL

❖ ❖ ❖ 6  
10" x 6'8"  
12" x 6'8" Δ ±  
14" x 6'8" Δ ±



FCM8572SL

❖ ❖ ❖ 6  
12" x 8'0"  
14" x 8'0"



FCM8573SL

❖ 6  
12" x 8'0"  
14" x 8'0"



FCM545SL

❖ 6  
12" x 6'8"  
14" x 6'8"



FCM8545SL

❖ 6  
12" x 8'0"  
14" x 8'0"



FCM583SL

❖ 6  
12" x 6'8"  
14" x 6'8"

FCM8583SL

❖ 6  
12" x 8'0"  
14" x 8'0"

Riserva Continues on next page.

### Options Key

- ❖ Brass Caming (1A)
- ❖❖ Brushed Nickel Caming (1C)
- ❖❖❖ Black Nickel Caming (1D)

- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- 6 WBDR Options

- 6 WBDR / HVHZ Options
- Δ 6'6" Height Available
- ± 7'0" Height Available

### Features Key

- ❖ Wrought Iron (1W)
- No Stile Lines

### Optional Dentil Shelf\*



4-Block Dentil Shelf  
Available for FCM508 only.

# Fiber-Classic® Oak




- |   |   |   |  |  |  |   |   |   |   |
|---|---|---|--|--|--|---|---|---|---|
| <b>FC574</b><br>X6<br>2'6" x 6'8"<br>2'8" x 6'8" ‡<br>2'10" x 6'8" ‡<br>3'0" x 6'8" ‡ | <b>FC8574</b><br>X9<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>FC571</b><br>X6<br>2'6" x 6'8" †<br>2'8" x 6'8" †<br>2'10" x 6'8" †<br>3'0" x 6'8" † | <b>FC8571</b><br>X9<br>2'6" x 8'0"<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>FC543</b><br>X6<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FC529</b><br>X6<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FC8529</b><br>X6<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>FC581</b><br>X6<br>2'6" x 6'8"<br>2'8" x 6'8" ‡<br>2'10" x 6'8" ‡<br>3'0" x 6'8" ‡ | <b>FC8581</b><br>X6<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>FC8579</b><br>X6<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" |
|---|---|---|--|--|--|---|---|---|---|



- |   |   |  |  |  |   |  |   |
|---|---|--|--|--|---|--|---|
| <b>FC585</b><br>X<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FC506</b><br>X<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FC507</b><br>X6<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FC549</b><br>X6<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>FC573SL</b><br>X6<br>10" x 6'8"<br>12" x 6'8"<br>14" x 6'8" | <b>FC8573SL</b><br>X6<br>12" x 8'0"<br>14" x 8'0" | <b>FC572SL</b><br>X6<br>12" x 6'8" †<br>14" x 6'8" † | <b>FC8572SL</b><br>X6<br>12" x 8'0"<br>14" x 8'0" |
|---|---|--|--|--|---|--|---|

## Smooth-Star®



- |  |   |  |   |  |   |   |  |   |
|--|---|--|---|--|---|---|--|---|
| <b>FC545SL</b><br>X6<br>12" x 6'8"<br>14" x 6'8" | <b>FC8545SL</b><br>X6<br>12" x 8'0"<br>14" x 8'0" | <b>FC583SL</b><br>X6<br>12" x 6'8"<br>14" x 6'8" | <b>FC8583SL</b><br>X6<br>12" x 8'0"<br>14" x 8'0" | <b>S574</b><br>X6<br>2'6" x 6'8" †<br>2'8" x 6'8" †<br>2'10" x 6'8" †<br>3'0" x 6'8" † | <b>S8574</b><br>X6<br>2'6" x 8'0"<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>S571</b><br>X6<br>2'6" x 6'8" †<br>2'8" x 6'8" †<br>2'10" x 6'8" †<br>3'0" x 6'8" †<br>3'6" x 6'8" | <b>S8571</b><br>X6<br>2'6" x 8'0"<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0"<br>3'6" x 8'0" | <b>S543</b><br>X6<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" |
|--|---|--|---|--|---|---|--|---|

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
Note: See page 273 for important product details that may help with your purchase decision.

Note: Product images show exterior side of door.



**S529**  
X6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S8529**  
X6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



**S581**  
X6  
2'6" x 6'8"  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

**S8581**  
X6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



**S575**  
X6  
2'6" x 6'8"  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



**S577**  
X6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**S579**  
X6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S8579**  
X6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



**S585**  
X  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**S508**  
X6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S8508**  
X6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



**S506**  
X  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**S507**  
X6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**S549**  
X6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



**S573SL**  
X6  
12" x 6'8"  
14" x 6'8"



**S8573SL**  
X6  
12" x 8'0"  
14" x 8'0"



**S572SL**  
X6  
10" x 6'8"  
12" x 6'8" ‡ ‡  
14" x 6'8" ‡ ‡

**S8572SL**  
X6  
12" x 8'0"  
14" x 8'0"




**S545SL**  
X6  
12" x 6'8"  
14" x 6'8"

**S8545SL**  
X6  
12" x 8'0"  
14" x 8'0"



**S583SL**  
X6  
12" x 6'8"  
14" x 6'8"

**S8583SL**  
X6  
12" x 8'0"  
14" x 8'0"



**RSRT**  
X  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

**Options Key**

- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- ⊗ WBDR Options

- ⊗ WBDR / HVHZ Options
- ⊗ 6'6" Height Available  
(8'0" only in 14")
- ⊗ 7'0" Height Available

**Features Key**

- X Wrought Iron (1W)
- No Stile Lines


**Optional Dentil Shelf\***





# Concorde™

## Fiber-Classic® Mahogany



**FCM910**  
 ✦ ✦ ✦ ✦ ✦ ✦  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FCM890**  
 ✦ ✦ ✦ ✦ ✦ ✦  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**FCM6095**  
 ✦ ✦ ✦ ✦ ✦ ✦  
 2'6" x 6'8" †  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †

**FCM820**  
 ✦ ✦ ✦ ✦ ✦ ✦  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**FCM912**  
 ✦ ✦ ✦ ✦ ✦ ✦  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"


**FCM911**  
 ✦ ✦ ✦ ✦ ✦ ✦  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FCM891**  
 ✦ ✦ ✦ ✦ ✦ ✦  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**FCM6026**  
 ✦ ✦ ✦ ✦ ✦ ✦  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FCM6046**  
 ✦ ✦ ✦ ✦ ✦ ✦  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FCM916**  
 ✦ ✦ ✦ ✦  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM915**  
 ✦ ✦ ✦ ✦  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FCM914**  
 ✦ ✦ ✦ ✦  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FCM735**  
 ✦ ✦ ✦ ✦  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FCM8735**  
 ✦ ✦ ✦ ✦  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**FCM809SL**  
 ✦ ✦ ✦ ✦  
 10" x 6'8"  
 12" x 6'8" †  
 14" x 6'8" †

**FCM81928SL**  
 ✦ ✦ ✦ ✦  
 12" x 8'0"  
 14" x 8'0"

**FCM890SL**  
 ✦ ✦ ✦ ✦  
 12" x 8'0"  
 14" x 8'0"

**FCM912SL**  
 ✦ ✦ ✦ ✦  
 12" x 6'8"  
 14" x 6'8"

**FCM892SL**  
 ✦ ✦ ✦ ✦  
 12" x 8'0"  
 14" x 8'0"

**FCM916SL**  
 ✦ ✦ ✦ ✦  
 12" x 6'8"  
 14" x 6'8"

**FCM911SL**  
 ✦ ✦ ✦ ✦  
 12" x 6'8"  
 14" x 6'8"

**FCM891SL**  
 ✦ ✦ ✦ ✦  
 12" x 8'0"  
 14" x 8'0"

## Fiber-Classic® Oak



**FC910**  
 ✦ ✦ ✦ ✦ ✦ ✦  
 2'6" x 6'8"  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †

**81928P**  
 ✦ ✦ ✦ ✦ ✦ ✦  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**FC6095**  
 ✦ ✦ ✦ ✦ ✦ ✦  
 2'6" x 6'8" †  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †

**FC820**  
 ✦ ✦ ✦ ✦ ✦ ✦  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**FC912**  
 ✦ ✦ ✦ ✦ ✦ ✦  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FC780**  
 ✦ ✦ ✦ ✦ ✦ ✦  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**81960P**  
 ✦ ✦ ✦ ✦ ✦ ✦  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**FC911**  
 ✦ ✦ ✦ ✦ ✦ ✦  
 2'6" x 6'8"  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †

**81942P**  
 ✦ ✦ ✦ ✦ ✦ ✦  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**81985P**  
 ✦ ✦ ✦ ✦ ✦ ✦  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

Note: See page 273 for important product details that may help with your purchase decision.



**FC913**  
 ✦ ✦ ✦  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC916**  
 ✦ ✦ ✦  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC915**  
 ✦ ✦ ✦  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC797**  
 ✦ ✦ ✦  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC914**  
 ✦ ✦ ✦  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC80947**  
 ✦ ✦ ✦ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC86247**  
 ✦ ✦ ✦ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FC735**  
 ✦ ✦ ✦  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**FC8735**  
 ✦ ✦ ✦  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FC917**  
 ✦ ✦ ✦  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC910SL**  
 ✦ ✦ ✦ 6  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



**81928PSL**  
 ✦ ✦ ✦ 6  
 12" x 8'0"  
 14" x 8'0"



**FC809SL**  
 ✦ ✦ ✦  
 6 6  
 12" x 6'8" ‡ ‡  
 14" x 6'8" ‡ ‡



**81928SL**  
 ✦ ✦ ✦  
 6 6  
 12" x 8'0"  
 14" x 8'0"



**FC912SL**  
 ✦ ✦ ✦ 6  
 12" x 6'8"  
 14" x 6'8"



**81960PSL**  
 ✦ ✦ ✦ 6  
 12" x 8'0"  
 14" x 8'0"



**FC916SL**  
 ✦ ✦ ✦  
 12" x 6'8"  
 14" x 6'8"



**FC911SL**  
 ✦ ✦ ✦ 6  
 12" x 6'8"  
 14" x 6'8"



**81942PSL**  
 ✦ ✦ ✦ 6  
 12" x 8'0"  
 14" x 8'0"

## Smooth-Star®



**S6090**  
 ✦ ✦ ✦ 6  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡ ‡  
 2'10" x 6'8" ‡ ‡  
 3'0" x 6'8" ‡ ‡



**S85895**  
 ✦ ✦ ✦ 6  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S6095**  
 ✦ ✦ ✦ 6  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡ ‡  
 2'10" x 6'8" ‡ ‡  
 3'0" x 6'8" ‡ ‡  
 3'6" x 6'8"




**S820**  
 ✦ ✦ ✦ 6  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"  
 3'6" x 8'0"



**S912**  
 ✦ ✦ ✦ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S97**  
 ✦ ✦ ✦ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S85902**  
 ✦ ✦ ✦ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S426**  
 ✦ ✦ ✦ 6  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**S81942P**  
 ✦ ✦ ✦ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S6026**  
 ✦ ✦ ✦ 6  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

Concorde Continues on next page.

### Options Key

- ✦ Brass Caming (1A)
- ✦ Brushed Nickel Caming (1C)
- ✦ Black Nickel Caming (1D)

- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- 6 WBDR Options

- 6 WBDR / HVHZ Options
- ‡ 6'6" Height Available
- ‡ 7'0" Height Available

### Features Key

- No Stile Lines



**S6046**  
 ✦ ✦ ✦ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S37**  
 ✦ ✦ ✦ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S837**  
 ✦ ✦ ✦ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S450**  
 ✦ ✦ ✦  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S430**  
 ✦ ✦ ✦  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S400**  
 ■ ✦ ✦ ✦  
 2'6" x 6'8" †  
 2'8" x 6'8" †‡  
 2'10" x 6'8" †‡  
 3'0" x 6'8" †‡  
 3'6" x 6'8"

**S773**  
 ✦ ✦ ✦  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S6084**  
 ✦ ✦ ✦  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S1000**  
 ✦ ✦ ✦  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S17**  
 ✦ ✦ ✦  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S9347**  
 ✦ ✦ ✦ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S83147**  
 ✦ ✦ ✦ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S735**  
 ✦ ✦ ✦  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**S8735**  
 ✦ ✦ ✦  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S454**  
 ✦ ✦ ✦  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S416SL**  
 ✦ ✦ ✦ 6  
 12" x 6'8"

**S85895SL**  
 ✦ ✦ ✦ 6  
 12" x 8'0"



**S4070SL**  
 ■ ✦ ✦ ✦  
 10" x 6'8"  
 12" x 6'8" †‡  
 14" x 6'8" †‡

**S85930SL**  
 ■ ✦ ✦ ✦  
 12" x 8'0"  
 14" x 8'0"

**S97SL**  
 ✦ ✦ ✦  
 12" x 6'8"  
 14" x 6'8"

**S757SL**  
 ✦ ✦ ✦ 6  
 12" x 6'8"  
 14" x 6'8"

**S85902SL**  
 ✦ ✦ ✦ 6  
 12" x 8'0"  
 14" x 8'0"

**S767SL**  
 ✦ ✦ ✦  
 12" x 6'8"  
 14" x 6'8"

**S430SL**  
 ✦ ✦ ✦ 6  
 12" x 6'8"  
 14" x 6'8"

**S85920SL**  
 ✦ ✦ ✦ 6  
 12" x 8'0"  
 14" x 8'0"

**S450SL**  
 ✦ ✦ ✦  
 12" x 6'8"  
 14" x 6'8"



**CNHRT**

✦ ✦ ✦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems



**CNRT**

✦ ✦ ✦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

## Fiber-Classic® Mahogany



FCM148  
 ■ ■ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"




FCM626  
 ■ ■ ■ ◆ ◆ ◆  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †



FCM156  
 ■ ■ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM149 | FCM8149  
 ■ ■ ◆ ◆ ◆ | ■ ■ ◆ ◆ ◆  
 2'8" x 6'8" | 2'8" x 8'0"  
 2'10" x 6'8" | 2'10" x 8'0"  
 3'0" x 6'8" | 3'0" x 8'0"



FCM6036  
 ■ ■ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM6056  
 ■ ■ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM151  
 ■ ■ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM789  
 ■ ■ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM150  
 ■ ■ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM813SL  
 ■ ■ ■ ◆ ◆ ◆ ◆ ◆  
 10" x 6'8"  
 12" x 6'8" †  
 14" x 6'8" †



FCM1442SL | FCM8107SL  
 ■ ■ ■ ◆ ◆ ◆ | ■ ■ ■ ◆ ◆ ◆  
 12" x 6'8" | 12" x 8'0"  
 14" x 6'8" | 14" x 8'0"



FCM149SL | FCM867SL  
 ■ ■ ■ ◆ ◆ ◆ | ■ ■ ■ ◆ ◆ ◆  
 12" x 6'8" | 12" x 8'0"  
 14" x 6'8" | 14" x 8'0"

## Fiber-Classic® Oak



FC148  
 ■ ■ ◆ ◆ ◆  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †



FC626  
 ■ ■ ■ ◆ ◆ ◆  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †



FC20042 | 81961P  
 ■ ■ ◆ ◆ ◆ | ■ ■ ◆ ◆ ◆  
 2'8" x 6'8" | 2'8" x 8'0"  
 2'10" x 6'8" | 2'10" x 8'0"  
 3'0" x 6'8" | 3'0" x 8'0"



FC156  
 ■ ■ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FC149 | FC8149  
 ■ ■ ◆ ◆ ◆ | ■ ■ ◆ ◆ ◆  
 2'6" x 6'8" | 2'8" x 8'0"  
 2'8" x 6'8" † | 2'10" x 8'0"  
 2'10" x 6'8" † | 3'0" x 8'0"  
 3'0" x 6'8" †



FC89701  
 ■ ■ ◆ ◆ ◆  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FC152  
 ■ ■ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

Kensington *Continues on next page.*

### Options Key

- ◆ Brass Caming (1A)
- ■ Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- 6 WBDR Options

- 6 WBDR / HVHZ Options
- † 6'6" Height Available
- ‡ 7'0" Height Available

### Features Key

- Flush-Glazed Glass (FG)
- No Stile Lines



**FC709**  
 ■ ■ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC151**  
 ■ ■ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC798**  
 ■ ■ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC150**  
 ■ ■ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC80942**  
 ■ ■ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC86242**  
 ■ ■ ◆ ◆ ◆  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FC148SL**  
 ■ ■ ◆ ◆ ◆  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



**FC813SL**  
 ■ ■ ◆ ◆ ◆ ◆ ◆  
 12" x 6'8" Δ ‡  
 14" x 6'8" Δ ‡

## Smooth-Star.®



**FC1442SL**  
 ■ ■ ◆ ◆ ◆  
 12" x 6'8"  
 14" x 6'8"



**81961PSL**  
 ■ ■ ◆ ◆ ◆  
 12" x 8'0"  
 14" x 8'0"

**FC149SL**  
 ■ ■ ◆ ◆ ◆  
 12" x 6'8"  
 14" x 6'8"

**FC8867SL**  
 ■ ■ ◆ ◆ ◆  
 12" x 8'0"  
 14" x 8'0"



**S160**  
 ■ ■ ◆ ◆ ◆  
 2'8" x 6'8" ‡  
 2'10" x 6'8" Δ ‡  
 3'0" x 6'8" Δ ‡



**S626**  
 ■ ■ ◆ ◆ ◆ ◆ ◆  
 2'8" x 6'8" Δ ‡  
 2'10" x 6'8" Δ ‡  
 3'0" x 6'8" Δ ‡  
 3'6" x 6'8"



**S20042**  
 ■ ■ ◆ ◆ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S902**  
 ■ ■ ◆ ◆ ◆  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S156**  
 ■ ■ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S161**  
 ■ ■ ◆ ◆ ◆  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**S8149**  
 ■ ■ ◆ ◆ ◆ ◆ ◆  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S6036**  
 ■ ■ ◆ ◆ ◆ ◆ ◆  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**S6056**  
 ■ ■ ◆ ◆ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S43**  
 ■ ■ ◆ ◆ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S89701**  
 ■ ■ ◆ ◆ ◆ ◆ ◆  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S162**  
 ■ ■ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S709**  
 ■ ■ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**Crystal Diamonds™** *Continued*

**Fiber-Classic® Oak**



<b>FCM799</b> ❖ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM810SL</b> ❖ 10" x 6'8" 12" x 6'8" † 14" x 6'8" †	<b>FCM762SL</b> ❖ 12" x 6'8" 14" x 6'8"	<b>FCM8102SL</b> ❖ 12" x 8'0" 14" x 8'0"	<b>FCM783SL</b> ❖ 12" x 6'8" 14" x 6'8"	<b>FCM759SL</b> ❖ 12" x 6'8" 14" x 6'8"	<b>FCM894SL</b> ❖ 12" x 8'0" 14" x 8'0"
--	--	--	---	--	--	--



<b>FC757</b> ❖ 2'6" x 6'8" 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	<b>FC547</b> ❖ 2'6" x 6'8" † 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	<b>FC762</b> ❖ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	--	---



<b>FC767</b> ❖ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>81966P</b> ❖ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC759</b> ❖ 2'6" x 6'8" 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	<b>81930P</b> ❖ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>81972P</b> ❖ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC781</b> ❖ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC783</b> ❖ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC786</b> ❖ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC790</b> ❖ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
---	--	--	--	--	---	---	---	---



<b>FC799</b> ❖ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC80958</b> ❖ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC86258</b> ❖ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC805</b> ❖ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC757SL</b> ❖ 10" x 6'8" 12" x 6'8" 14" x 6'8"	<b>FC810SL</b> ❖ 12" x 6'8" † 14" x 6'8" †	<b>FC762SL</b> ❖ 12" x 6'8" 14" x 6'8"	<b>81966PSL</b> ❖ 12" x 8'0" 14" x 8'0"	<b>FC783SL</b> ❖ 12" x 6'8" 14" x 6'8"	<b>FC759SL</b> ❖ 12" x 6'8" 14" x 6'8"	<b>81930PSL</b> ❖ 12" x 8'0" 14" x 8'0"
---	---	---	--	---	---	---	--	---	---	--

# Smooth-Star®



**S716**  
  
 2'6" x 6'8"  $\Delta$   
 2'8" x 6'8"  $\Delta$  †  
 2'10" x 6'8"  $\Delta$  † ‡  
 3'0" x 6'8"  $\Delta$  † ‡

**S547**  
  
 2'6" x 6'8"  $\Delta$   
 2'8" x 6'8"  $\Delta$  †  
 2'10" x 6'8"  $\Delta$  † ‡  
 3'0" x 6'8"  $\Delta$  † ‡  
 3'6" x 6'8"

**S86**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S96**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S886**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S726**  
  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**S81930P**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S6024**  
  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**S6044**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S36**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S836**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S730**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S700**  
  
 2'6" x 6'8"  $\Delta$   
 2'8" x 6'8"  $\Delta$  †  
 2'10" x 6'8"  $\Delta$  † ‡  
 3'0" x 6'8"  $\Delta$  † ‡  
 3'6" x 6'8"

**S772**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S6083**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S993**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S16**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S9358**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S83158**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S754**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S716SL**  
  
 12" x 6'8"  
 14" x 6'8"

**S3570SL**  
  
 10" x 6'8"  
 12" x 6'8"  $\Delta$  †  
 14" x 6'8"  $\Delta$  † ‡

**S96SL**  
  
 12" x 6'8"  
 14" x 6'8"

**S756SL**  
  
 12" x 6'8"  
 14" x 6'8"

**S886SL**  
  
 12" x 8'0"  
 14" x 8'0"

**S766SL**  
  
 12" x 6'8"  
 14" x 6'8"

**S730SL**  
  
 12" x 6'8"  
 14" x 6'8"

**S85923SL**  
  
 12" x 8'0"  
 14" x 8'0"

**S750SL**  
  
 12" x 6'8"  
 14" x 6'8"

## Options Key

- Brass Caming (1A)
- WBDR / HVHZ Options
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- $\Delta$  6'6" Height Available
- $\Delta$  † 6'8" Height Available
- $\Delta$  † ‡ 7'0" Height Available
- WBDR Options

## Features Key

- Flush-Glazed Glass (FG)
- No Stile Lines



## Fiber-Classic® Mahogany



- |   |  |  |   |   |   |  |   |   |
|---|--|--|---|---|---|--|---|---|
| <p><b>FCM1652</b><br/>◆◆<br/>2'8" x 6'8"<br/>2'10" x 6'8"<br/>3'0" x 6'8"</p> | <p><b>FCM81652</b><br/>◆◆<br/>2'8" x 8'0"<br/>2'10" x 8'0"<br/>3'0" x 8'0"</p> | <p><b>FCM1651</b><br/>◆◆◆<br/>2'4" x 6'8" ▲<br/>2'6" x 6'8" ▲‡<br/>2'8" x 6'8" ▲‡<br/>2'10" x 6'8" ▲‡<br/>3'0" x 6'8" ▲‡</p> | <p><b>FCM81651</b><br/>◆◆◆<br/>2'6" x 8'0"<br/>2'8" x 8'0"<br/>2'10" x 8'0"<br/>3'0" x 8'0"</p> | <p><b>FCM1647</b><br/>◆◆<br/>2'8" x 6'8"<br/>2'10" x 6'8"<br/>3'0" x 6'8"</p> | <p><b>FCM1654</b><br/>◆◆<br/>2'8" x 6'8"<br/>2'10" x 6'8"<br/>3'0" x 6'8"</p> | <p><b>FCM81654</b><br/>◆◆<br/>2'8" x 8'0"<br/>2'10" x 8'0"<br/>3'0" x 8'0"</p> | <p><b>FCM1656</b><br/>◆◆<br/>2'8" x 6'8"<br/>2'10" x 6'8"<br/>3'0" x 6'8"</p> | <p><b>FCM1658</b><br/>◆◆<br/>2'8" x 6'8"<br/>2'10" x 6'8"<br/>3'0" x 6'8"</p> |
|---|--|--|---|---|---|--|---|---|



- |   |   |  |   |   |   |  |   |  |   |
|---|---|--|---|---|---|--|---|--|---|
| <p><b>FCM1650</b><br/>◆◆<br/>2'8" x 6'8"<br/>2'10" x 6'8"<br/>3'0" x 6'8"</p> | <p><b>FCM1645</b><br/>◆◆<br/>2'8" x 6'8"<br/>2'10" x 6'8"<br/>3'0" x 6'8"</p> | <p><b>FCM81645</b><br/>◆◆<br/>2'8" x 8'0"<br/>2'10" x 8'0"<br/>3'0" x 8'0"</p> | <p><b>FCM1651SL</b><br/>◆◆◆◆<br/>10" x 6'8"<br/>12" x 6'8" ▲‡<br/>14" x 6'8" ▲‡</p> | <p><b>FCM81651SL</b><br/>◆◆◆◆<br/>12" x 8'0"<br/>14" x 8'0"</p> | <p><b>FCM81652SL</b><br/>◆◆<br/>12" x 8'0"<br/>14" x 8'0"</p> | <p><b>FCM1646SL</b><br/>◆◆<br/>12" x 6'8"<br/>14" x 6'8"</p> | <p><b>FCM81646SL</b><br/>◆◆<br/>12" x 8'0"<br/>14" x 8'0"</p> | <p><b>FCM1656SL</b><br/>◆◆<br/>12" x 6'8"<br/>14" x 6'8"</p> | <p><b>FCM81654SL</b><br/>◆◆<br/>12" x 8'0"<br/>14" x 8'0"</p> |
|---|---|--|---|---|---|--|---|--|---|

## Fiber-Classic® Oak



- |  |   |   |  |  |  |   |  |   |
|--|---|---|--|--|--|---|--|---|
| <p><b>FC1652</b><br/>◆◆<br/>2'6" x 6'8"<br/>2'8" x 6'8" ‡<br/>2'10" x 6'8" ‡<br/>3'0" x 6'8" ‡</p> | <p><b>FC81652</b><br/>◆◆<br/>2'8" x 8'0"<br/>2'10" x 8'0"<br/>3'0" x 8'0"</p> | <p><b>FC1651</b><br/>◆◆◆<br/>2'4" x 6'8" ▲<br/>2'6" x 6'8" ▲‡<br/>2'8" x 6'8" ▲‡<br/>2'10" x 6'8" ▲‡<br/>3'0" x 6'8" ▲‡</p> | <p><b>FC81651</b><br/>◆◆◆<br/>2'6" x 8'0"<br/>2'8" x 8'0"<br/>2'10" x 8'0"<br/>3'0" x 8'0"</p> | <p><b>FC1647</b><br/>◆◆<br/>2'8" x 6'8"<br/>2'10" x 6'8"<br/>3'0" x 6'8"</p> | <p><b>FC1646</b><br/>◆◆<br/>2'8" x 6'8"<br/>2'10" x 6'8"<br/>3'0" x 6'8"</p> | <p><b>FC81646</b><br/>◆◆<br/>2'8" x 8'0"<br/>2'10" x 8'0"<br/>3'0" x 8'0"</p> | <p><b>FC1654</b><br/>◆◆<br/>2'6" x 6'8"<br/>2'8" x 6'8" ‡<br/>2'10" x 6'8" ‡<br/>3'0" x 6'8" ‡</p> | <p><b>FC81654</b><br/>◆◆<br/>2'8" x 8'0"<br/>2'10" x 8'0"<br/>3'0" x 8'0"</p> |
|--|---|---|--|--|--|---|--|---|

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
Note: See page 273 for important product details that may help with your purchase decision.



<b>FC81653</b> ◆ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC1655</b> ◆ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC81649</b> ◆ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC1645</b> ◆ 6 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>FC81645</b> ◆ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC1661</b> ◆ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC1652SL</b> ◆ 6 10" x 6'8" 12" x 6'8" 14" x 6'8"	<b>FC81652SL</b> ◆ 6 12" x 8'0" 14" x 8'0"	<b>FC1651SL</b> ◆ 6 12" x 6'8" ‡ 14" x 6'8" ‡	<b>FC81651SL</b> ◆ 6 12" x 8'0" ‡ 14" x 8'0" ‡
---	--	---	---	---	--	--	---	--	---

## Smooth-Star®



<b>FC1646SL</b> ◆ 6 12" x 6'8" 14" x 6'8"	<b>FC81646SL</b> ◆ 6 12" x 8'0" 14" x 8'0"	<b>FC1656SL</b> ◆ 6 12" x 6'8" 14" x 6'8"	<b>FC81654SL</b> ◆ 6 12" x 8'0" 14" x 8'0"
--	---	--	---



<b>S1652</b> ◆ 6 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>S81652</b> ◆ 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S1651</b> ◆ 6 2'4" x 6'8" ‡ 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡ 3'6" x 6'8"	<b>S81651</b> ◆ 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	<b>S1647</b> ◆ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S1646</b> ◆ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S81646</b> ◆ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	---	--	--	---	---	--



<b>S1654</b> ◆ 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>S81654</b> ◆ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S1656</b> ◆ 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>S1658</b> ◆ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S1653</b> ◆ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S81653</b> ◆ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S1650</b> ◆ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S81650</b> ◆ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S1655</b> ◆ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	--	--	---	---	--	---	--	---

**Axis** Continues on next page.

### Options Key

- ◆ Black Nickel Caming (1D)
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")

- 6 WBDR Options
- 6 WBDR / HVHZ Options
- △ 6'6" Height Available  
(8'0" only in 14")
- ‡ 7'0" Height Available

### Features Key

- No Stile Lines

### Optional Dentil Shelves\*

-  4-Block Dentil Shelf  
Available for FCM1650 only.
-  4-Block Dentil Shelf  
Available for S1650 and S81650 only.



**S81649**  
 ◆ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S1645**  
 ◆  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**S81645**  
 ◆  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S1661**  
 ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S1652SL**  
 ◆ 6  
 12" x 6'8"  
 14" x 6'8"



**S81652SL**  
 ◆ 6  
 12" x 8'0"  
 14" x 8'0"

**S1651SL**  
 ◆ ◆ ◆ 6  
 10" x 6'8"  
 12" x 6'8" ‡ ‡  
 14" x 6'8" ‡ ‡

**S81651SL**  
 ◆ ◆ ◆ 6  
 12" x 8'0"  
 14" x 8'0"



**S1646SL**  
 ◆ 6  
 12" x 6'8"  
 14" x 6'8"



**S81646SL**  
 ◆ 6  
 12" x 8'0"  
 14" x 8'0"



**AXRT** ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

**S1656SL**  
 ◆ 6  
 12" x 6'8"  
 14" x 6'8"

**S81654SL**  
 ◆ 6  
 12" x 8'0"  
 14" x 8'0"

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.



Note: See page 273 for important product details that may help with your purchase decision.

Bottom: Fiber-Classic Mahogany Collection, Axis Glass, Door – FCM1652, ©TheHouseDesigners.com

# Frosted Images®

## Fiber-Classic® Mahogany



<b>FCM11</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM8113</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM669</b> 6 6 2'6" x 6'8" Δ‡ 2'8" x 6'8" Δ‡ 2'10" x 6'8" Δ‡ 3'0" x 6'8" Δ‡	<b>FCM813</b> 6 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM763</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM66</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM895</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM6023</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM6043</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
---	---	---	---	--	---	--	---	---

## Fiber-Classic® Oak



<b>FCM784</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM787</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM13101SL</b> 6 6 10" x 6'8" 12" x 6'8" Δ‡ 14" x 6'8" Δ‡	<b>FCM81300SL</b> 6 6 12" x 8'0" 14" x 8'0"	<b>FCM8113SL</b> 6 12" x 8'0" 14" x 8'0"	<b>FCM8109SL</b> 6 12" x 8'0" 14" x 8'0"	<b>FCM66SL</b> 6 12" x 6'8" 14" x 6'8"	<b>FC11</b> 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>81970P</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM669</b> 6 6 2'6" x 6'8" Δ‡ 2'8" x 6'8" Δ‡ 2'10" x 6'8" Δ‡ 3'0" x 6'8" Δ‡	<b>FC813</b> 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	---	--	--	---	---	---	---	--	---	--



<b>FCM763</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM768</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>81963P</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM66</b> 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>81931P</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>81973P</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC44</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM784</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM787</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	--	--	--	--	--	---	---	---

Frosted Images Continues on next page.

### Options Key

- ◆ Black Nickel Caming (1D)
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- 6 WBDR Options
- 6 WBDR / HVHZ Options

- Δ 6'6" Height Available
- ‡ 7'0" Height Available











### Features Key








- No Stile Lines

## Frosted Images. *Continued*


							
<b>FC791</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC80945</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC86245</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC806</b> 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC11SL</b> 10" x 6'8" 12" x 6'8" 14" x 6'8"	<b>FC8113SL</b> 12" x 8'0" 14" x 8'0"	<b>13101SL</b> 12" x 6'8" † ‡ 14" x 6'8" † ‡	<b>81300SL</b> 12" x 8'0" 14" x 8'0"
							<b>81963PSL</b> 12" x 8'0" 14" x 8'0"
							<b>FC44SL</b> 12" x 6'8" 14" x 6'8"

## Smooth-Star.

									
<b>S138</b> 2'6" x 6'8" † 2'8" x 6'8" † ‡ 2'10" x 6'8" † ‡ 3'0" x 6'8" † ‡	<b>S812</b> 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S669</b> 2'6" x 6'8" † 2'8" x 6'8" † ‡ 2'10" x 6'8" † ‡ 3'0" x 6'8" † ‡ 3'6" x 6'8"	<b>S813</b> 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	<b>S84</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S94</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S884</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S206E</b> 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	<b>S81931P</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S6023</b> 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †

								
<b>S6043</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S34</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S834</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S250</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S289E</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S103</b> 2'6" x 6'8" † 2'8" x 6'8" † ‡ 2'10" x 6'8" † ‡ 3'0" x 6'8" † ‡ 3'6" x 6'8"	<b>S989</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S6081</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S994</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
Note: See page 273 for important product details that may help with your purchase decision.



## NEW Flush-Glazed Privacy & Textured Glass with Divided Lites

Note: For details on divided lite options, see page 120.

Fiber-Classic® Oak



NEW Flush-Glazed Privacy & Textured Glass with Divided Lites *Continues on next page.*

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 118.

XE = NEW Satin Etch Glass  
XJ = Chinchilla Glass

XR = Rainglass  
XN = Granite Glass

XC = Chord Glass

### Options Key

- ▲ Simulated Divided Lites (SDL)\*
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")

- ▲ 6'6" Height Available
- ⚠ 7'0" Height Available

- 6 WBDR Options
- 6 WBDR / HVHZ Options

### Features Key

- No Stile Lines
- ▲ Flush-Glazed Glass (FG)

## NEW Flush-Glazed Privacy & Textured Glass with Divided Lites *Continued*



**FC02000\_-4C**  
 ▲ ▲  
 2'0" x 6'8" ▲  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'6" ▲  
 3'0" x 6'8" ▲



**FC082000\_-4C**  
 ▲ ▲  
 2'0" x 8'0" ▲  
 2'6" x 8'0" ▲  
 2'8" x 8'0" ▲  
 2'10" x 8'0" ▲  
 3'0" x 8'0" ▲



**FC02000\_-6C**  
 ▲ ▲  
 2'0" x 6'8" ▲  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'6" ▲  
 3'0" x 6'8" ▲



**FC082000\_-6C**  
 ▲ ▲  
 2'0" x 8'0" ▲  
 2'6" x 8'0" ▲  
 2'8" x 8'0" ▲  
 2'10" x 8'0" ▲  
 3'0" x 8'0" ▲

## Smooth-Star®



**S82106\_-**  
 ▲ ▲  
 2'6" x 8'0" ▲  
 2'8" x 8'0" ▲  
 2'10" x 8'0" ▲  
 3'0" x 8'0" ▲



**S82107\_-**  
 ▲ ▲  
 2'6" x 8'0" ▲  
 2'8" x 8'0" ▲  
 2'10" x 8'0" ▲  
 3'0" x 8'0" ▲



**S2010\_SL**  
 ▲ ▲ ▲  
 10" x 6'8" ▲  
 12" x 6'8" ▲  
 14" x 6'8" ▲



**S2000\_-2C**  
 ▲ ▲  
 2'0" x 6'8" ▲  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'8" ▲  
 3'0" x 6'8" ▲



**S82000\_-2C**  
 ▲ ▲  
 2'0" x 8'0" ▲  
 2'6" x 8'0" ▲  
 2'8" x 8'0" ▲  
 2'10" x 8'0" ▲  
 3'0" x 8'0" ▲



**S2000\_-3C**  
 ▲ ▲  
 2'0" x 6'8" ▲  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'8" ▲  
 3'0" x 6'8" ▲



**S82000\_-3C**  
 ▲ ▲  
 2'0" x 8'0" ▲  
 2'6" x 8'0" ▲  
 2'8" x 8'0" ▲  
 2'10" x 8'0" ▲  
 3'0" x 8'0" ▲



**S2000\_-4C**  
 ▲ ▲  
 2'0" x 6'8" ▲  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'8" ▲  
 3'0" x 6'8" ▲



**S82000\_-4C**  
 ▲ ▲  
 2'0" x 8'0" ▲  
 2'6" x 8'0" ▲  
 2'8" x 8'0" ▲  
 2'10" x 8'0" ▲  
 3'0" x 8'0" ▲



**S2000\_-6C**  
 ▲ ▲  
 2'0" x 6'8" ▲  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'8" ▲  
 3'0" x 6'8" ▲



**S82000\_-6C**  
 ▲ ▲  
 2'0" x 8'0" ▲  
 2'6" x 8'0" ▲  
 2'8" x 8'0" ▲  
 2'10" x 8'0" ▲  
 3'0" x 8'0" ▲



**S82112\_-**  
 ▲ ▲  
 2'6" x 8'0" ▲  
 2'8" x 8'0" ▲  
 2'10" x 8'0" ▲  
 3'0" x 8'0" ▲



**S82113\_-**  
 ▲ ▲  
 2'6" x 8'0" ▲  
 2'8" x 8'0" ▲  
 2'10" x 8'0" ▲  
 3'0" x 8'0" ▲



**S82114\_-**  
 ▲ ▲  
 2'6" x 8'0" ▲  
 2'8" x 8'0" ▲  
 2'10" x 8'0" ▲  
 3'0" x 8'0" ▲



**S82116\_-**  
 ▲ ▲  
 2'6" x 8'0" ▲  
 2'8" x 8'0" ▲  
 2'10" x 8'0" ▲  
 3'0" x 8'0" ▲



**S2000\_SL-2C**  
 ▲ ▲ ▲  
 10" x 6'8" ▲  
 12" x 6'8" ▲  
 14" x 6'8" ▲



**S2000\_SL-4C**  
 ▲ ▲ ▲  
 10" x 6'8" ▲  
 12" x 6'8" ▲  
 14" x 6'8" ▲

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 118.

**XE = NEW Satin Etch Glass**  
**XJ = Chinchilla Glass**

**XR = Rainglass**  
**XN = Granite Glass**

**XC = Chord Glass**

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 273 for important product details that may help with your purchase decision.

Right Page: Fiber-Classic Oak Collection, Satin Etch Glass with SDLs, Door – FC02000XE-3C

# NEW Flush-Glazed Privacy & Textured Glass

## Fiber-Classic® Oak



- |                |              |                |
|----------------|--------------|----------------|
| <b>2000_</b>   | <b>8000_</b> | <b>2000_SL</b> |
| ●              | ●            | ●              |
| 2'0" x 6'8" ⚠  | 2'0" x 8'0"  | 12" x 6'8"     |
| 2'6" x 6'8" ⚠  | 2'6" x 8'0"  | 14" x 6'8"     |
| 2'8" x 6'8" ⚠  | 2'8" x 8'0"  |                |
| 2'10" x 6'6" ⚠ | 2'10" x 8'0" |                |
| 3'0" x 6'8" ⚠  | 3'0" x 8'0"  |                |

## Smooth-Star®



- |                |               |                |                 |
|----------------|---------------|----------------|-----------------|
| <b>S2000_</b>  | <b>S8000_</b> | <b>S82200_</b> | <b>S2000_SL</b> |
| ●              | ●             | ●              | ● ●             |
| 2'0" x 6'8" ⚠  | 2'0" x 8'0"   | 2'6" x 8'0"    | 10" x 6'8" ⚠    |
| 2'6" x 6'8" ⚠  | 2'6" x 8'0"   | 2'8" x 8'0"    | 12" x 6'8" ⚠    |
| 2'8" x 6'8" ⚠  | 2'8" x 8'0"   | 2'10" x 8'0"   | 14" x 6'8" ⚠    |
| 2'10" x 6'8" ⚠ | 2'10" x 8'0"  | 3'0" x 8'0"    |                 |
| 3'0" x 6'8" ⚠  | 3'0" x 8'0"   |                |                 |



### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 118.

- |                                  |                           |                         |
|----------------------------------|---------------------------|-------------------------|
| <b>XE = NEW Satin Etch Glass</b> | <b>XR = Rainglass</b>     | <b>XC = Chord Glass</b> |
| <b>XJ = Chinchilla Glass</b>     | <b>XN = Granite Glass</b> |                         |

### Options Key

- Simulated Divided Lites (SDL)\*
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- ⚠ 6'6" Height Available
- ⚡ 7'0" Height Available

### Features Key

- Flush-Glazed Glass (FG)



# Privacy & Textured Glass with Divided Lites

## Fiber-Classic® Mahogany

Note: For details on divided lite options, see page 120.



FCM138\_  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM1285\_  
2'6" x 6'8" †  
2'8" x 6'8" †  
2'10" x 6'8" †  
3'0" x 6'8" †



FCM18\_  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM1284\_  
2'6" x 6'8" †  
2'8" x 6'8" †  
2'10" x 6'8" †  
3'0" x 6'8" †



FCM82\_  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM65\_  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM6022\_  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM6042\_  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM8321\_  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"




FCM12102\_SL  
12" x 6'8" †  
14" x 6'8" †



FCM92\_SL  
12" x 6'8"  
14" x 6'8"



FCM8101\_SL  
12" x 8'0"  
14" x 8'0"



FCM65\_SL  
12" x 6'8"  
14" x 6'8"



FCM3487\_SL  
12" x 8'0"  
14" x 8'0"



FCM605\_  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

## Fiber-Classic® Oak



FCM606\_  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM607\_  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM608\_  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM6124\_SL  
12" x 6'8"  
14" x 6'8"



FCM6125\_SL  
12" x 6'8"  
14" x 6'8"



FCM6126\_SL  
12" x 6'8"  
14" x 6'8"



FC138\_  
2'6" x 6'8"  
2'8" x 6'8" †  
2'10" x 6'8" †  
3'0" x 6'8" †



1285\_  
2'6" x 6'8" †  
2'8" x 6'8" †  
2'10" x 6'8" †  
3'0" x 6'8" †

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 118.

XE = **NEW** Satin Etch Glass  
XJ = Chinchilla Glass

XR = Rainglass  
XN = Granite Glass

XC = Chord Glass

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
Note: See page 273 for important product details that may help with your purchase decision.



FC18\_  
 ■ 2'6" x 6'8"  
 ■ 2'8" x 6'8" ‡  
 ■ 2'10" x 6'8" ‡  
 ■ 3'0" x 6'8" ‡



1284\_  
 ■ 2'6" x 6'8" Δ ‡  
 ■ 2'8" x 6'8" Δ ‡  
 ■ 2'10" x 6'8" Δ ‡  
 ■ 3'0" x 6'8" Δ ‡



FC82\_  
 ■ 2'8" x 6'8"  
 ■ 2'10" x 6'8"  
 ■ 3'0" x 6'8"



FC92\_  
 ■ 2'8" x 6'8"  
 ■ 2'10" x 6'8"  
 ■ 3'0" x 6'8"



81945P\_  
 ■ 2'8" x 8'0"  
 ■ 2'10" x 8'0"  
 ■ 3'0" x 8'0"



81946P\_  
 ■ 2'8" x 8'0"  
 ■ 2'10" x 8'0"  
 ■ 3'0" x 8'0"



FC65\_  
 ■ 2'6" x 6'8"  
 ■ 2'8" x 6'8" ‡  
 ■ 2'10" x 6'8" ‡  
 ■ 3'0" x 6'8" ‡



FC8321\_  
 ■ 2'8" x 8'0"  
 ■ 2'10" x 8'0"  
 ■ 3'0" x 8'0"



FC832\_  
 ■ 2'8" x 8'0"  
 ■ 2'10" x 8'0"  
 ■ 3'0" x 8'0"



FC807\_  
 ■ 2'8" x 6'8"  
 ■ 2'10" x 6'8"  
 ■ 3'0" x 6'8"



FC809203\_  
 ■ 2'8" x 6'8"  
 ■ 2'10" x 6'8"  
 ■ 3'0" x 6'8"



FC862203\_  
 ■ 2'8" x 8'0"  
 ■ 2'10" x 8'0"  
 ■ 3'0" x 8'0"



FC18\_SL  
 ■ 12" x 6'8"  
 ■ 14" x 6'8"



12102\_SL  
 ■ 12" x 6'8" Δ ‡  
 ■ 14" x 6'8" Δ ‡



FC92\_SL  
 ■ 12" x 6'8"  
 ■ 14" x 6'8"



81946P\_SL  
 ■ 12" x 8'0"  
 ■ 14" x 8'0"



FC63\_SL  
 ■ 12" x 6'8"  
 ■ 14" x 6'8"



FC3487\_SL  
 ■ 12" x 8'0"  
 ■ 14" x 8'0"



FC06188\_SL  
 ■ 10" x 6'8"  
 ■ 12" x 6'8"  
 ■ 14" x 6'8"



FC06184\_SL  
 ■ 12" x 6'8" Δ ‡  
 ■ 14" x 6'8" Δ ‡



FC06189\_SL  
 ■ 10" x 6'8"  
 ■ 12" x 6'8"  
 ■ 14" x 6'8"



FC06185\_SL  
 ■ 12" x 6'8" Δ ‡  
 ■ 14" x 6'8" Δ ‡



FC06190\_SL  
 ■ 10" x 6'8"  
 ■ 12" x 6'8"  
 ■ 14" x 6'8"



FC06186\_SL  
 ■ 12" x 6'8" Δ ‡  
 ■ 14" x 6'8" Δ ‡

Privacy & Textured Glass with Divided Lites *Continues on next page.*

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 118.

XE = **NEW** Satin Etch Glass  
 XJ = Chinchilla Glass

XR = Rainglass  
 XN = Granite Glass

XC = Chord Glass

### Options Key

- Simulated Divided Lites (SDL)\*
- Vented Sidelite (No Impact)  
 (6'6" & 6'8" only in 12" & 14")  
 (8'0" only in 14")

- 6 WBDR Options
- 9 WBDR / HVHZ Options
- Δ 6'6" Height Available

‡ 7'0" Height Available

### Features Key

- No Stile Lines

### Optional Dentil Shelf\*

- 4-Block Dentil Shelf  
 Available for FCM605\_, FCM606\_,  
 FCM607\_ and FCM608\_ only.

## Smooth-Star.®



**S128\_**

2'6" x 6'8" Δ ‡  
2'8" x 6'8" Δ ‡  
2'10" x 6'8" Δ ‡  
3'0" x 6'8" Δ ‡



**S141\_**

2'6" x 6'8" Δ ‡  
2'8" x 6'8" Δ ‡  
2'10" x 6'8" Δ ‡  
3'0" x 6'8" Δ ‡  
3'6" x 6'8"



**S108\_**

2'6" x 6'8" Δ ‡  
2'8" x 6'8" Δ ‡  
2'10" x 6'8" Δ ‡  
3'0" x 6'8" Δ ‡



**S6063\_**

2'6" x 6'8" Δ ‡  
2'8" x 6'8" Δ ‡  
2'10" x 6'8" Δ ‡  
3'0" x 6'8" Δ ‡  
3'6" x 6'8"



**S82\_**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**S92\_**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**S881\_**

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



**S822\_**

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



**S262\_**

2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



**S6022\_**

2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



**S6042\_**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**S32\_**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**S8321\_**

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



**S832\_**

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



**S807\_**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**S93203\_**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**S831203\_**

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



**S308\_SL**

12" x 6'8"  
14" x 6'8"



**S1170\_SL**

10" x 6'8"  
12" x 6'8" Δ ‡  
14" x 6'8" Δ ‡



**S82\_SL**

12" x 6'8"  
14" x 6'8"



**S881\_SL**

12" x 8'0"  
14" x 8'0"



**S263\_SL**

12" x 6'8"  
14" x 6'8"



**S3487\_SL**

12" x 8'0"  
14" x 8'0"

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 118.

**XE** = NEW Satin Etch Glass  
**XJ** = Chinchilla Glass

**XR** = Rainglass  
**XN** = Granite Glass

**XC** = Chord Glass



**S605\_**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S8605\_**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S606\_**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S8606\_**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S607\_**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S8607\_**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S608\_**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S8608\_**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S605\_SL**  
 12" x 6'8"  
 14" x 6'8"



**S6124\_SL**  
 10" x 6'8"  
 12" x 6'8" Δ‡  
 14" x 6'8" Δ‡



**S606\_SL**  
 12" x 6'8"  
 14" x 6'8"



**S6125\_SL**  
 10" x 6'8"  
 12" x 6'8" Δ‡  
 14" x 6'8" Δ‡



**S607\_SL**  
 12" x 6'8"  
 14" x 6'8"



**S6126\_SL**  
 10" x 6'8"  
 12" x 6'8" Δ‡  
 14" x 6'8" Δ‡

## Privacy & Textured Glass

### Fiber-Classic® Mahogany



**FCM10\_**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FCM870\_**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FCM1283\_**  
 2'4" x 6'8" Δ  
 2'6" x 6'8" Δ‡  
 2'8" x 6'8" Δ‡  
 2'10" x 6'8" Δ‡  
 3'0" x 6'8" Δ‡

**FCM81200\_**  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FCM32\_**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM62\_**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FCM862\_**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FCM6021\_**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

Privacy & Textured Glass *Continues on next page.*

#### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 118.

XE = **NEW** Satin Etch Glass  
 XJ = Chinchilla Glass

XR = Rainglass  
 XN = Granite Glass

XC = Chord Glass

#### Options Key

- Simulated Divided Lites (SDL)\*
- Vented Sidelite (No Impact)  
 (6'6" & 6'8" only in 12" & 14")  
 (8'0" only in 14")

- WBDR Options
- WBDR / HVHZ Options

- 6'6" Height Available
- 7'0" Height Available

#### Features Key

- No Stile Lines

#### Optional Dentil Shelf\*



**4-Block Dentil Shelf**  
 Available for S605\_, S8605\_, S606\_, S8606\_,  
 S607\_, S8607\_, S608\_ and S8608\_ only.

## Privacy & Textured Glass *Continued*



FCM6041\_  
6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FCM104\_  
6  
2'8" x 6'8" ‡  
2'10" x 7'0"  
3'0" x 6'8" ‡

FCM601\_  
6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FCM708\_  
6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FCM8708\_  
6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

FCM61\_  
6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FCM861\_  
6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FCM12101\_SL  
6  
10" x 6'8"  
12" x 6'8" † ‡  
14" x 6'8" † ‡



FCM81200\_SL  
6  
12" x 8'0"  
14" x 8'0"



FCM870\_SL  
6  
12" x 8'0"  
14" x 8'0"

FCM32\_SL  
6  
12" x 6'8"  
14" x 6'8"

FCM881\_SL  
6  
12" x 8'0"  
14" x 8'0"



FCM62\_SL  
6  
12" x 6'8"  
14" x 6'8"

FCM862\_SL  
6  
12" x 8'0"  
14" x 8'0"

## Fiber-Classic.® Oak



1283\_  
6  
2'4" x 6'8" †  
2'6" x 6'8" † ‡  
2'8" x 6'8" † ‡  
2'10" x 6'8" † ‡  
3'0" x 6'8" † ‡

81200\_  
6  
2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

FC10\_  
6  
2'6" x 6'8"  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

81200P\_  
6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

FC766\_  
6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

81943P\_  
6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

FC32\_  
6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FC62\_  
6  
2'6" x 6'8"  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

81929P\_  
6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 118.

XE = **NEW** Satin Etch Glass  
XJ = Chinchilla Glass


XR = Rainglass  
XN = Granite Glass

XC = Chord Glass

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
Note: See page 273 for important product details that may help with your purchase decision.



<b>FC104_</b> ■ 6 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>81971P_</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC48_</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC80920_</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC86220_</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC708_</b> 6 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>FC8708_</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	---	---	--	--	--	---



<b>FC803_</b> 2'8" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC61_</b> 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>FC861_</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC47_SL</b> 6 10" x 6'8" 12" x 6'8" 14" x 6'8"	<b>81200P_SL</b> 6 12" x 8'0" 14" x 8'0"	<b>12101_SL</b> ■ 6 12" x 6'8" ‡ ‡ 14" x 6'8" ‡ ‡	<b>81200_SL</b> ■ 6 12" x 8'0" 14" x 8'0"	<b>FC32_SL</b> 6 12" x 6'8" 14" x 6'8"	<b>81943P_SL</b> 6 12" x 8'0" 14" x 8'0"	<b>FC48_SL</b> 6 12" x 6'8" 14" x 6'8"	<b>81929P_SL</b> 6 12" x 8'0" 14" x 8'0"
--	---	---	---	---	--	--	---	---	---	---

## Smooth-Star®



<b>S140_</b> ■ 6 2'4" x 6'8" † 2'6" x 6'8" † 2'8" x 6'8" † ‡ 2'10" x 6'8" † ‡ 3'0" x 6'8" † ‡ 3'6" x 6'8"	<b>S8140_</b> ■ 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	<b>S118_</b> 6 2'6" x 6'8" † 2'8" x 6'8" † ‡ 2'10" x 6'8" † ‡ 3'0" x 6'8" † ‡	<b>S818_</b> 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S90_</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S880_</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S80_</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S206_</b> 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>S81929P_</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S6021_</b> 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡
--	--	--	--	--	---	--	--	--	---

Privacy & Textured Glass *Continues on next page.*

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 118.

XE = **NEW** Satin Etch Glass  
XJ = Chinchilla Glass

XR = Rainglass  
XN = Granite Glass

XC = Chord Glass

### Options Key

- Simulated Divided Lites (SDL)\*
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")

- 6 WBDR Options
- 6 WBDR / HVHZ Options

- † 6'6" Height Available
- ‡ 7'0" Height Available

### Features Key

- No Stile Lines

### Optional Dentil Shelf\*

- 4-Block Dentil Shelf  
Available for FCM601\_ only.

## Privacy & Textured Glass *Continued*



S6041\_  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

S104\_  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

S30\_  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

S830\_  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

S289\_  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

S601\_  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

S8600\_  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

S9320\_  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



S83120\_  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

S708\_  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

S8708\_  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

S256\_  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

S296\_  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

S896\_  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

S601\_SL  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡

S81086\_SL  
 12" x 8'0"  
 14" x 8'0"



S100\_SL  
 12" x 6'8"  
 14" x 6'8"

S8601\_SL  
 12" x 8'0"  
 14" x 8'0"

S751\_SL  
 12" x 6'8"  
 14" x 6'8"

S880\_SL  
 12" x 8'0"  
 14" x 8'0"

S210\_SL  
 12" x 6'8"  
 14" x 6'8"

S85910\_SL  
 12" x 8'0"  
 14" x 8'0"

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 118.

XE = **NEW** Satin Etch Glass  
 XJ = Chinchilla Glass

XR = Rainglass  
 XN = Granite Glass

XC = Chord Glass

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
 Note: See page 273 for important product details that may help with your purchase decision.

# Internal Blinds

Note: Product images show exterior side of door.

## Fiber-Classic® Mahogany

<b>FCM141</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM8115</b> ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM1286</b> ★ 2'4" x 6'8" ▲ 2'6" x 6'8" ▲‡ 2'8" x 6'8" ▲‡ 2'10" x 6'8" ▲‡ 3'0" x 6'8" ▲‡	<b>FCM81225</b> ★ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM140</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM6035</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM6055</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM116</b> ★ 2'4" x 6'8" 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 7'0" ‡ 3'0" x 6'8" ‡

## Fiber-Classic® Oak

<b>FCM1286SL</b> ★ 10" x 6'8" 12" x 6'8" ▲‡ 14" x 6'8" ▲‡	<b>FCM81225SL</b> ★ 12" x 8'0" 14" x 8'0"	<b>FCM8115SL</b> ★ 12" x 8'0" 14" x 8'0"	<b>FCM140SL</b> ★ 12" x 6'8" 14" x 6'8"	<b>FCM8110SL</b> ★ 12" x 8'0" 14" x 8'0"	<b>FC141</b> ★ 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>81225P</b> ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>1286</b> ★ 2'4" x 6'8" ▲ 2'6" x 6'8" ▲‡ 2'8" x 6'8" ▲‡ 2'10" x 6'8" ▲‡ 3'0" x 6'8" ▲‡	<b>81225</b> ★ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>81964P</b> ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
<b>FC140</b> ★ 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>FC116</b> ★ 2'4" x 6'8" 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>FC925</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC8972</b> ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC141SL</b> ★ 10" x 6'8" 12" x 6'8" 14" x 6'8"	<b>81225PSL</b> ★ 12" x 8'0" 14" x 8'0"	<b>1286SL</b> ★ 12" x 6'8" ▲‡ 14" x 6'8" ▲‡	<b>81225SL</b> ★ 12" x 8'0" 14" x 8'0"	<b>81964PSL</b> ★ 12" x 8'0" 14" x 8'0"	<b>FC140SL</b> ★ 12" x 6'8" 14" x 6'8"

Internal Blinds *Continues on next page.*

### Options Key

- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- WBDR Options
- WBDR / HVHZ Options

- ★ Low-E Glass (LE)
- ▲ 6'6" Height Available
- ‡ 7'0" Height Available

### Features Key

- No Stile Lines

### Optional Dentil Shelf\*

- 
- 4-Block Dentil Shelf  
Available for S601\_ and S8600\_ only.



## Smooth-Star®



- |   |   |  |   |  |   |  |   |
|---|---|--|---|--|---|--|---|
| <b>S130</b><br>★<br>2'6" x 6'8" △<br>2'8" x 6'8" △ ‡<br>2'10" x 6'8" △ ‡<br>3'0" x 6'8" △ ‡ | <b>S829</b><br>★<br>2'6" x 8'0"<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>S6061</b><br>■ ★<br>2'4" x 6'8" △<br>2'6" x 6'8" △<br>2'8" x 6'8" △ ‡<br>2'10" x 6'8" △ ‡<br>3'0" x 6'8" △ ‡<br>3'6" x 6'8" | <b>S81225</b><br>■ ★<br>2'6" x 8'0"<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>S901</b><br>★<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>S132</b><br>★<br>2'6" x 6'8"<br>2'8" x 6'8" ‡<br>2'10" x 6'8" ‡<br>3'0" x 6'8" ‡ | <b>S6035</b><br>★<br>2'6" x 6'8"<br>2'8" x 6'8" ‡<br>2'10" x 6'8" ‡<br>3'0" x 6'8" ‡ | <b>S6055</b><br>★<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" |
|---|---|--|---|--|---|--|---|



- |   |  |  |   |  |  |   |  |  |  |
|---|--|--|---|--|--|---|--|--|--|
| <b>S131</b><br>■ ★<br>2'6" x 6'8"<br>2'8" x 6'8" ‡<br>2'10" x 6'8" ‡<br>3'0" x 6'8" ‡ | <b>S971</b><br>★<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>S925</b><br>★<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>S8972</b><br>★<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>S130SL</b><br>★<br>12" x 6'8"<br>14" x 6'8" | <b>S829SL</b><br>★<br>12" x 8'0"<br>14" x 8'0" | <b>S6128SL</b><br>■ ★ ●<br>10" x 6'8"<br>12" x 6'8" △ ‡<br>14" x 6'8" △ ‡ | <b>S85928SL</b><br>■ ★ ●<br>12" x 8'0"<br>14" x 8'0" | <b>S901SL</b><br>★<br>12" x 8'0"<br>14" x 8'0" | <b>S132SL</b><br>★<br>12" x 6'8"<br>14" x 6'8" |
|---|--|--|---|--|--|---|--|--|--|

## Screen Vented Lites\*

### Smooth-Star®



- |   |  |  |   |
|---|--|--|---|
| <b>S243</b><br>2'8" x 6'8" ‡<br>2'10" x 6'8" ‡<br>3'0" x 6'8" ‡ | <b>S6034</b><br>2'8" x 6'8" ‡<br>2'10" x 6'8" ‡<br>3'0" x 6'8" ‡ | <b>S6054</b><br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>S137</b><br>2'8" x 6'8" ‡<br>2'10" x 6'8" ‡<br>3'0" x 6'8" ‡ |
|---|--|--|---|

\*Features a gliding operation and sash locking system.


\*\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 273 for important product details that may help with your purchase decision.

# Flush-Glazed Clear Glass with Divided Lites

Note: For details on divided lite options, see page 120.


## Fiber-Classic® Oak



**FC1205**  
 ▲▶★  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'6" ▲  
 3'0" x 6'8" ▲




**FC1206**  
 ▲▶★  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'6" ▲  
 3'0" x 6'8" ▲



**FC1207**  
 ▲▶★  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'6" ▲  
 3'0" x 6'8" ▲



**2010**  
 ▲▶★  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'6" ▲  
 3'0" x 6'8" ▲



**FC1204**  
 ▲▶★  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'6" ▲  
 3'0" x 6'8" ▲



**2050**  
 ▲▶★  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'6" ▲  
 3'0" x 6'8" ▲



**8000-12**  
 ▲▶★  
 2'6" x 8'0" ▲  
 2'8" x 8'0" ▲  
 2'10" x 8'0" ▲  
 3'0" x 8'0" ▲



**8000-18**  
 ▲▶★  
 2'0" x 8'0" ▲  
 2'6" x 8'0" ▲  
 2'8" x 8'0" ▲  
 2'10" x 8'0" ▲  
 3'0" x 8'0" ▲



**2150**  
 ▲▶★  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 3'0" x 6'8" ▲



**FC1205SL**  
 ▲▶★  
 12" x 6'8" ▲  
 14" x 6'8" ▲



**FC1206SL**  
 ▲▶★  
 12" x 6'8" ▲  
 14" x 6'8" ▲



**FC1204SL**  
 ▲▶★  
 12" x 6'8" ▲  
 14" x 6'8" ▲



**2050SL**  
 ▲▶★  
 12" x 6'8" ▲  
 14" x 6'8" ▲



**2150SL**  
 ▲▶★  
 12" x 6'8" ▲  
 14" x 6'8" ▲



**FC02000-2C**  
 ▲▶★  
 2'0" x 6'8" ▲  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'6" ▲  
 3'0" x 6'8" ▲



**FC082000-2C**  
 ▲▶★  
 2'0" x 8'0" ▲  
 2'6" x 8'0" ▲  
 2'8" x 8'0" ▲  
 2'10" x 8'0" ▲  
 3'0" x 8'0" ▲



**FC02000-3C**  
 ▲▶★  
 2'0" x 8'0" ▲  
 2'6" x 8'0" ▲  
 2'8" x 8'0" ▲  
 2'10" x 8'0" ▲  
 3'0" x 8'0" ▲



**FC082000-3C**  
 ▲▶★  
 2'0" x 8'0" ▲  
 2'6" x 8'0" ▲  
 2'8" x 8'0" ▲  
 2'10" x 8'0" ▲  
 3'0" x 8'0" ▲

**FC02000-4C**  
 ▲▶★  
 2'0" x 6'8" ▲  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'6" ▲  
 3'0" x 6'8" ▲

**FC082000-4C**  
 ▲▶★  
 2'0" x 8'0" ▲  
 2'6" x 8'0" ▲  
 2'8" x 8'0" ▲  
 2'10" x 8'0" ▲  
 3'0" x 8'0" ▲

**FC02000-6C**  
 ▲▶★  
 2'0" x 6'8" ▲  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'6" ▲  
 3'0" x 6'8" ▲

**FC082000-6C**  
 ▲▶★  
 2'0" x 8'0" ▲  
 2'6" x 8'0" ▲  
 2'8" x 8'0" ▲  
 2'10" x 8'0" ▲  
 3'0" x 8'0" ▲

Flush-Glazed Clear Glass with Divided Lites *Continues on next page.*

### Options Key

- ▲▶★ Simulated Divided Lites (SDL)\*\*
- ◆ Flat White Grilles Between Glass Only (GBGFW)
- ◆ Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
- ▶ Removable Wood Grilles (RG)
- Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14"; 8'0" only in 14")
- ★ Low-E Glass (LE)

### Features Key

- ▲ 6'6" Height Available
- ⚡ 7'0" Height Available
- No Stile Lines
- ▲ Flush-Glazed Glass (FG)

## Flush-Glazed Clear Glass with Divided Lites *Continued*



**2009**  
 ▲ ▲ ▲  
 2'0" x 6'8" ▲  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'6" ▲  
 3'0" x 6'8" ▲

**8000-9**  
 ▲ ▲ ▲  
 2'6" x 8'0" ▲  
 2'8" x 8'0" ▲  
 2'10" x 8'0" ▲  
 3'0" x 8'0" ▲



**FC1409**  
 ▲ ▲ ▲  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 3'0" x 6'8" ▲



**2009SL**  
 ▲ ▲ ▲  
 12" x 6'8" ▲  
 14" x 6'8" ▲



**FC1409SL**  
 ▲ ▲ ▲  
 12" x 6'8" ▲  
 14" x 6'8" ▲


## Smooth-Star®



**S1205**  
 ▲ ▲ ▲  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'8" ▲  
 3'0" x 6'8" ▲



**S1206**  
 ▲ ▲ ▲  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'8" ▲  
 3'0" x 6'8" ▲



**S1207**  
 ▲ ▲ ▲  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'8" ▲  
 3'0" x 6'8" ▲



**S2010**  
 ▲ ▲ ▲  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'8" ▲  
 3'0" x 6'8" ▲



**S1204**  
 ▲ ▲ ▲  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'8" ▲  
 3'0" x 6'8" ▲



**S2050**  
 ▲ ▲ ▲  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'8" ▲  
 3'0" x 6'8" ▲



**S8000-12**  
 ▲ ▲ ▲  
 2'6" x 8'0" ▲  
 2'8" x 8'0" ▲  
 2'10" x 8'0" ▲  
 3'0" x 8'0" ▲



**S8000-18**  
 ▲ ▲ ▲  
 2'6" x 8'0" ▲  
 2'8" x 8'0" ▲  
 2'10" x 8'0" ▲  
 3'0" x 8'0" ▲



**S2103**  
 ▲ ▲ ▲  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'8" ▲  
 3'0" x 6'8" ▲



**S82103**  
 ▲ ▲ ▲  
 2'6" x 8'0" ▲  
 2'8" x 8'0" ▲  
 2'10" x 8'0" ▲  
 3'0" x 8'0" ▲



**S2104**  
 ▲ ▲ ▲  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'8" ▲  
 3'0" x 6'8" ▲



**S82104**  
 ▲ ▲ ▲  
 2'6" x 8'0" ▲  
 2'8" x 8'0" ▲  
 2'10" x 8'0" ▲  
 3'0" x 8'0" ▲



**S2105**  
 ▲ ▲ ▲  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'8" ▲  
 3'0" x 6'8" ▲



**S82105**  
 ▲ ▲ ▲  
 2'6" x 8'0" ▲  
 2'8" x 8'0" ▲  
 2'10" x 8'0" ▲  
 3'0" x 8'0" ▲



**S2250**  
 ▲ ▲ ▲  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'8" ▲  
 3'0" x 6'8" ▲



**S82250**  
 ▲ ▲ ▲  
 2'6" x 8'0" ▲  
 2'8" x 8'0" ▲  
 2'10" x 8'0" ▲  
 3'0" x 8'0" ▲



**S82106**  
 ▲ ▲ ▲  
 2'6" x 8'0" ▲  
 2'8" x 8'0" ▲  
 2'10" x 8'0" ▲  
 3'0" x 8'0" ▲



**S82107**  
 ▲ ▲ ▲  
 2'6" x 8'0" ▲  
 2'8" x 8'0" ▲  
 2'10" x 8'0" ▲  
 3'0" x 8'0" ▲

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
 Note: See page 273 for important product details that may help with your purchase decision.



**S2150**  
 ▲ ▲ ▲ ▲  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 3'0" x 6'8"



**S1205SL**  
 ▲ ▲ ▲ ▲  
 10" x 6'8" ▲  
 12" x 6'8" ▲  
 14" x 6'8" ▲



**S1206SL**  
 ▲ ▲ ▲ ▲  
 10" x 6'8" ▲  
 12" x 6'8" ▲  
 14" x 6'8" ▲



**S1204SL**  
 ▲ ▲ ▲ ▲  
 10" x 6'8" ▲  
 12" x 6'8" ▲  
 14" x 6'8" ▲



**S2010SL**  
 ▲ ▲ ▲ ▲  
 10" x 6'8" ▲  
 12" x 6'8" ▲  
 14" x 6'8" ▲



**S2103SL**  
 ▲ ▲ ▲  
 12" x 6'8"  
 14" x 6'8"



**S2104SL**  
 ▲ ▲ ▲  
 12" x 6'8"  
 14" x 6'8"



**S92SL**  
 ▲ ▲ ▲  
 12" x 6'8"  
 14" x 6'8"



**S2000-2C**  
 ▲ ▲ ▲ ▲  
 2'0" x 6'8" ▲  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'8" ▲  
 3'0" x 6'8" ▲



**S82000-2C**  
 ▲ ▲ ▲ ▲  
 2'0" x 8'0" ▲  
 2'6" x 8'0" ▲  
 2'8" x 8'0" ▲  
 2'10" x 8'0" ▲  
 3'0" x 8'0" ▲



**S2000-3C**  
 ▲ ▲ ▲ ▲  
 2'0" x 6'8" ▲  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'8" ▲  
 3'0" x 6'8" ▲



**S82000-3C**  
 ▲ ▲ ▲ ▲  
 2'0" x 8'0" ▲  
 2'6" x 8'0" ▲  
 2'8" x 8'0" ▲  
 2'10" x 8'0" ▲  
 3'0" x 8'0" ▲



**S2000-4C**  
 ▲ ▲ ▲ ▲  
 2'0" x 6'8" ▲  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'8" ▲  
 3'0" x 6'8" ▲



**S82000-4C**  
 ▲ ▲ ▲ ▲  
 2'0" x 8'0" ▲  
 2'6" x 8'0" ▲  
 2'8" x 8'0" ▲  
 2'10" x 8'0" ▲  
 3'0" x 8'0" ▲



**S2000-6C**  
 ▲ ▲ ▲ ▲  
 2'0" x 6'8" ▲  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'8" ▲  
 3'0" x 6'8" ▲



**S82000-6C**  
 ▲ ▲ ▲ ▲  
 2'0" x 8'0" ▲  
 2'6" x 8'0" ▲  
 2'8" x 8'0" ▲  
 2'10" x 8'0" ▲  
 3'0" x 8'0" ▲

**S82112**  
 ▲ ▲ ▲  
 2'6" x 8'0" ▲  
 2'8" x 8'0" ▲  
 2'10" x 8'0" ▲  
 3'0" x 8'0" ▲

**S82113**  
 ▲ ▲ ▲  
 2'6" x 8'0" ▲  
 2'8" x 8'0" ▲  
 2'10" x 8'0" ▲  
 3'0" x 8'0" ▲

**S82114**  
 ▲ ▲ ▲  
 2'6" x 8'0" ▲  
 2'8" x 8'0" ▲  
 2'10" x 8'0" ▲  
 3'0" x 8'0" ▲

**S82116**  
 ▲ ▲ ▲  
 2'6" x 8'0" ▲  
 2'8" x 8'0" ▲  
 2'10" x 8'0" ▲  
 3'0" x 8'0" ▲



**S2000SL-2C**  
 ▲ ▲ ▲ ▲  
 10" x 6'8" ▲  
 12" x 6'8" ▲  
 14" x 6'8" ▲



**S2000SL-4C**  
 ▲ ▲ ▲ ▲  
 10" x 6'8" ▲  
 12" x 6'8" ▲  
 14" x 6'8" ▲




**S2009**  
 ▲ ▲ ▲ ▲  
 2'0" x 6'8" ▲  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'8" ▲  
 3'0" x 6'8" ▲



**S8000-9**  
 ▲ ▲ ▲ ▲  
 2'0" x 8'0" ▲  
 2'6" x 8'0" ▲  
 2'8" x 8'0" ▲  
 2'10" x 8'0" ▲  
 3'0" x 8'0" ▲



**S1401**  
 ▲ ▲ ▲  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'8" ▲  
 3'0" x 6'8" ▲



**S81401**  
 ▲ ▲ ▲  
 2'6" x 8'0" ▲  
 2'8" x 8'0" ▲  
 2'10" x 8'0" ▲  
 3'0" x 8'0" ▲



**S1409**  
 ▲ ▲ ▲  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 3'0" x 6'8" ▲



**S2009SL**  
 ▲ ▲ ▲ ▲  
 10" x 6'8" ▲  
 12" x 6'8" ▲  
 14" x 6'8" ▲



**S1401SL**  
 ▲ ▲ ▲  
 12" x 6'8" ▲  
 14" x 6'8" ▲

**Options Key**

- ▲ Simulated Divided Lites (SDL)\*
- ◆ Flat White Grilles Between Glass Only (GBGFW)
- ◆ Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)

- ▶ Removable Wood Grilles (RG)
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14"  
 8'0" only in 14")
- ☀ Low-E Glass (LE)

▲ 6'6" Height Available

**Features Key**

- Flush-Glazed Glass (FG)

# Flush-Glazed Clear Glass

## Fiber-Classic® Oak



<b>2000</b> 🔥🌟 2'0" x 6'8" Δ 2'6" x 6'8" Δ 2'8" x 6'8" Δ 2'10" x 6'6" 3'0" x 6'8" Δ	<b>8000</b> 🔥🌟 2'0" x 8'0" Δ 2'6" x 8'0" Δ 2'8" x 8'0" Δ 2'10" x 8'0" 3'0" x 8'0"	<b>2100</b> 🔥🌟 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	<b>2000SL</b> 🔥🌟 12" x 6'8" 14" x 6'8"	<b>2100SL</b> 🔥🌟 12" x 6'8" 14" x 6'8"
---	---	--	---	---

## Smooth-Star®



<b>S2000</b> 🔥🌟 2'0" x 6'8" Δ 2'6" x 6'8" Δ 2'8" x 6'8" Δ 2'10" x 6'8" Δ 3'0" x 6'8" Δ	<b>S8000</b> 🔥🌟 2'0" x 8'0" Δ 2'6" x 8'0" Δ 2'8" x 8'0" Δ 2'10" x 8'0" 3'0" x 8'0"	<b>S2200</b> 🔥🌟 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S82200</b> 🔥🌟 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	--	---	--



<b>S2100</b> 🔥🌟 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	<b>S2000SL</b> 🔥🌟🌈 10" x 6'8" Δ 12" x 6'8" Δ 14" x 6'8" Δ	<b>S90SL</b> 🔥 12" x 6'8" 14" x 6'8"
---	---	---

# Clear Glass with Divided Lites

Note: For details on divided lite options, see page 120.

## Fiber-Classic® Mahogany



<b>FCM1209</b> 🌈🌟 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM1201</b> 🔥🌟🌈 2'4" x 6'8" Δ 2'6" x 6'8" Δ ‡ 2'8" x 6'8" Δ ‡ 2'10" x 6'8" Δ ‡ 3'0" x 6'8" Δ ‡	<b>FCM1211</b> 🌈🌟 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM1202</b> 🔥🌟🌈 2'4" x 6'8" Δ 2'6" x 6'8" Δ ‡ 2'8" x 6'8" Δ ‡ 2'10" x 6'8" Δ ‡ 3'0" x 6'8" Δ ‡	<b>FCM1212</b> 🌈🌟 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM1203</b> 🔥🌟🌈 2'4" x 6'8" Δ 2'6" x 6'8" Δ ‡ 2'8" x 6'8" Δ ‡ 2'10" x 6'8" Δ ‡ 3'0" x 6'8" Δ ‡	<b>FCM138</b> 🌈🌟🌈🌟🌈 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	---	--	---	--	---	--

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
Note: See page 273 for important product details that may help with your purchase decision.



**FCM1285**  
  
 2'4" x 6'8"  $\Delta$   
 2'6" x 6'8"  $\Delta$  †  
 2'8" x 6'8"  $\Delta$  †  
 2'10" x 6'8"  $\Delta$  †  
 3'0" x 6'8"  $\Delta$  †



**FCM1208**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"




**FCM1200**  
  
 2'4" x 6'8"  $\Delta$   
 2'6" x 6'8"  $\Delta$  †  
 2'8" x 6'8"  $\Delta$  †  
 2'10" x 6'8"  $\Delta$  †  
 3'0" x 6'8"  $\Delta$  †



**FCM18**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM1284**  
  
 2'4" x 6'8"  $\Delta$   
 2'6" x 6'8"  $\Delta$  †  
 2'8" x 6'8"  $\Delta$  †  
 2'10" x 6'8"  $\Delta$  †  
 3'0" x 6'8"  $\Delta$  †



**FCM828**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FCM81828**  
  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FCM81208P**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FCM81829**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FCM2106**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM2107**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM2108**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM82**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM63**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM6097**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM811**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM8322**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FCM8323**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FCM8324**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FCM65**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM6022**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

Clear Glass with Divided Lites *Continues on next page.*

**Options Key**

- Simulated Divided Lites (SDL)\*
- Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)

- Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")
- WBDR / HVHZ Options

- Low-E Glass (LE)
- $\Delta$  6'6" Height Available
- † 7'0" Height Available

**Features Key**

- Flush-Glazed Glass (FG)
- No Stile Lines

**Clear Glass with Divided Lites** *Continued*



<b>FCM6042</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM8321</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM752</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM8752</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM1201SL</b> 10" x 6'8" 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡	<b>FCM1202SL</b> 10" x 6'8" 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡	<b>FCM1200SL</b> 10" x 6'8" 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡	<b>FCM12102SL</b> 10" x 6'8" 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡	<b>FCM81208PSL</b> 12" x 8'0" 14" x 8'0"	<b>FCM81208SL</b> 12" x 8'0" 14" x 8'0"
--	--	---	--	--	--	--	---	--	---



<b>FCM1089SL</b> 12" x 6'8" 14" x 6'8"	<b>FCM8311SL</b> 12" x 8'0" 14" x 8'0"	<b>FCM2101SL</b> 12" x 6'8" 14" x 6'8"	<b>FCM8313SL</b> 12" x 8'0" 14" x 8'0"	<b>FCM92SL</b> 12" x 6'8" 14" x 6'8"	<b>FCM8310SL</b> 12" x 8'0" 14" x 8'0"	<b>FCM8101SL</b> 12" x 8'0" 14" x 8'0"	<b>FCM8675SL</b> 12" x 8'0" 14" x 8'0"	<b>FCM65SL</b> 12" x 6'8" 14" x 6'8"	<b>FCM7125SL</b> 12" x 8'0" 14" x 8'0"	<b>FCM3487SL</b> 12" x 8'0" 14" x 8'0"
--	--	--	--	--	--	--	--	--	--	--



<b>FCM3000-2C</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM83000-2C</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM3000F-2C</b> 2'0" x 6'8" 2'4" x 6'8" Δ 2'6" x 6'8" Δ ‡ 2'8" x 6'8" Δ ‡ 2'10" x 6'8" Δ ‡ 3'0" x 6'8" Δ ‡	<b>FCM83000F-2C</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM3000-3C</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM83000-3C</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM3000F-3C</b> 2'0" x 6'8" 2'4" x 6'8" Δ 2'6" x 6'8" Δ ‡ 2'8" x 6'8" Δ ‡ 2'10" x 6'8" Δ ‡ 3'0" x 6'8" Δ ‡	<b>FCM83000F-3C</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM3000-4C</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM83000-4C</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	--	---	---	---	--	---	---	---	--

\*2'0" frames do not have simulated divided lites option.

\*\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 273 for important product details that may help with your purchase decision.



<b>FCM3000F-4C</b>  2'0" x 6'8" 2'4" x 6'8" 2'6" x 6'8"  † 2'8" x 6'8"  † 2'10" x 6'8"  † 3'0" x 6'8"  †	<b>FCM83000F-4C</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM3000-6C</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM83000-6C</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM3000F-6C</b>  2'0" x 6'8" 2'4" x 6'8" 2'6" x 6'8"  † 2'8" x 6'8"  † 2'10" x 6'8"  † 3'0" x 6'8"  †	<b>FCM83000F-6C</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM605</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM606</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM607</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
---	---	---	--	---	---	---	---	---



<b>FCM608</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM6124SL</b>  10" x 6'8" 12" x 6'8"  † 14" x 6'8"  †	<b>FCM6125SL</b>  10" x 6'8" 12" x 6'8"  † 14" x 6'8"  †	<b>FCM6126SL</b>  10" x 6'8" 12" x 6'8"  † 14" x 6'8"  †	<b>FCM81900SL</b>  12" x 8'0" 14" x 8'0"	<b>FCM81947SL</b>  12" x 8'0" 14" x 8'0"	<b>FCM81949SL</b>  12" x 8'0" 14" x 8'0"	<b>FCM198</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM1289</b>  2'4" x 6'8"  † 2'6" x 6'8"  † 2'8" x 6'8"  † 2'10" x 6'8"  † 3'0" x 6'8"  †	<b>FCM1402</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
---	--	--	--	---	---	---	---	---	--



<b>FCM1408</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM8145</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM1405</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM1406</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM704</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM8704</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM1289SL</b>  10" x 6'8" 12" x 6'8"  † 14" x 6'8"  †	<b>FCM1400SL</b>  12" x 6'8" 14" x 6'8"	<b>FCM81944SL</b>  12" x 8'0" 14" x 8'0"	<b>FCM1405SL</b>  12" x 6'8" 14" x 6'8"	<b>FCM8145SL</b>  12" x 8'0" 14" x 8'0"
--	--	--	--	---	--	--	--	---	--	--

Clear Glass with Divided Lites *Continues on next page.*

**Options Key**

- Simulated Divided Lites (SDL)\*\*,\*
- Removable Wood Grilles (RG)
- Flat White Grilles Between Glass Only (GBGFW)
- Fixed Grilles (FXG)
- Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
- Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")

**Features Key**

- No Stile Lines
- PVC Doorlite Frame\*\*
- Low-E Glass (LE)
- WBDR Options
- WBDR / HVHZ Options
- 6'6" Height Available
- 7'0" Height Available

**Optional Dentil Shelf\*\***

- 4-Block Dentil Shelf Available for FCM605, FCM606, FCM607 and FCM608 only.



# Fiber-Classic® Oak



**FC1209**  
 ◆ ◆ ◆  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**FC1201**  
 ■ ◆ ◆ ◆  
 2'4" x 6'8" △  
 2'6" x 6'8" △ ‡  
 2'8" x 6'8" △ ‡  
 2'10" x 6'8" △ ‡  
 3'0" x 6'8" △ ‡



**FC1211**  
 ◆ ◆ ◆ ◆  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**FC1202**  
 ■ ◆ ◆ ◆ ◆  
 2'4" x 6'8" △  
 2'6" x 6'8" △ ‡  
 2'8" x 6'8" △ ‡  
 2'10" x 6'8" △ ‡  
 3'0" x 6'8" △ ‡



**FC1212**  
 ◆ ◆ ◆ ◆  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**FC1203**  
 ■ ◆ ◆ ◆ ◆  
 2'4" x 6'8" △  
 2'6" x 6'8" △ ‡  
 2'8" x 6'8" △ ‡  
 2'10" x 6'8" △ ‡  
 3'0" x 6'8" △ ‡



**FC138**  
 ■ ◆ ◆ ◆ ◆ ◆ ◆  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡




**1285**  
 ■ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
 2'4" x 6'8" △  
 2'6" x 6'8" △ ‡  
 2'8" x 6'8" △ ‡  
 2'10" x 6'8" △ ‡  
 3'0" x 6'8" △ ‡



**FC1208**  
 ◆ ◆ ◆ ◆ ◆ ◆  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**FC1200**  
 ■ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
 2'4" x 6'8" △  
 2'6" x 6'8" △ ‡  
 2'8" x 6'8" △ ‡  
 2'10" x 6'8" △ ‡  
 3'0" x 6'8" △ ‡



**FC18**  
 ■ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**1284**  
 ■ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
 2'4" x 6'8" △  
 2'6" x 6'8" △ ‡  
 2'8" x 6'8" △ ‡  
 2'10" x 6'8" △ ‡  
 3'0" x 6'8" △ ‡



**FC828**  
 ◆ ◆ ◆ ◆ ◆ ◆ ◆  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**81828**  
 ■ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**81208P**  
 ◆ ◆ ◆ ◆ ◆ ◆ ◆  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**81208**  
 ■ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"




**FC2106**  
 ◆ ◆ ◆ ◆ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC2107**  
 ◆ ◆ ◆ ◆ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC2108**  
 ◆ ◆ ◆ ◆ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC82**  
 ■ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 273 for important product details that may help with your purchase decision.

Right Page: Shown Left – Smooth-Star, Clear Glass with GBGs, Doors – S808; Shown Right – Fiber-Classic Oak Collection, Clear Glass with SDLs, Door – 81946P, Sidelites 81946PSL



Clear Glass with Divided Lites *Continues on next page.*

**Options Key**

- ◆ Simulated Divided Lites (SDL)\*
- ◆ Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
- ▶ Removable Wood Grilles (RG)

- ◆ Low-E Glass (LE)
- 6 WBDR / HVHZ Options
- ▲ 6'6" Height Available
- ‡ 7'0" Height Available

**Features Key**

- No Stile Lines





<b>81208PSL</b> ▶▶▶ 6 12"x 8'0" 14"x 8'0"	<b>81208SL</b> ▶▶▶ 6 12"x 8'0" 14"x 8'0"	<b>FC1089SL</b> ▶▶▶ 6 12"x 6'8" 14"x 6'8"	<b>FC8311SL</b> ▶▶▶ 6 12"x 8'0" 14"x 8'0"	<b>FC2101SL</b> ▶▶▶ 6 12"x 6'8" 14"x 6'8"	<b>FC8313SL</b> ▶▶▶ 6 12"x 8'0" 14"x 8'0"	<b>FC92SL</b> ▶▶▶ 6 12"x 6'8" 14"x 6'8"	<b>FC8310SL</b> ▶▶▶ 6 12"x 8'0" 14"x 8'0"	<b>81946PSL</b> ▶▶▶ 6 12"x 8'0" 14"x 8'0"	<b>FC8675SL</b> ▶▶▶ 6 12"x 8'0" 14"x 8'0"	<b>FC63SL</b> ▶▶▶ 6 12"x 6'8" 14"x 6'8"	<b>FC7125SL</b> ▶▶▶ 6 12"x 8'0" 14"x 8'0"	<b>FC3487SL</b> ▶▶▶ 6 12"x 8'0" 14"x 8'0"
--	---	--	--	--	--	--	--	--	--	--	--	--



<b>FC3000-2C</b> ▶▶▶ 6 2'6"x 6'8" 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡	<b>FC083000P-2C</b> ▶▶▶ 6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	<b>FC03000F-2C</b> ▶▶▶ 6 2'0"x 6'8" ▲ 2'4"x 6'8" ▲ 2'6"x 6'8" ▲‡ 2'8"x 6'8" ▲‡ 2'10"x 6'8" ▲‡ 3'0"x 6'8" ▲‡	<b>FC083000F-2C</b> ▶▶▶ 6 2'0"x 8'0" ▼ 2'4"x 8'0" ▼ 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	<b>FC3000-3C</b> ▶▶▶ 6 2'6"x 6'8" 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡	<b>FC083000P-3C</b> ▶▶▶ 6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	<b>FC03000F-3C</b> ▶▶▶ 6 2'0"x 6'8" ▼ 2'4"x 6'8" ▲ 2'6"x 6'8" ▲‡ 2'8"x 6'8" ▲‡ 2'10"x 6'8" ▲‡ 3'0"x 6'8" ▲‡	<b>FC083000F-3C</b> ▶▶▶ 6 2'0"x 8'0" ▼ 2'4"x 8'0" ▼ 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	<b>FC3000-4C</b> ▶▶▶ 6 2'6"x 6'8" 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡	<b>FC083000P-4C</b> ▶▶▶ 6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"
--	---	--	---	--	---	--	---	--	---



<b>FC03000F-4C</b> ▶▶▶ 6 2'0"x 6'8" ▼ 2'4"x 6'8" ▲ 2'6"x 6'8" ▲‡ 2'8"x 6'8" ▲‡ 2'10"x 6'8" ▲‡ 3'0"x 6'8" ▲‡	<b>FC083000F-4C</b> ▶▶▶ 6 2'0"x 8'0" ▼ 2'4"x 8'0" ▼ 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	<b>FC3000-6C</b> ▶▶▶ 6 2'6"x 6'8" 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡	<b>FC083000P-6C</b> ▶▶▶ 6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	<b>FC03000F-6C</b> ▶▶▶ 6 2'0"x 6'8" ▼ 2'4"x 6'8" ▲ 2'6"x 6'8" ▲‡ 2'8"x 6'8" ▲‡ 2'10"x 6'8" ▲‡ 3'0"x 6'8" ▲‡	<b>FC083000F-6C</b> ▶▶▶ 6 2'0"x 8'0" ▼ 2'4"x 8'0" ▼ 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	<b>81947P</b> ▶▶▶ 6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	<b>81948P</b> ▶▶▶ 6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	<b>81949P</b> ▶▶▶ 6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"
--	---	--	---	--	---	---	---	---

Clear Glass with Divided Lites *Continues on next page.*

**Options Key**

- ▶▶▶ Simulated Divided Lites (SDL)\*,\*\*
- ▶▶▶ Flat White Grilles Between Glass Only (GBGFW)

- ▶ Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
- ▶▶▶ Removable Wood Grilles (RG)
- ▶▶▶ Fixed Grilles (FXG)

- Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14" (8'0" only in 14"))
- ☀ Low-E Glass (LE)
- Ⓜ WBDR Options

- Ⓜ WBDR / HVHZ Options
- ▲ 6'6" Height Available
- ‡ 7'0" Height Available

**Features Key**

- No Stile Lines
- ▶ PVC Doorlite Frame\*\*

**Clear Glass with Divided Lites** *Continued*



**81950P**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FC06188SL**  
  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



**FC06184SL**  
  
 12" x 6'8" Δ ‡  
 14" x 6'8" Δ ‡



**FC06189SL**  
  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



**FC06185SL**  
  
 12" x 6'8" Δ ‡  
 14" x 6'8" Δ ‡



**FC06190SL**  
  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



**FC06186SL**  
  
 12" x 6'8" Δ ‡  
 14" x 6'8" Δ ‡



**81900PSL**  
  
 12" x 8'0"  
 14" x 8'0"



**81947PSL**  
  
 12" x 8'0"  
 14" x 8'0"



**81949PSL**  
  
 12" x 8'0"  
 14" x 8'0"



**FC198**  
  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**1289**  
  
 2'4" x 6'8" Δ  
 2'6" x 6'8" Δ ‡  
 2'8" x 6'8" Δ ‡  
 2'10" x 6'8" Δ ‡  
 3'0" x 6'8" Δ ‡



**FC1402**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC1400**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**81944P**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FC1408**  
  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**FC8145**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FC8144**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FC1411**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC1404**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC8141**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FC704**  
  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**FC8704**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FC198SL**  
  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



**FC1289SL**  
  
 12" x 6'8" Δ ‡  
 14" x 6'8" Δ ‡



**FC1400SL**  
  
 12" x 6'8"  
 14" x 6'8"



**81944PSL**  
  
 12" x 8'0"  
 14" x 8'0"






























































































**FC1408SL**  
  
 12" x 6'8"  
 14" x 6'8"



**FC8145SL**  
  
 12" x 8'0"  
 14" x 8'0"



\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
 Note: See page 273 for important product details that may help with your purchase decision.

# Smooth-Star®

							
<b>S1209</b>     2'6" x 6'8" $\Delta$ 2'8" x 6'8" $\Delta$ ‡ 2'10" x 6'8" $\Delta$ ‡ 3'0" x 6'8" $\Delta$ ‡	<b>S1201</b>     2'4" x 6'8" $\Delta$ 2'6" x 6'8" $\Delta$ 2'8" x 6'8" $\Delta$ ‡ 2'10" x 6'8" $\Delta$ ‡ 3'0" x 6'8" $\Delta$ ‡ 3'6" x 6'8"	<b>S1211</b>     2'6" x 6'8" $\Delta$ 2'8" x 6'8" $\Delta$ ‡ 2'10" x 6'8" $\Delta$ ‡ 3'0" x 6'8" $\Delta$ ‡	<b>S1202</b>     2'4" x 6'8" $\Delta$ 2'6" x 6'8" $\Delta$ 2'8" x 6'8" $\Delta$ ‡ 2'10" x 6'8" $\Delta$ ‡ 3'0" x 6'8" $\Delta$ ‡ 3'6" x 6'8"	<b>S1212</b>     2'6" x 6'8" $\Delta$ 2'8" x 6'8" $\Delta$ ‡ 2'10" x 6'8" $\Delta$ ‡ 3'0" x 6'8" $\Delta$ ‡	<b>S1203</b>     2'4" x 6'8" $\Delta$ 2'6" x 6'8" $\Delta$ 2'8" x 6'8" $\Delta$ ‡ 2'10" x 6'8" $\Delta$ ‡ 3'0" x 6'8" $\Delta$ ‡ 3'6" x 6'8"	<b>S128</b>     2'6" x 6'8" $\Delta$ 2'8" x 6'8" $\Delta$ ‡ 2'10" x 6'8" $\Delta$ ‡ 3'0" x 6'8" $\Delta$ ‡	<b>S141</b>     2'4" x 6'8" $\Delta$ 2'6" x 6'8" $\Delta$ 2'8" x 6'8" $\Delta$ ‡ 2'10" x 6'8" $\Delta$ ‡ 3'0" x 6'8" $\Delta$ ‡ 3'6" x 6'8"
							
<b>S1208</b>     2'6" x 6'8" $\Delta$ 2'8" x 6'8" $\Delta$ ‡ 2'10" x 6'8" $\Delta$ ‡ 3'0" x 6'8" $\Delta$ ‡	<b>S1200</b>     2'4" x 6'8" $\Delta$ 2'6" x 6'8" $\Delta$ 2'8" x 6'8" $\Delta$ ‡ 2'10" x 6'8" $\Delta$ ‡ 3'0" x 6'8" $\Delta$ ‡ 3'6" x 6'8"	<b>S108</b>     2'6" x 6'8" $\Delta$ 2'8" x 6'8" $\Delta$ ‡ 2'10" x 6'8" $\Delta$ ‡ 3'0" x 6'8" $\Delta$ ‡	<b>S6063</b>     2'4" x 6'8" $\Delta$ 2'6" x 6'8" $\Delta$ 2'8" x 6'8" $\Delta$ ‡ 2'10" x 6'8" $\Delta$ ‡ 3'0" x 6'8" $\Delta$ ‡ 3'6" x 6'8"	<b>S828</b>     2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S81828</b>     2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	<b>S808</b>     2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S81208</b>     2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"
							
<b>S2106</b>     2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S2107</b>     2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S2108</b>     2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S82</b>     2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S1089</b>     2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S8311</b>     2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S2101</b>     2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S8313</b>     2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
<b>S2102</b>     2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S8316</b>     2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"						

Clear Glass with Divided Lites *Continues on next page.*

## Options Key

-  Simulated Divided Lites (SDL)\*
-  Flat White Grilles Between Glass Only (GBGFW)
-  Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)

-  Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
-  Fixed Grilles (FXG)
-  Removable Wood Grilles (RG)
-  Low-E Glass (LE)

-  WBDR Options
-  WBDR / HVHZ Options
-  6'6" Height Available
-  7'0" Height Available

## Features Key

-  No Stile Lines



**Clear Glass with Divided Lites** *Continued*



**S881**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S92**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S8310**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S882**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S8318**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S8319**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S8320**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S32**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"




**S832**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S63**  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**S6097**  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**S811**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S262**  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**S6022**  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**S6042**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S8322**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 273 for important product details that may help with your purchase decision.

Top: Smooth-Star, Clear Glass with GBGs, Door – S1089, Transom – 19200T



**S8323**  
 ◆ ◆ ◆ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S8324**  
 ◆ ◆ ◆  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S8321**  
 ◆ ◆ ◆ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"


**S151**  
 ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S807**  
 ◆ ◆ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S93203**  
 ◆ ◆ ◆ ◆ ◆ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S831203**  
 ◆ ◆ ◆ ◆ ◆ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S115**  
 ◆ ◆ ◆ ◆ ◆  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**S752**  
 ◆ ◆ ◆  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**S8752**  
 ◆ ◆ ◆  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S255**  
 ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S236**  
 ◆ ◆ ◆  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S8317**  
 ◆ ◆ ◆  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S237**  
 ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"  
 (Scalloped Lite Frame)

**S1209SL**  
 ◆ ◆ ◆  
 12" x 6'8"  
 14" x 6'8"

**S1201SL**  
 ◆ ◆ ◆ ◆ ◆  
 10" x 6'8"  
 12" x 6'8" ‡ ‡  
 14" x 6'8" ‡ ‡

**S1211SL**  
 ◆ ◆ ◆ ◆ ◆  
 12" x 6'8"  
 14" x 6'8"

**S1202SL**  
 ◆ ◆ ◆ ◆ ◆  
 10" x 6'8"  
 12" x 6'8" ‡ ‡  
 14" x 6'8" ‡ ‡



**S1208SL**  
 ◆ ◆ ◆ 6  
 12" x 6'8"  
 14" x 6'8"

**S1200SL**  
 ◆ ◆ ◆ ◆ ◆ 6  
 10" x 6'8"  
 12" x 6'8" ‡ ‡  
 14" x 6'8" ‡ ‡

**S308SL**  
 ◆ ◆ ◆ ◆ ◆  
 12" x 6'8"  
 14" x 6'8"

**S1170SL**  
 ◆ ◆ ◆ ◆ ◆ 6  
 10" x 6'8"  
 12" x 6'8" ‡ ‡  
 14" x 6'8" ‡ ‡

**S808SL**  
 ◆ ◆ ◆ ◆ ◆  
 12" x 8'0"  
 14" x 8'0"

**S81186SL**  
 ◆ ◆ ◆ ◆ ◆ 6  
 12" x 8'0"  
 14" x 8'0"

**S1089SL**  
 ◆ ◆ ◆ ◆ ◆  
 12" x 6'8"  
 14" x 6'8"

**S8311SL**  
 ◆ ◆ ◆ ◆ ◆  
 12" x 8'0"  
 14" x 8'0"

**S2101SL**  
 ◆ ◆ ◆ ◆ ◆ 6  
 12" x 6'8"  
 14" x 6'8"

**S8313SL**  
 ◆ ◆ ◆ ◆ ◆  
 12" x 8'0"  
 14" x 8'0"

**S8310SL**  
 ◆ ◆ ◆ ◆ ◆ 6  
 12" x 8'0"  
 14" x 8'0"

**S82SL**  
 ◆ ◆ ◆ ◆ ◆ 6  
 12" x 6'8"  
 14" x 6'8"

Clear Glass with Divided Lites *Continues on next page.*

**Options Key**

- ◆ Simulated Divided Lites (SDL)\*
- ◆ Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- ◆ Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)

- ▶ Removable Wood Grilles (RG)
- ◆ Fixed Grilles (FXG)
- ☀ Low-E Glass (LE)
- 6 WBDR Options













- 6 WBDR / HVHZ Options
- ▲ 6'6" Height Available
- ‡ 7'0" Height Available











**Features Key**











- No Stile Lines



## Clear Glass with Divided Lites *Continued*

											
<b>S881SL</b> ◆ ◆ ◆ ◆ ◆ 12" x 8'0" 14" x 8'0"	<b>S8675SL</b> ◆ ◆ ◆ ◆ ◆ 12" x 8'0" 14" x 8'0"	<b>S263SL</b> ◆ ◆ ◆ ◆ ◆ 12" x 6'8" 14" x 6'8"	<b>S7125SL</b> ◆ ◆ ◆ ◆ ◆ 12" x 8'0" 14" x 8'0"	<b>S3487SL</b> ◆ ◆ ◆ ◆ ◆ 12" x 8'0" 14" x 8'0"	<b>S151SL</b> ◆ ◆ ◆ ◆ ◆ 12" x 6'8" 14" x 6'8"	<b>S3000-2C</b> ◆ ◆ ◆ ◆ ◆ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ ‡ 2'10" x 6'8" ▲ ‡ 3'0" x 6'8" ▲ ‡	<b>S83000-2C</b> ◆ ◆ ◆ ◆ ◆ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S3000F-2C</b> ◆ ◆ ◆ ◆ ◆ 2'0" x 6'8" ▲ 2'4" x 6'8" ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ ‡ 2'10" x 6'8" ▲ ‡ 3'0" x 6'8" ▲ ‡ 3'6" x 6'8"	<b>S83000F-2C</b> ◆ ◆ ◆ ◆ ◆ 2'0" x 8'0" ▲ 2'4" x 8'0" ▲ 2'6" x 8'0" ▲ 2'8" x 8'0" ▲ 2'10" x 8'0" ▲ 3'0" x 8'0" ▲	<b>S3000-3C</b> ◆ ◆ ◆ ◆ ◆ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ ‡ 2'10" x 6'8" ▲ ‡ 3'0" x 6'8" ▲ ‡	<b>S83000-3C</b> ◆ ◆ ◆ ◆ ◆ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

									
<b>S3000F-3C</b> ◆ ◆ ◆ ◆ ◆ 2'0" x 6'8" ▲ 2'4" x 6'8" ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ ‡ 2'10" x 6'8" ▲ ‡ 3'0" x 6'8" ▲ ‡ 3'6" x 6'8"	<b>S83000F-3C</b> ◆ ◆ ◆ ◆ ◆ 2'0" x 8'0" ▲ 2'4" x 8'0" ▲ 2'6" x 8'0" ▲ 2'8" x 8'0" ▲ 2'10" x 8'0" ▲ 3'0" x 8'0" ▲ 3'6" x 8'0"	<b>S3000-4C</b> ◆ ◆ ◆ ◆ ◆ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ ‡ 2'10" x 6'8" ▲ ‡ 3'0" x 6'8" ▲ ‡	<b>S83000-4C</b> ◆ ◆ ◆ ◆ ◆ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S3000F-4C</b> ◆ ◆ ◆ ◆ ◆ 2'0" x 6'8" ▲ 2'4" x 6'8" ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ ‡ 2'10" x 6'8" ▲ ‡ 3'0" x 6'8" ▲ ‡ 3'6" x 6'8"	<b>S83000F-4C</b> ◆ ◆ ◆ ◆ ◆ 2'0" x 8'0" ▲ 2'4" x 8'0" ▲ 2'6" x 8'0" ▲ 2'8" x 8'0" ▲ 2'10" x 8'0" ▲ 3'0" x 8'0" ▲ 3'6" x 8'0"	<b>S3000-6C</b> ◆ ◆ ◆ ◆ ◆ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ ‡ 2'10" x 6'8" ▲ ‡ 3'0" x 6'8" ▲ ‡	<b>S83000-6C</b> ◆ ◆ ◆ ◆ ◆ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S3000F-6C</b> ◆ ◆ ◆ ◆ ◆ 2'0" x 6'8" ▲ 2'4" x 6'8" ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ ‡ 2'10" x 6'8" ▲ ‡ 3'0" x 6'8" ▲ ‡ 3'6" x 6'8"	<b>S83000F-6C</b> ◆ ◆ ◆ ◆ ◆ 2'0" x 8'0" ▲ 2'4" x 8'0" ▲ 2'6" x 8'0" ▲ 2'8" x 8'0" ▲ 2'10" x 8'0" ▲ 3'0" x 8'0" ▲ 3'6" x 8'0"

									
<b>S8202</b> ◆ ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S8203</b> ◆ ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S8204</b> ◆ ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S8205</b> ◆ ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S605</b> ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S8605</b> ◆ ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S606</b> ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S8606</b> ◆ ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S607</b> ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S8607</b> ◆ ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

\*2'0" frames do not have simulated divided lites option.

\*\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 273 for important product details that may help with your purchase decision.



<b>S608</b> ♦ * 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S8608</b> ♦ * 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S605SL</b> ♦ * 12" x 6'8" 14" x 6'8"	<b>S8605SL</b> ♦ * 12" x 8'0" 14" x 8'0"	<b>S6124SL</b> ♦ * 10" x 6'8" 12" x 6'8" † ‡ 14" x 6'8" † ‡	<b>S85924SL</b> ♦ * 12" x 8'0" 14" x 8'0"	<b>S606SL</b> ♦ * 12" x 6'8" 14" x 6'8"	<b>S8606SL</b> ♦ * 12" x 8'0" 14" x 8'0"	<b>S6125SL</b> ♦ * 10" x 6'8" 12" x 6'8" † ‡ 14" x 6'8" † ‡	<b>S85925SL</b> ♦ * 12" x 8'0" 14" x 8'0"	<b>S607SL</b> ♦ * 12" x 6'8" 14" x 6'8"	<b>S8607SL</b> ♦ * 12" x 8'0" 14" x 8'0"	<b>S6126SL</b> ♦ * 10" x 6'8" 12" x 6'8" † ‡ 14" x 6'8" † ‡	<b>S85926SL</b> ♦ * 12" x 8'0" 14" x 8'0"
--	---	--	---	---	--	--	---	---	--	--	---	---	--



<b>S8207SL</b> ♦ * 12" x 8'0" 14" x 8'0"	<b>S8202SL</b> ♦ * 12" x 8'0" 14" x 8'0"	<b>S8204SL</b> ♦ * 12" x 8'0" 14" x 8'0"	<b>S198</b> ♦ * 6 2'6" x 6'8" † 2'8" x 6'8" † ‡ 2'10" x 6'8" † ‡ 3'0" x 6'8" † ‡	<b>S6062</b> ♦ * 6 2'4" x 6'8" † 2'6" x 6'8" † 2'8" x 6'8" † ‡ 2'10" x 6'8" † ‡ 3'0" x 6'8" † ‡ 3'6" x 6'8"	<b>S1402</b> ♦ * 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S1400</b> ♦ * 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S898</b> ♦ * 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S1408</b> ♦ * 2'6" x 6'8" 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	<b>S8145</b> ♦ * 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	---	---	---	--	---	---	--	--	---



<b>S1405</b> ♦ * 2'6" x 6'8" 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	<b>S1406</b> ♦ * 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S1407</b> ♦ * 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S8144</b> ♦ * 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S1411</b> ♦ * 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S1404</b> ♦ * 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S8141</b> ♦ * 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S704</b> ♦ * 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	<b>S8704</b> ♦ * 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	---	---	---	---	---	---	--	---

Clear Glass with Divided Lites *Continues on next page.*

**Options Key**

- ♦ Simulated Divided Lites (SDL)\*, \*\*
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- ♦ Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)

- ♦ Flat White Grilles Between Glass Only (GBGFW)
- ♦ Fixed Grilles (FXG)
- ♦ Low-E Glass (LE)
- 6 WBDR Options

- 6 WBDR / HVHZ Options
- † 6'6" Height Available
- ‡ 7'0" Height Available

**Features Key**

- ♦ No Stile Lines
- ♦ PVC Doorlite Frame\*\*

**Optional Dentil Shelf\*\***

- 4-Block Dentil Shelf  
Available for S605, S8605, S606, S8606, S607, S8607, S608 and S8608 only.

## Clear Glass with Divided Lites *Continued*

<b>S198SL</b> ★ 12" x 6'8" 14" x 6'8"	<b>S6062SL</b> ★ 10" x 6'8" 12" x 6'8" † 14" x 6'8" †	<b>S1400SL</b> ★ 12" x 6'8" 14" x 6'8"	<b>S898SL</b> ★ 12" x 8'0" 14" x 8'0"	<b>S1405SL</b> ★ 12" x 6'8" 14" x 6'8"	<b>S8145SL</b> ★ 12" x 8'0" 14" x 8'0"
--	---	---	--	---	---



**19020T**  
★  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems  
Grille Sticks Applied



**19220T**  
★  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems  
Grille Sticks Applied



**19200T**  
★  
3'0" Door Only  
Grille Sticks Applied

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

## Clear Glass

### Fiber-Classic® Mahogany



<b>FCM10</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM870</b> ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM1283</b> ★ 2'0" x 6'8" † 2'4" x 6'8" † 2'6" x 6'8" † † 2'8" x 6'8" † † 2'10" x 6'8" † † 3'0" x 6'8" † †	<b>FCM81200</b> ★ 2'0" x 8'0" † 2'4" x 8'0" † 2'6" x 8'0" † 2'8" x 8'0" † 2'10" x 8'0" † 3'0" x 8'0" †	<b>FCM32</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM62</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM862</b> ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM6021</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM6041</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM670</b> ★ 2'4" x 6'8" 2'6" x 6'8" † 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †
---	--	--	---	---	---	--	---	---	--

<b>FCM80</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM160</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM601</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM132</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM708</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM8708</b> ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM61</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM861</b> ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM12101SL</b> ★ 10" x 6'8" 12" x 6'8" † † 14" x 6'8" † †	<b>FCM81200SL</b> ★ 12" x 8'0" 14" x 8'0"
---	--	--	--	--	---	---	--	--	--

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
Note: See page 273 for important product details that may help with your purchase decision.

# Fiber-Classic® Oak



**FCM870SL**  
  
 12" x 8'0"  
 14" x 8'0"  
**FCM32SL**  
  
 12" x 6'8"  
 14" x 6'8"  
**FCM881SL**  
  
 12" x 8'0"  
 14" x 8'0"  
**FCM701SL**  
  
 12" x 6'8"  
 14" x 6'8"  
**FCM62SL**  
  
 12" x 6'8"  
 14" x 6'8"  
**FCM862SL**  
  
 12" x 8'0"  
 14" x 8'0"



**FC10**  
  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡  
**81200P**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"  
**1283**  
  
 2'0" x 6'8" ▽  
 2'4" x 6'8" △  
 2'6" x 6'8" △ ‡  
 2'8" x 6'8" △ ‡  
 2'10" x 6'8" △ ‡  
 3'0" x 6'8" △ ‡  
**81200**  
  
 2'0" x 8'0" ▽  
 2'4" x 8'0" ▽  
 2'6" x 8'0" ▽  
 2'8" x 8'0" ▽  
 2'10" x 8'0" ▽  
 3'0" x 8'0" ▽



**FC32**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"  
**FC766**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"  
**81943P**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"  
**FC62**  
  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡  
**81929P**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"  
**FC670**  
  
 2'4" x 6'8"  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡  
**81971P**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"  
**FC48**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"  
**FC710**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC160**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"  
**FC789**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"  
**FC132**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"  
**FC80920**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"  
**FC86220**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"  
**FC708**  
  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡  
**FC8708**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"  
**FC803**  
  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

Clear Glass *Continues on next page.*

## Options Key

- Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
- Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")
- Low-E Glass (LE)
- Turtle Glass
- WBDR Options
- WBDR / HVHZ Options

- 6'6" Height Available
- 7'0" Height Available

## Features Key

- No Stile Lines
- PVC Doorlite Frame\*

## Optional Dentil Shelf\*



**Clear Glass** *Continued*



- |   |   |  |  |   |   |  |  |   |  |  |
|---|---|--|--|---|---|--|--|---|--|--|
| <b>FC61</b><br>★<br>2'6" x 6'8" ‡<br>2'8" x 6'8" ‡<br>2'10" x 6'8" ‡<br>3'0" x 6'8" ‡ | <b>FC861</b><br>★<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>FC47SL</b><br>★ 6<br>10" x 6'8"<br>12" x 6'8"<br>14" x 6'8" | <b>81200PSL</b><br>★ 6<br>12" x 8'0"<br>12" x 8'0"<br>14" x 8'0" | <b>12101SL</b><br>★ 6<br>12" x 6'8" ‡ ‡<br>14" x 6'8" ‡ ‡ | <b>81200SL</b><br>★ 6<br>12" x 8'0"<br>14" x 8'0" | <b>FC32SL</b><br>★ 6<br>12" x 6'8"<br>14" x 6'8" | <b>81943PSL</b><br>★ 6<br>12" x 8'0"<br>14" x 8'0" | <b>FC701SL</b><br>★<br>12" x 6'8"<br>14" x 6'8" | <b>FC48SL</b><br>★ 6<br>12" x 6'8"<br>14" x 6'8" | <b>81929PSL</b><br>★ 6<br>12" x 8'0"<br>14" x 8'0" |
|---|---|--|--|---|---|--|--|---|--|--|

**Smooth-Star®**




- |   |   |  |   |   |   |  |   |   |  |
|---|---|--|---|---|---|--|---|---|--|
| <b>S118</b><br>★ 6<br>2'6" x 6'8" ‡<br>2'8" x 6'8" ‡ ‡<br>2'10" x 6'8" ‡ ‡<br>3'0" x 6'8" ‡ ‡ | <b>S818</b><br>★ 6<br>2'6" x 8'0"<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>S140</b><br>★ 6<br>2'0" x 6'8" ‡<br>2'4" x 6'8" ‡<br>2'6" x 6'8" ‡<br>2'8" x 6'8" ‡ ‡<br>2'10" x 6'8" ‡ ‡<br>3'0" x 6'8" ‡ ‡<br>3'6" x 6'8" | <b>S8140</b><br>★ 6<br>2'0" x 8'0" ‡<br>2'4" x 8'0" ‡<br>2'6" x 8'0"<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0"<br>3'6" x 8'0" | <b>S80</b><br>★ 6<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>S90</b><br>★ 6<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>S880</b><br>★ 6<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>S206</b><br>★ 6<br>2'6" x 6'8"<br>2'8" x 6'8" ‡<br>2'10" x 6'8" ‡<br>3'0" x 6'8" ‡ | <b>S81929P</b><br>★ 6<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>S6021</b><br>★ 6<br>2'6" x 6'8"<br>2'8" x 6'8" ‡<br>2'10" x 6'8" ‡<br>3'0" x 6'8" ‡ |
|---|---|--|---|---|---|--|---|---|--|



- |   |  |   |  |  |  |  |  |
|---|--|---|--|--|--|--|--|
| <b>S6041</b><br>★ 6<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>S104</b><br>★ 6<br>2'4" x 6'8"<br>2'6" x 6'8"<br>2'8" x 6'8" ‡<br>2'10" x 6'8" ‡<br>3'0" x 6'8" ‡ | <b>S30</b><br>★ 6<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>S830</b><br>★ 6<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>S150</b><br>★<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>S289</b><br>★<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>S102</b><br>★<br>2'6" x 6'8" ‡<br>2'8" x 6'8" ‡ ‡<br>2'10" x 6'8" ‡ ‡<br>3'0" x 6'8" ‡ ‡<br>3'6" x 6'8" | <b>S770</b><br>★<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" |
|---|--|---|--|--|--|--|--|

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
Note: See page 273 for important product details that may help with your purchase decision.



<b>S6080</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S992</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S105</b> ■ ★ 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>S601</b> ★ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S8601</b> ★ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S10</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S9320</b> ★ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S83120</b> ★ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	--	---	--	---	---	---	--



<b>S708</b> ★ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>S8708</b> ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S256</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S296</b> ★ 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>S896</b> ★ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S100SL</b> ★ 6 12" x 6'8" 14" x 6'8"	<b>S8601SL</b> ★ 6 12" x 8'0" 14" x 8'0"	<b>S601SL</b> ■ ★ 6 10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡	<b>S81086SL</b> ■ ★ 6 12" x 8'0" 14" x 8'0"	<b>S751SL</b> ★ 6 12" x 6'8" 14" x 6'8"	<b>S880SL</b> ★ 6 12" x 8'0" 14" x 8'0"
--	---	--	---	---	--	---	--	--	--	--



<b>S761SL</b> ★ 12" x 6'8" 14" x 6'8"	<b>S210SL</b> ★ 6 12" x 6'8" 14" x 6'8"	<b>S85910SL</b> ★ 6 12" x 8'0" 14" x 8'0"	<b>S150SL</b> ★ 12" x 6'8" 14" x 6'8"
--	--	--	--



**DLHRT**  
★  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



**19020T**  
★  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



**19220T**  
★  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



**19200T**  
★  
3'0" Door Only



**19210T**  
★  
12" & 14" Sidelite Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

### Options Key

- ★ Low-E Glass (LE)
- Turtle Glass
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")

- 6 WBDR Options
- 6 WBDR / HVHZ Options
- △ 6'6" Height Available

‡ 7'0" Height Available

### Features Key

- PVC Doorlite Frame\*
- No Stile Lines

### Optional Dentil Shelf\*



# Noise Reduction Doors

Therma-Tru® Noise Reduction doors deliver aesthetics with a commercial level of performance for residential projects. Ideal for multi-use and urban in-fill projects located near sources of noise pollution, our Noise Reduction doors provide a Sound Transmission Class (STC) rating of 36. Our Noise Reduction lites also offer added security from forced entry with laminated glass surrounded by a standard Lip-lite frame.

Note: Also available in decorative full-view glass option in aluminum Lip-lite frame.

## Smooth-Star®



**S140STC**

2'6" x 6'8" ▲  
2'8" x 6'8" ▲  
2'10" x 6'8" ▲  
3'0" x 6'8" ▲

**S8140STC**

2'6" x 8'0" ▲  
2'8" x 8'0" ▲  
2'10" x 8'0" ▲  
3'0" x 8'0" ▲

**S141STC**

2'6" x 6'8" ▲  
2'8" x 6'8" ▲  
2'10" x 6'8" ▲  
3'0" x 6'8" ▲

**S6063STC**

2'6" x 6'8" ▲  
2'8" x 6'8" ▲  
2'10" x 6'8" ▲  
3'0" x 6'8" ▲

# Solid Panel

## Fiber-Classic® Mahogany



**FCM31**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**FCM220**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**FCM205**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**FCM755**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**FCM600**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"




**FCM134**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**FCM60**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**FCM860**

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**FCM1000**

2'0" x 6'8" ▲  
2'4" x 6'8" ▲  
2'6" x 6'8" ▲ †  
2'8" x 6'8" ▲ †  
2'10" x 6'8" ▲ †  
3'0" x 6'8" ▲ †

**FCM81000**

2'0" x 8'0" ▲  
2'4" x 8'0" ▲  
2'6" x 8'0" ▲  
2'8" x 8'0" ▲  
2'10" x 8'0" ▲  
3'0" x 8'0" ▲

## Fiber-Classic® Oak



**FC31**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**FC809**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**FC862**

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

\*Available with elevated 10" bottom rail.


Note: See page 273 for important product details that may help with your purchase decision.





**FC808**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FC755**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FC134**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FC60\***  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡


**FC860**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"


**1000**  
  2'0" x 6'8"  
 2'4" x 6'8" △  
 2'6" x 6'8" △ ‡  
 2'8" x 6'8" △ ‡  
 2'10" x 6'8" △ ‡  
 3'0" x 6'8" △ ‡

**81000**  
  2'0" x 8'0"  
 2'4" x 8'0"  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"


## Smooth-Star®



**S93**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S220\***  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡


**S8200**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"


**S200**  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S897**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"


**S205**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"


**S8201**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S31**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S831**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"





**S960**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"


**S755**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S600**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S8600**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S11**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S210\***  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**S810**  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S100**  
  2'0" x 6'8"  
 2'4" x 6'8" △  
 2'6" x 6'8" △  
 2'8" x 6'8" △ ‡  
 2'10" x 6'8" △ ‡  
 3'0" x 6'8" △ ‡  
 3'6" x 6'8"

**S81000**  
  2'0" x 8'0"  
 2'4" x 8'0"  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"  
 3'6" x 8'0"

### Options Key

-  Flat White Grilles Between Glass Only (GBG-F)
-  Low-E Glass (LE)
-  WBDR / HVHZ Options

-  6'6" Height Available
-  7'0" Height Available

### Features Key

-  No Stile Lines



# Profiles™ Steel



- 

Versatile, affordable options.



Coupling distinctive styling with affordability, Profiles steel doors offer versatile front entry and house-to-garage options. Designed to suit multiple home styles, these doors feature triple-shadowed panel embossments for greater detail.

Top: Profiles, Frosted Images Glass, Door – 206EHD, Sidelite – 289ESLHD  
 Bottom: Profiles, Texas Star Glass, Door – 1035HD, Sidelites – 1032SLHD

# Traditions Steel



• Back to basics.





It's back to basics with Traditions. This line of steel doors combines attractive designs and value-based options to create a great, cost-conscious alternative for front entry and house-to-garage.

# Profiles™ & Traditions Steel Doors

Find style at an affordable price point with options to match any home style and budget in Profiles and Traditions doors. Fire-rated options on 6'8" solid-panel doors make a perfect choice for house-to-garage.

- 1-¼" lock stiles.
- 12-½" lock blocks.
- No stile lines.
- Primed, ready-to-paint surface.

 WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.\*

 20-Minute Fire-rated options available on 6'8" solid-panel doors. See pages 227–231.



## Profiles™ Steel

Features 24-gauge steel, smooth surface and triple-shadowed panel embossments for greater definition.



## Traditions Steel

Features 25-gauge steel, standard embossed smooth surface. All 8'0" doors are 24-gauge steel with standard embossments.



■ = Available  
 • = Not Applicable  
 P = Paint

Profiles™  
 Traditions

### Door Widths

Width	Profiles™	Traditions
2'0"	■	■
2'4"	■	■
2'6"	■	■
2'8"	■	■
2'10"	■	■
3'0"	■	■
3'6"	■	•

### Door Heights

Height	Profiles™	Traditions
6'6"	■	■
6'8"	■	■
7'0"	■	•
8'0"	•	■

### Glass Options

Option	Profiles™	Traditions
Decorative	17	17
Privacy & Textured	5	5
Internal Blinds	■	■
Screen Vented Lites	■	■
Simulated Divided Lites	■	■
Grilles Between Glass	■	■
Removable Wood Grilles	■	■
Fixed Grilles	■	■
Low-E	■	■
Clear	■	■

### Additional Options

Finish	Profiles™	Traditions
Finish	P	P

## Retrofit Hinged Patio Doors

Replacing common slider sizes? Find hinged patio door options in this section. For more about our patio door systems, see pages 246–248.

5'0" Patio Opening = (2) 2'4" Doors  
 6'0" Patio Opening = (2) 2'10" Doors

\*Please verify that there is a Therma-Tru product approval for the configuration before buying.

\*\*Decorative glass designs are shown in Profiles only.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size of glass and hand craftsmanship. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more, including details on limited warranties and exclusions, ENERGY STAR qualified products and product approvals.

# Decorative Glass Designs\*\*



Black Nickel      Brushed Nickel

**Blackstone**™ Page 205  
Glass Privacy Rating: **7**



Black Nickel      Brass

**Crystalline**™ Page 205  
Glass Privacy Rating: **7**




Art Glass / Black Nickel      Brushed Nickel

**Sedona** Page 206  
Glass Privacy Rating: **7**



Wrought Iron

**Salinas** Page 207  
Glass Privacy Rating: **10**




Black Nickel

**Element** Page 207  
Glass Privacy Rating: **7**



Black Nickel      Brushed Nickel

**Maple Park** Page 208  
Glass Privacy Rating: **6**



Black Nickel

**Avonlea** Page 208  
Glass Privacy Rating: **4**



Black Nickel      Brushed Nickel

**Saratoga**™ Page 209  
Glass Privacy Rating: **7**



Red Waterglass /  
Brushed Nickel

Granite Glass /  
Black Nickel

Red Waterglass /  
Black Nickel      Granite Glass /  
Brushed Nickel

**Arden** Page 210  
Glass Privacy Rating: **8**



Brushed Nickel

**Texas Star** Page 210  
Glass Privacy Rating: **5**



Brushed Nickel

Black Nickel      Brass

**Wellesley**™ Page 211  
Glass Privacy Rating: **6**



Wrought Iron

**NEW Riserva**™ Page 212  
Glass Privacy Rating: **10**



Brushed Nickel


Black Nickel      Brass

**Concorde**™ Page 212  
Glass Privacy Rating: **8**



Black Nickel      Brushed Nickel

**Kensington**™ Page 213  
Glass Privacy Rating: **8**



Brass

**Crystal Diamonds**™  
Page 214  
Glass Privacy Rating: **9**



Black Nickel

**Axis**™ Page 214  
Glass Privacy Rating: **7**

## Glass Privacy Rating Scale

1 2 3 4 5 6 7 8 9 10

Clear

Opaque



**Frosted Images.**  
Page 215  
Glass Privacy Rating: **8**

**Privacy & Textured Glass**

Pages 216, 221

**NEW Satin Etch Glass**  
Glass Privacy Rating: **10**

**Chord Glass**  
Glass Privacy Rating: **10**

**Chinchilla Glass**  
Glass Privacy Rating: **10**

**Rainglass**  
Glass Privacy Rating: **8**


**Granite Glass**  
Glass Privacy Rating: **10**



**Satin Etch**



**Chord**



**Chinchilla**



**Rainglass**



**Granite**

Also Available:

**Internal Blinds** Pages 217, 222

**Screen Vented** Pages 217, 222

**Clear Glass** Pages 217, 223

**Glass Privacy Rating Scale**



Note: See page 273 for important product details that may help with your purchase decision.  
Bottom: Profiles, Salinas Glass, Door – 968HD, Sidelites – 971SLHD

# Blackstone®



**310**  
 ■ ■ ◆ ◆ ◆ ◆  
 2'6" x 6'8" † ‡  
 2'8" x 6'8" † ‡  
 2'10" x 6'8" † ‡  
 3'0" x 6'8" † ‡  
 3'6" x 6'8" † ‡



**1037HD**  
 ■ ■ ◆ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**309HD**  
 ■ ■ ◆ ◆ ◆ ◆  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**1001HD**  
 ■ ■ ◆ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1117HD**  
 ■ ■ ◆ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**311HD**  
 ■ ■ ◆ ◆  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**1025HD**  
 ■ ■ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**310SL**  
 ■ ■ ◆ ◆ ◆ ◆  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**1037SLHD**  
 ■ ■ ◆ ◆ ◆ ◆  
 12" x 6'8"  
 14" x 6'8"



**311SLHD**  
 ■ ■ ◆ ◆ ◆ ◆  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**BSHRT**  
 ■ ■ ◆ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



**BSRT**  
 ■ ■ ◆ ◆  
 3'0" door + (2) 12" sidelites  
 Continuous Sill Systems Only

# Crystalline™



**916**  
 ■ ■ ◆ ◆ ◆ ◆  
 2'6" x 6'8" † ‡  
 2'8" x 6'8" † ‡  
 2'10" x 6'8" † ‡  
 3'0" x 6'8" † ‡  
 3'6" x 6'8" † ‡



**1042HD**  
 ■ ■ ◆ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**926HD**  
 ■ ■ ◆ ◆ ◆ ◆  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**991HD**  
 ■ ■ ◆ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1119HD**  
 ■ ■ ◆ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**950HD**  
 ■ ■ ◆ ◆  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**930HD**  
 ■ ■ ◆ ◆  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**953HD**  
 ■ ■ ◆ ◆  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

Crystalline Glass Continues on next page.

## Options Key

- ◆ Brass Caming (1A)
- ■ Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)
- ◆ WBD / HVHZ Options
- △ 6'6" Height Available
- ‡ 7'0" Height Available

**Crystalline™ Glass** *Continued*



**1055HD**  
 ❖ ❖ ❖  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'6" x 6'8" ‡



**936HD**  
 ❖ ❖ ❖  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**916SL**  
 ❖ ❖ ❖ 6  
 10" x 6'8" ‡  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**956SLHD**  
 ❖ ❖ ❖ 6  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**975SLHD**  
 ❖ ❖ ❖  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**930SLHD**  
 ❖ ❖ ❖ 6  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**950SLHD**  
 ❖ ❖ ❖  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**936SLHD**  
 ❖ ❖ ❖  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**19820T**  
 ❖ ❖ ❖  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems



**19080T**  
 ❖ ❖ ❖  
 3'0" door + (2) 12" sidelites  
 Continuous Sill Systems Only  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems



**19810T**  
 ❖ ❖ ❖  
 12" & 14" Sidelite Only



**19800T**  
 ❖ ❖ ❖  
 3'0" Door Only




**BLHRT**  
 ❖ ❖ ❖  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems

**Sedona**


Note: Shown in art glass with black nickel caming.




**139-A**  
 ▶  
**139**  
 ❖ ❖  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡  
 3'6" x 6'8" ‡




**965HD-A**  
 ▶  
**965HD**  
 ❖ ❖  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**211HD-A**  
 ▶  
**211HD**  
 ❖ ❖  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**996HD-A**  
 ▶  
**996HD**  
 ❖ ❖  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**1114HD-A**  
 ▶  
**1114HD**  
 ❖ ❖  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**294HD-A**  
 ▶  
**294HD**  
 ❖ ❖  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**139SL-A**  
 ▶  
**139SL**  
 ❖ ❖  
 10" x 6'8" ‡  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**965SLHD-A**  
 ▶  
**965SLHD**  
 ❖ ❖  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**294SLHD-A**  
 ▶  
**294SLHD**  
 ❖ ❖  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**19520T-A** ▶  
**19520T** ❖ ❖  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



**19055T-A** ▶  
**19055T** ❖ ❖  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

# Salinas®

Note: Product images show exterior side of door.



**369**  
**X 6**  
2'6" x 6'8" Δ ‡  
2'8" x 6'8" Δ ‡  
2'10" x 6'8" Δ ‡  
3'0" x 6'8" Δ ‡  
3'6" x 6'8" ‡




**968HD**  
**X 6**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**374HD**  
**X 6**  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



**1002HD**  
**X 6**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**1115HD**  
**X 6**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**372HD**  
**X**  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



**371HD**  
**X**  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



**369SL**  
**X 6**  
10" x 6'8"  
12" x 6'8" ‡  
14" x 6'8" ‡



**971SLHD**  
**X 6**  
12" x 6'8"  
14" x 6'8"



**371SLHD**  
**X 6**  
12" x 6'8" ‡  
14" x 6'8" ‡



**SART**  
**X**  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only

# Element

Note: Product images show exterior side of door.



**1010**  
**◆ 6**  
2'8" x 6'8" ‡  
2'10" x 6'8" Δ ‡  
3'0" x 6'8" Δ ‡  
3'6" x 6'8" ‡



**1010LSL**  
**◆ 6**  
10" x 6'8"  
12" x 6'8" ‡  
14" x 6'8" ‡



**1010RSL**  
**◆ 6**  
10" x 6'8"  
12" x 6'8" ‡  
14" x 6'8" ‡



**EMRT**  
**◆**  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only



Note: Element glass is designed as a continuous configuration with left and right sidelites for a stunning mural-like entry door. The glass is shown photographed on a dark background to highlight the marble-like white wispy art glass.

## Options Key

- ◆ Brass Caming (1A)
- Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)
- ▶ Art Glass / Black Nickel Caming (1D)



- WBDH / HVHZ Options
- Δ 6'6" Height Available
- ‡ 7'0" Height Available

## Features Key

- X Wrought Iron (1W)



# Maple Park®



**1006**  
 ■ ■ ◆ ◆ 6  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ▲ ‡  
 3'0" x 6'8" ▲ ‡  
 3'6" x 6'8" ‡



**1009HD**  
 ■ ■ ◆ ◆ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1007HD**  
 ■ ■ ◆ ◆ 6  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**1011HD**  
 ■ ■ ◆ ◆ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1116HD**  
 ■ ■ ◆ ◆ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1008HD**  
 ■ ■ ◆ ◆  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**736HD**  
 ■ ■ ◆ ◆  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**1006SL**  
 ■ ■ ◆ ◆ 6  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**1009SLHD**  
 ■ ■ ◆ ◆ 6  
 12" x 6'8"  
 14" x 6'8"



**1007SLHD**  
 ■ ■ ◆ ◆ 6  
 12" x 6'8" ‡  
 14" x 6'8" ‡




**FWRT**  
 ■ ■ ◆ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

# Avonlea®


Note: Product images show exterior side of door.




**1027**  
 ◆ ◆ 6  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ▲ ‡  
 3'0" x 6'8" ▲ ‡  
 3'6" x 6'8" ‡




**1038HD**  
 ◆ ◆ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1031HD**  
 ◆ ◆ 6  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**1034HD**  
 ◆ ◆ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1107HD**  
 ◆ ◆ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1044HD**  
 ◆ ◆  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**1047HD**  
 ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



- 1027SL**  
◆ 6  
10" x 6'8"  
12" x 6'8" ‡  
14" x 6'8" ‡
- 1038SLHD**  
◆ 6  
12" x 6'8"  
14" x 6'8"
- 1031SLHD**  
◆ 6  
12" x 6'8" ‡  
14" x 6'8" ‡
- AVRT**  
◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

# Saratoga™



- 610**  
◆ ◆ ◆  
2'6" x 6'8" △ ‡  
2'8" x 6'8" △ ‡  
2'10" x 6'8" △ ‡  
3'0" x 6'8" △ ‡  
3'6" x 6'8" ‡
- 1039HD**  
◆ ◆ ◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"
- 613HD**  
◆ ◆ ◆  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡
- 988HD**  
◆ ◆ ◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"
- 1112HD**  
◆ ◆ ◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"
- 615HD**  
◆ ◆ ◆  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡
- 707HD**  
◆ ◆ ◆  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



- 610SL**  
◆ ◆ ◆  
10" x 6'8"  
12" x 6'8" ‡  
14" x 6'8" ‡
- 1039SLHD**  
◆ ◆ ◆  
12" x 6'8"  
14" x 6'8"
- 615SLHD**  
◆ ◆ ◆  
12" x 6'8" ‡  
14" x 6'8" ‡
- 19740T**  
◆ ◆ ◆  
3'0" Door Only
- 19750T**  
◆ ◆ ◆  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only

## Options Key

- ◆ ◆ ◆ Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)
- 6 WBDR / HVHZ Options
- △ 6'6" Height Available
- ‡ 7'0" Height Available

# Arden®

Note: Shown in red waterglass with black nickel caming.



922R  
  
 922G  
  
 2'8" x 6'8" ‡  
 2'10" x 6'8" † ‡  
 3'0" x 6'8" † ‡  
 3'6" x 6'8" † ‡




966RHD  
  
 966GHD  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



207RHD  
  
 207GHD  
  
 2'8" x 6'8" ‡  
 2'10" x 6'8" † ‡  
 3'0" x 6'8" † ‡



6721RHD  
  
 6721GHD  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



923RHD  
  
 923GHD  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



924RHD  
  
 924GHD  
  
 2'6" x 6'8" ‡  
 2'8" x 6'8" † ‡  
 2'10" x 6'8" † ‡  
 3'0" x 6'8" † ‡



7021RHD  
  
 7021GHD  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



806RSL  
  
 806GSL  
  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡



966RSLHD  
  
 966GSLHD  
  
 12" x 6'8"  
 14" x 6'8"



6721RSL  
  
 6721GSL  
  
 12" x 6'8" ‡  
 14" x 6'8" ‡



ANRTR   
 ANRTG   
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

# Texas Star



1029  
  
 2'8" x 6'8" ‡  
 2'10" x 6'8" † ‡  
 3'0" x 6'8" † ‡  
 3'6" x 6'8" † ‡




1040HD  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



1032HD  
  
 2'8" x 6'8" ‡  
 2'10" x 6'8" † ‡  
 3'0" x 6'8" † ‡



1035HD  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



1111HD  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



1045HD  
  
 2'6" x 6'8" ‡  
 2'8" x 6'8" † ‡  
 2'10" x 6'8" † ‡  
 3'0" x 6'8" † ‡



1048HD  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



1029SL  
  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡



1040SLHD  
  
 12" x 6'8"  
 14" x 6'8"



1032SLHD  
  
 12" x 6'8" ‡  
 14" x 6'8" ‡

Note: See page 273 for important product details that may help with your purchase decision.


Right Page: Profiles, Arden Granite Glass, Door – 6721GHD, Sidelite – 806GSL




**620**  
 ♦♦♦♦ 6  
 2'6" x 6'8" † ‡  
 2'8" x 6'8" † ‡  
 2'10" x 6'8" † ‡  
 3'0" x 6'8" † ‡  
 3'6" x 6'8" ‡




**1041HD**  
 ♦♦♦♦ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**623HD**  
 ♦♦♦♦ 6  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**989HD**  
 ♦♦♦♦ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1120HD**  
 ♦♦♦♦ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**625HD**  
 ♦♦♦♦  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**1022HD**  
 ♦♦♦♦  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**721HD**  
 ♦♦♦♦  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**620SL**  
 ♦♦♦♦ 6  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**1041SLHD**  
 ♦♦♦♦ 6  
 12" x 6'8"  
 14" x 6'8"



**625SLHD**  
 ♦♦♦♦ 6  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**19720T**  
 ♦♦♦♦  
 3'0" Door Only



**19730T**  
 ♦♦♦♦  
 3'0" door + (2) 12" sidelites  
 Continuous Sill Systems Only



**WLHRT**  
 ♦♦♦♦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



## Options Key

- ♦♦ Brass Caming (1A)
- ♦♦♦ Brushed Nickel Caming (1C)
- ♦♦♦♦ Black Nickel Caming (1D)
- ◻ Red Waterglass / Brushed Nickel Caming (1C)
- ◻ Red Waterglass / Black Nickel Caming (1D)
- Granite Glass / Brushed Nickel Caming (1C)
- Granite Glass / Black Nickel Caming (1D)
- ◻ WBD / HVHZ Options
- † 6'6" Height Available
- ‡ 7'0" Height Available

# NEW Riserva™

Note: Product images show exterior side of door.



**571**  
**X6**  
 2'6" x 6'8" ‡ †  
 2'8" x 6'8" ‡ †  
 2'10" x 6'8" ‡ †  
 3'0" x 6'8" ‡ †  
 3'6" x 6'8" ‡ †



**544HD**  
**X6**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**582HD**  
**X6**  
 2'6" x 6'8" ‡ †  
 2'8" x 6'8" ‡ †  
 2'10" x 6'8" ‡ †  
 3'0" x 6'8" ‡ †



**576HD**  
**X6**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**578HD**  
**X6**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**588HD**  
**X**  
 2'6" x 6'8" ‡ †  
 2'8" x 6'8" ‡ †  
 2'10" x 6'8" ‡ †  
 3'0" x 6'8" ‡ †



**TS572SL**  
**X6**  
 10" x 6'8"  
 12" x 6'8" ‡ †  
 14" x 6'8" ‡ †



**546SLHD**  
**X6**  
 12" x 6'8"  
 14" x 6'8"



**584SLHD**  
**X6**  
 12" x 6'8" ‡ †  
 14" x 6'8" ‡ †



**RSRT**  
**X**  
 3'0" door + (2) 12" sidelites  
 Continuous Sill Systems Only

# Concorde™



**1028**  
**◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆**  
 2'6" x 6'8" ‡ †  
 2'8" x 6'8" ‡ †  
 2'10" x 6'8" ‡ †  
 3'0" x 6'8" ‡ †  
 3'6" x 6'8" ‡ †



**967HD**  
**◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**426HD**  
**◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆**  
 2'6" x 6'8" ‡ †  
 2'8" x 6'8" ‡ †  
 2'10" x 6'8" ‡ †  
 3'0" x 6'8" ‡ †



**999HD**  
**◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1118HD**  
**◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**450HD**  
**◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆**  
 2'8" x 6'8" ‡ †  
 2'10" x 6'8" ‡ †  
 3'0" x 6'8" ‡ †



**430HD**  
**◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆**  
 2'6" x 6'8" ‡ †  
 2'8" x 6'8" ‡ †  
 2'10" x 6'8" ‡ †  
 3'0" x 6'8" ‡ †



**453HD**  
**◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆**  
 2'8" x 6'8" ‡ †  
 2'10" x 6'8" ‡ †  
 3'0" x 6'8" ‡ †



**400HD**  
 ◆ ◆ ◆ ◆  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡  
 3'6" x 6'8" ‡



**1024HD**  
 ◆ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**735HD**  
 ◆ ◆ ◆ ◆  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**454HD**  
 ◆ ◆ ◆ ◆  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**416SL**  
 ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



**967SLHD**  
 ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
 12" x 6'8"  
 14" x 6'8"



**977SLHD**  
 ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
 12" x 6'8"  
 14" x 6'8"



**430SLHD**  
 ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**450SLHD**  
 ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**CNRT**  
 ◆ ◆ ◆ ◆ ◆ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



**CNHRT**  
 ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

# Kensington™



**626**  
 ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡  
 3'6" x 6'8" ‡



**03142HD**  
 ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**627HD**  
 ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**631HD**  
 ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1113HD**  
 ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**628HD**  
 ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**630HD**  
 ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**626SL**  
 ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8" ‡



**966SLHD**  
 ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
 12" x 6'8"  
 14" x 6'8"



**628SLHD**  
 ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**KNRT**  
 ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

## Options Key

- ◆ Brass Caming (1A)
- ◆ Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)

- 6 WBDR / HVHZ Options
- △ 6'6" Height Available
- ‡ 7'0" Height Available

## Features Key

- ✕ Wrought Iron (1W)

# Crystal Diamonds™




**716**  
 ❖ 6  
 2'6" x 6'8" † ‡  
 2'8" x 6'8" † ‡  
 2'10" x 6'8" † ‡  
 3'0" x 6'8" † ‡  
 3'6" x 6'8" ‡




**964HD**  
 ❖ 6  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**726HD**  
 ❖ 6  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**990HD**  
 ❖ 6  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**1109HD**  
 ❖ 6  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**730HD**  
 ❖  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**753HD**  
 ❖  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**700**  
 ❖  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡  
 3'6" x 6'8" ‡



**1023HD**  
 ❖  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**754HD**  
 ❖  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**716SL**  
 ❖ 6  
 10" x 6'8" ‡  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**964SLHD**  
 ❖ 6  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**974SLHD**  
 ❖  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**730SLHD**  
 ❖ 6  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**750SLHD**  
 ❖  
 12" x 6'8" ‡  
 14" x 6'8" ‡

# Axis™

Note: Product images show exterior side of door.



**1651HD**  
 ❖ 6  
 2'4" x 6'8" † ‡  
 2'6" x 6'8" † ‡  
 2'8" x 6'8" † ‡  
 2'10" x 6'8" † ‡  
 3'0" x 6'8" † ‡  
 3'6" x 6'8" ‡



**1644HD**  
 ❖ 6  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**1660HD**  
 ❖ 6  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**1657HD**  
 ❖ 6  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**1659HD**  
 ❖ 6  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**1662HD**  
 ❖  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**1643HD**  
 ❖  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**1651SL**  
 ❖ 6  
 10" x 6'8" ‡  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**1644SLHD**  
 ◆ 6  
 12" x 6'8" ‡  
 14" x 6'8" ‡

**1657SLHD**  
 ◆ 6  
 12" x 6'8" ‡  
 14" x 6'8" ‡

**1643SLHD**  
 ◆ 6  
 12" x 6'8" ‡  
 14" x 6'8" ‡

**AXRT**  
 ◆  
 3'0" door + (2) 12" sidelites  
 Continuous Sill Systems Only

## Frosted Images®



**138**  
 6  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡  
 3'6" x 6'8" ‡

**963HD**  
 6  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**206EHD**  
 6  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**985HD**  
 6  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**1110HD**  
 6  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**250HD**  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**289EHD**  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**253HD**  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**103HD**  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡  
 3'6" x 6'8" ‡

**1021HD**  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**260HD**  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**138SL**  
 6  
 10" x 6'8" ‡  
 12" x 6'8" ‡  
 14" x 6'8" ‡

**289ESLHD**  
 6  
 12" x 6'8" ‡  
 14" x 6'8" ‡

**250SLHD**  
 12" x 6'8" ‡  
 14" x 6'8" ‡

### Options Key

- ◆ Brass Caming (1A)    ⚠ 6'6" Height Available
- ◆ Black Nickel Caming (1D)    ‡ 7'0" Height Available
- 6 WBDR / HVHZ Options



# Privacy & Textured Glass with Divided Lites

Note: For details on divided lite options, see page 120.

								
<b>128</b> 2'6" x 6'8" Δ ‡ 2'8" x 6'8" Δ ‡ 2'10" x 6'8" Δ ‡ 3'0" x 6'8" Δ ‡ 3'6" x 6'8" ‡	<b>108</b> 2'6" x 6'8" Δ ‡ 2'8" x 6'8" Δ ‡ 2'10" x 6'8" Δ ‡ 3'0" x 6'8" Δ ‡ 3'6" x 6'8" ‡	<b>961HD</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>262HD</b> 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>1123HD</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>982HD</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>263HD</b> 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>6720HD_SL</b> 12" x 6'8" 14" x 6'8"	<b>263SLHD</b> 12" x 6'8" ‡ 14" x 6'8" ‡

# Privacy & Textured Glass

					
<b>118</b> 2'4" x 6'8" Δ ‡ 2'6" x 6'8" Δ ‡ 2'8" x 6'8" Δ ‡ 2'10" x 6'8" Δ ‡ 3'0" x 6'8" Δ ‡ 3'6" x 6'8" ‡	<b>959HD</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>206HD</b> 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>980HD</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>1101_HD</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>104</b> 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡

							
<b>289HD</b> 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>708HD</b> 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>256HD</b> 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>296HD</b> 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>100_SL</b> 10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡	<b>959HD_SL</b> 12" x 6'8" 14" x 6'8"	<b>210SLHD</b> 12" x 6'8" ‡ 14" x 6'8" ‡	<b>296SLHD</b> 12" x 6'8" ‡ 14" x 6'8" ‡

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 204.

**XE** = NEW Satin Etch Glass  
**XJ** = Chinchilla Glass

**XR** = Rainglass  
**XN** = Granite Glass

**XC** = Chord Glass

\*Features a gliding operation and sash locking system.

\*\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 273 for important product details that may help with your purchase decision.

# Internal Blinds

Note: Product images show exterior side of door.



- |  |  |   |  |  |   |   |
|--|--|---|--|--|---|---|
| <b>130</b><br>★<br>2'4" x 6'8" ⚠<br>2'6" x 6'8" ⚠ ‡<br>2'8" x 6'8" ⚠ ‡<br>2'10" x 6'8" ⚠ ‡<br>3'0" x 6'8" ⚠ ‡<br>3'6" x 6'8" ‡ | <b>132HD</b><br>★<br>2'6" x 6'8" ‡<br>2'8" x 6'8" ‡<br>2'10" x 6'8" ‡<br>3'0" x 6'8" ‡ | <b>984HD</b><br>★<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>1121HD</b><br>★<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>131</b><br>★<br>2'6" x 6'8" ‡<br>2'8" x 6'8" ‡<br>2'10" x 6'8" ‡<br>3'0" x 6'8" ‡ | <b>130SL</b><br>★<br>10" x 6'8"<br>12" x 6'8" ‡<br>14" x 6'8" ‡ | <b>132SLHD</b><br>★<br>12" x 6'8" ‡<br>14" x 6'8" ‡ |
|--|--|---|--|--|---|---|

# Screen Vented Lites\*



- |  |   |   |  |
|--|---|---|--|
| <b>243HD</b><br>2'8" x 6'8" ‡<br>2'10" x 6'8" ‡<br>3'0" x 6'8" ‡ | <b>1004HD</b><br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>1102HD</b><br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>137</b><br>2'8" x 6'8" ‡<br>2'10" x 6'8" ‡<br>3'0" x 6'8" ‡ |
|--|---|---|--|

# Clear Glass with Divided Lites

Note: For details on divided lite options, see page 120.



- |   |   |   |  |   |  |  |  |
|---|---|---|--|---|--|--|--|
| <b>1201</b><br>★<br>2'4" x 6'8" ⚠<br>2'6" x 6'8" ⚠ ‡<br>2'8" x 6'8" ⚠ ‡<br>2'10" x 6'8" ⚠ ‡<br>3'0" x 6'8" ⚠ ‡<br>3'6" x 6'8" ‡ | <b>1202</b><br>★<br>2'4" x 6'8" ⚠<br>2'6" x 6'8" ⚠ ‡<br>2'8" x 6'8" ⚠ ‡<br>2'10" x 6'8" ⚠ ‡<br>3'0" x 6'8" ⚠ ‡<br>3'6" x 6'8" ‡ | <b>1203</b><br>★<br>2'4" x 6'8" ⚠<br>2'6" x 6'8" ⚠ ‡<br>2'8" x 6'8" ⚠ ‡<br>2'10" x 6'8" ⚠ ‡<br>3'0" x 6'8" ⚠ ‡<br>3'6" x 6'8" ‡ | <b>128</b><br>▶ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆<br>2'4" x 6'8" ⚠<br>2'6" x 6'8" ⚠ ‡<br>2'8" x 6'8" ⚠ ‡<br>2'10" x 6'8" ⚠ ‡<br>3'0" x 6'8" ⚠ ‡<br>3'6" x 6'8" ‡ | <b>1200</b><br>★ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆<br>2'4" x 6'8" ⚠<br>2'6" x 6'8" ⚠ ‡<br>2'8" x 6'8" ⚠ ‡<br>2'10" x 6'8" ⚠ ‡<br>3'0" x 6'8" ⚠ ‡<br>3'6" x 6'8" ‡ | <b>108</b><br>▶ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆<br>2'4" x 6'8" ⚠<br>2'6" x 6'8" ⚠ ‡<br>2'8" x 6'8" ⚠ ‡<br>2'10" x 6'8" ⚠ ‡<br>3'0" x 6'8" ⚠ ‡<br>3'6" x 6'8" ‡ | <b>2109HD</b><br>★<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>2110HD</b><br>★ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" |
|---|---|---|--|---|--|--|--|

Clear Glass with Divided Lites *Continues on next page.*

## Options Key

- ▶ Simulated Divided Lites (SDL)\*\*
- ◆ Fixed Grilles (FXG)
- ◆ Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
- ▶ Removable Wood Grilles (RG)
- ★ Low-E Glass (LE)
- ⚠ 6'6" Height Available
- ‡ 7'0" Height Available
- Ⓞ WBDR / HVHZ Options





**3000-4C**  
 ■ ♦ ✨  
 2'0" x 6'8" ▲  
 2'4" x 6'8" ▲ †  
 2'6" x 6'8" ▲ †  
 2'8" x 6'8" ▲ †  
 2'10" x 6'8" ▲ †  
 3'0" x 6'8" ▲ †  
 3'6" x 6'8" †



**3000-6C**  
 ■ ♦ ✨  
 2'0" x 6'8" ▲  
 2'4" x 6'8" ▲ †  
 2'6" x 6'8" ▲ †  
 2'8" x 6'8" ▲ †  
 2'10" x 6'8" ▲ †  
 3'0" x 6'8" ▲ †  
 3'6" x 6'8" †



**6184SL**  
 ■ ✨  
 10" x 6'8"  
 12" x 6'8" †  
 14" x 6'8" †



**6185SL**  
 ■ ✨  
 10" x 6'8"  
 12" x 6'8" †  
 14" x 6'8" †



**6186SL**  
 ■ ✨  
 10" x 6'8"  
 12" x 6'8" †  
 14" x 6'8" †



**198**  
 ◆ ✨ 6  
 2'4" x 6'8" ▲  
 2'6" x 6'8" ▲ †  
 2'8" x 6'8" ▲ †  
 2'10" x 6'8" ▲ †  
 3'0" x 6'8" ▲ †  
 3'6" x 6'8" †



**1403HD**  
 ◆ ✨  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1408HD**  
 ◆ ✨  
 2'6" x 6'8" †  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †



**1405HD**  
 ◆ ✨  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1406HD**  
 ◆ ✨  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1411HD**  
 ◆ ✨  
 2'6" x 6'8" †  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †



**704HD**  
 ◆ ✨  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †



**198SL**  
 ◆ ✨  
 10" x 6'8"  
 12" x 6'8" †  
 14" x 6'8" †



**1400SLHD**  
 ◆ ✨  
 12" x 6'8"  
 14" x 6'8"



**1405SLHD**  
 ◆ ✨  
 12" x 6'8" †  
 14" x 6'8" †



**19020T**  
 ✨  
 3'0" door + (2) 12" sidelites  
 Continuous Sill Systems Only  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems  
 Grille Sticks Applied



**19220T**  
 ✨  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only  
 Grille Sticks Applied



**19200T**  
 ✨  
 3'0" Door Only  
 Grille Sticks Applied

## Clear Glass



**118**  
 ◆ ✨ 6  
 2'0" x 6'8" ▲  
 2'4" x 6'8" ▲ †  
 2'6" x 6'8" ▲ †  
 2'8" x 6'8" ▲ †  
 2'10" x 6'8" ▲ †  
 3'0" x 6'8" ▲ †  
 3'6" x 6'8" †



**959HD**  
 ✨ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"




**206HD**  
 ✨ 6  
 2'6" x 6'8" †  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †



**980HD**  
 ✨ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1101HD**  
 ✨ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**104**  
 ✨ 6  
 2'6" x 6'8" †  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †



**150HD**  
 ✨  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †



**289HD**  
 ✨  
 2'6" x 6'8" †  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †

Clear Glass *Continues on next page.*

### Options Key

- Simulated Divided Lites (SDL)\*\*,\*\*
- ◆ Fixed Grilles (FXG)
- ◆ Flat White Grilles Between Glass Only (GBGFW)

- ◆ Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
- ▶ Removable Wood Grilles (RG)
- Turtle Glass

- ☀ Low-E Glass (LE)
- 6 WBDP / HVHZ Options
- ▲ 6'6" Height Available
- † 7'0" Height Available


### Features Key

- ▶ PVC Doorlite Frame\*\*

Clear Glass *Continued*



**153HD**  
\*  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



**105**  
\*  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



**102**  
\*  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡  
3'6" x 6'8" ‡



**1020HD**  
\*  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



**708HD**  
\*  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



**256HD**  
\*  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



**296HD**  
\*  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



**100SL**  
\* 6  
10" x 6'8" ‡  
12" x 6'8" ‡  
14" x 6'8" ‡



**959SLHD**  
\* 6  
12" x 6'8" ‡  
14" x 6'8" ‡



**970SLHD**  
\*  
12" x 6'8" ‡  
14" x 6'8" ‡



**210SLHD**  
\* 6  
12" x 6'8" ‡  
14" x 6'8" ‡



**150SLHD**  
\*  
12" x 6'8" ‡  
14" x 6'8" ‡




**296SLHD**  
\*  
12" x 6'8" ‡  
14" x 6'8" ‡



**19200T**  
\*  
3'0" Door Only



**19210T**  
\*  
12" & 14" Sidelite Only



**19220T**  
\*  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

## Solid Panel



**969HD**  
6  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



**978HD**  
6  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



**1005HD**  
6  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡




**205HD**  
6  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



**203HD**  
6  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



**210HD**  
6  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



**100**  
6  
2'0" x 6'8" ‡  
2'4" x 6'8" ‡  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡  
3'6" x 6'8" ‡









\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
Note: See page 273 for important product details that may help with your purchase decision.

# Privacy & Textured Glass with Divided Lites

Note: For details on divided lite options, see page 120.

									
<b>TS128_</b> 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" $\Delta$ 3'0" x 6'8"	<b>TS108_</b> 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" $\Delta$ 3'0" x 6'8"	<b>TS262_</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>8321_</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>TS263_</b> 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>6184_SL</b> 10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡	<b>6185_SL</b> 10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡	<b>6186_SL</b> 10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡	<b>632_SL</b> 10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡	<b>TS263_SL</b> 12" x 6'8" 14" x 6'8"

# Privacy & Textured Glass

								
<b>TS118_</b> 6 2'4" x 6'8" $\Delta$ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" $\Delta$ 3'0" x 6'8"	<b>818_</b> 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>TS206_</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>8206_</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>TS104_</b> 6 2'8" x 6'8" 2'10" x 6'8" $\Delta$ 3'0" x 6'8"	<b>TS289_</b> 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>TS708_</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>8708_</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>TS256_</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Privacy & Textured Glass *Continues on next page.*

## Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 204.

XE = **NEW** Satin Etch Glass    XR = Rainglass    XC = Chord Glass  
XJ = Chinchilla Glass    XN = Granite Glass

## Options Key

-  Simulated Divided Lites (SDL)\*
-  Low-E Glass (LE)
-  WBDR / HVHZ Options
- $\Delta$  6'6" Height Available
- ‡ 7'0" Height Available

Privacy & Textured Glass *Continued*



TS296_	896_	100_SL	818_SL	TS210_SL	TS296_SL
2'6" x 6'8"	2'8" x 8'0"	10" x 6'8"	12" x 8'0"	12" x 6'8"	12" x 6'8"
2'8" x 6'8"	2'10" x 8'0"	12" x 6'8" ‡	14" x 8'0"	14" x 6'8"	14" x 6'8"
2'10" x 6'8"	3'0" x 8'0"	14" x 6'8" ‡			
3'0" x 6'8"					

# Internal Blinds

Note: Product images show exterior side of door.



TS130	829	TS132	TS131	130SL	829SL	TS132SL
2'4" x 6'8" ⚠	2'6" x 8'0"	2'6" x 6'8"	2'6" x 6'8"	10" x 6'8"	12" x 8'0"	12" x 6'8"
2'6" x 6'8"	2'8" x 8'0"	2'8" x 6'8"	2'8" x 6'8"	12" x 6'8" ‡	14" x 8'0"	14" x 6'8"
2'8" x 6'8"	2'10" x 8'0"	2'10" x 6'8"	2'10" x 6'8" ⚠	14" x 6'8" ‡		
2'10" x 6'8" ⚠	3'0" x 8'0"	3'0" x 6'8"	3'0" x 6'8"			
3'0" x 6'8"						

# Screen Vented Lites\*



TS243	TS137
2'8" x 6'8"	2'8" x 6'8"
2'10" x 6'8"	2'10" x 6'8" ⚠
3'0" x 6'8"	3'0" x 6'8"

### Privacy & Textured Glass Options

Add the code to the blank in the style for the desired door and glass combination. For details on glass options, see page 204.

- XE = **NEW** Satin Etch Glass
- XR = Rainglass
- XC = Chord Glass
- XJ = Chinchilla Glass
- XN = Granite Glass

\*Features a gliding operation and sash locking system.  
 \*\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
 Note: See page 273 for important product details that may help with your purchase decision.

# Clear Glass with Divided Lites

Note: For details on divided lite options, see page 120.

									
<b>TS1201</b> ◆ ★ 2'4" x 6'8" △ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" △ 3'0" x 6'8"	<b>TS1202</b> ◆ ★ 2'4" x 6'8" △ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" △ 3'0" x 6'8"	<b>TS1203</b> ◆ ★ 2'4" x 6'8" △ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" △ 3'0" x 6'8"	<b>TS128</b> ■ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'4" x 6'8" △ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" △ 3'0" x 6'8"	<b>TS1200</b> ◆ ★ ◆ ◆ ◆ ◆ ◆ ◆ 2'4" x 6'8" △ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" △ 3'0" x 6'8"	<b>TS108</b> ■ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'4" x 6'8" △ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" △ 3'0" x 6'8"	<b>828</b> ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>808</b> ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"		
									
<b>8322</b> ◆ ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>8323</b> ◆ ★ ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>8324</b> ◆ ★ ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>TS262</b> ■ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>8321</b> ■ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>TS151</b> ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>TS263</b> ■ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>TS154</b> ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"		
									
<b>TS115</b> ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" △ 3'0" x 6'8"	<b>TS752</b> ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>8752</b> ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>TS255</b> ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>TS236</b> ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>8317</b> ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>TS237</b> ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" <small>(Scalloped Lite Frame)</small>	<b>1201SL</b> ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡	<b>1202SL</b> ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡	<b>1200SL</b> ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡

Clear Glass with Divided Lites *Continues on next page.*

### Options Key

- Simulated Divided Lites (SDL)\*\*
- ◆ Fixed Grilles (FXG)
- ◆ Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
- ▶ Removable Wood Grilles (RG)
- ★ Low-E Glass (LE)
- ⚡ WBDR / HVHZ Options
- △ 6'6" Height Available
- ‡ 7'0" Height Available





# Clear Glass



**TS118**  
  
 2'0" x 6'8"   
 2'4" x 6'8"   
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"   
 3'0" x 6'8"

**818**  
  
 2'0" x 8'0"   
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**TS206**  
  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**8206**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**TS104**  
  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"   
 3'0" x 6'8"

**TS150**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**TS289**  
  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**TS153**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**TS105**  
  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"   
 3'0" x 6'8"



**TS102**  
  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"   
 3'0" x 6'8"

**TS708**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**8708**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**TS256**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**TS296**  
  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**896**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**TS291**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**100SL**  
  
 10" x 6'8"  
 12" x 6'8"   
 14" x 6'8"

**818SL**  
  
 12" x 8'0"  
 14" x 8'0"



**TS210SL**  
  
 12" x 6'8"  
 14" x 6'8"

**TS150SL**  
  
 12" x 6'8"  
 14" x 6'8"

**TS296SL**  
  
 12" x 6'8"  
 14" x 6'8"

**19200T**  
  
 3'0" Door Only

**19210T**  
  
 12" & 14" Sidelite Only

**19220T**  
  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

## Options Key

- Simulated Divided Lites (SDL)\*,\*\*
- Fixed Grilles (FXG)
- Flat White Grilles Between Glass Only (GBGFW)

- Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)
- Low-E Glass (LE)

- Turtle Glass
- WBDR / HVHZ Options
- 6'6" Height Available
- 7'0" Height Available

## Features Key

- PVC Doorlite Frame\*\*

# Solid Panel




**TS290**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**TS214**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



<b>TS210</b>	<b>810</b>
6	6
2'6" x 6'8"	2'6" x 8'0"
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



<b>TS100</b>	<b>800</b>
6	6
2'0" x 6'8"	2'0" x 8'0"
2'4" x 6'8" Δ	2'4" x 8'0"
2'6" x 6'8"	2'6" x 8'0"
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8" Δ	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Note: See page 273 for important product details that may help with your purchase decision.  
 Bottom: Traditions, Crystalline Glass, Doors – 814

### Options Key

- 6 WBDR / HVHZ Options
- Δ 6'6" Height Available

# Fire Doors

Classic-Craft®, Fiber-Classic®, Smooth-Star® & Steel

The phrase  
“safety first” is more  
than just a saying. It’s  
our standard.

From smooth to wood-grained, we have products to meet most national and local code requirements for house-to-garage, multi-family residential and hotel / motel unit entries.\*

227

• Safety first.

## Adjusta-Fit® 2 Frame



Using the right frame is critical in any top-quality door installation, and never more so than with Fire-rated products. Therma-Tru Adjusta-Fit 2 frame technology helps ensure an optimum fit and long-lasting performance. The frames are constructed with a commercial-grade, 18-gauge base frame; galvanized steel and factory-coated paint finish; and an all-aluminum, thermally broken threshold. These features make them ideal for interior and exterior applications, including corridor openings and outside unit entries.


### Therma-Tru® Adjusta-Fit 2 frames also feature these key benefits:

- 90-Minute positive-pressure Fire-rating, third-party certified by Intertek, Warnock-Hersey.
- Standard 4-7/8" ANSI 115.1, or 2-3/4" T-lip strike prep option.
- Choice of standard, public access or no-sill options.
- Minimum 22-gauge closure with 1" of adjustability, suitable for walls from 4"-9-1/2" deep.


\*To confirm Fire door requirements in your area, always check with your local building code authority.


## 90-Minute Fire-Rated Steel Edge

Therma-Tru's TR 12-24 Steel Edge doors and door systems provide outstanding protection. Constructed with 24-gauge steel edges and tested to withstand at least 90 minutes of fire exposure at temperatures that reach more than 1,700 degrees Fahrenheit, the doors are perfect for multi-family living and house-to-garage projects. Available in a variety of door styles, sizes and lock preparations, the units are suitable for a minimum 4" wall depth or greater. Therma-Tru also offers all the necessary components – frame, weatherstrip, bottom sweep and sill – to complete a 90-Minute Fire-rated door system.

 WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ in an Adjusta-Fit. 2 frame.\*

**15 YEAR**  
LIMITED  
WARRANTY



SE100  
  
2'0" x 6'8"  
2'4" x 6'8"  
2'6" x 6'8"  
2'8" x 6'8" ‡  
2'10" x 6'8"  
3'0" x 6'8" ‡  
3'6" x 6'8" ‡




SE210HD  
  
2'6" x 6'8"  
2'8" x 6'8" ‡  
2'10" x 6'8"  
3'0" x 6'8" ‡



SE514  
  
2'8" x 6'8" ‡  
2'10" x 6'8"  
3'0" x 6'8" ‡



SE978HD  
  
2'8" x 6'8" ‡  
2'10" x 6'8"  
3'0" x 6'8" ‡




SE969HD  
  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"




SE1005HD  
  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

## 20-Minute Fire-Rated Wood Edge

Therma-Tru offers an industry-leading selection of fiberglass 20-Minute Fire-rated doors. Most of our solid-panel fiberglass wood-edge doors can be ordered as 20-Minute Fire-rated product, featuring a proprietary cement-based core. Solid-panel steel wood-edge doors in select sizes can be ordered with the 20-Minute Fire-rated label. The doors are tested to withstand a minimum of 20 minutes of fire exposure at temperatures that reach more than 1,400 degrees Fahrenheit, and are certified and approved for use with mortise locks.

 WBDR / HVHZ Options: Look for this icon to find steel door styles that can be configured for WBDR or HVHZ in a Therma-Tru-specified wood frame.\*

Classic-Craft.  
Mahogany Collection™



CCMF890  
3'0" x 8'0"



CCMF060  
3'0" x 6'8"



CCMF701  
3'0" x 6'8"

\*Please verify that there is a Therma-Tru product approval for the configuration before buying.

Note: See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on limited warranties and exclusions. See page 273 for important product details that may help with your purchase decision.

### Rustic Collection™



CCRF205 | CCRF8205  
3'0" x 6'8" | 3'0" x 8'0"

CCRF205A | CCRF8205A  
3'0" x 6'8" | 3'0" x 8'0"

CCRF8225  
3'0" x 8'0"

CCRF8225R  
3'0" x 8'0"

CCRF8005  
3'0" x 8'0"

CCRF8005A  
3'0" x 8'0"

CCRF040 | CCRF8040  
3'0" x 6'8" | 3'0" x 8'0"



CCRF040F | CCRF8040F  
3'0" x 6'8" | 3'0" x 8'0"

CCRF200 | CCRF8200  
3'0" x 6'8" | 3'0" x 8'0"

CCRF200A | CCRF8200A  
3'0" x 6'8" | 3'0" x 8'0"

CCRF8220  
3'0" x 8'0"

CCRF8220R  
3'0" x 8'0"

### Oak Collection™



CCF91  
3'0" x 6'8"

CCF831  
3'0" x 8'0"

### Canvas Collection®



CCF810  
3'0" x 8'0"

CCF060  
2'8" x 6'8"  
3'0" x 6'8"



CCVF400  
3'0" x 6'8"

CCVF205 | CCFV8205  
3'0" x 6'8" | 3'0" x 8'0"

CCVF205A | CCFV8205A  
3'0" x 6'8" | 3'0" x 8'0"

CCVF455  
3'0" x 6'8"

CCVF455A  
3'0" x 6'8"

Classic-Craft *Continues on next page.*

#### Options Key

‡ 7'0" Height Available

#### Features Key

■ No Stile Lines

6 WBDR / HVHZ Options

Classic-Craft® *Continued*



CCVF220 3'0" x 6'8"	CCVF8220 3'0" x 8'0"	CCVF200 3'0" x 6'8"	CCVF060 3'0" x 6'8"	CCVF8060 3'0" x 8'0"	CCVF831 3'0" x 8'0"	CCVF050 3'0" x 6'8"
------------------------	-------------------------	------------------------	------------------------	-------------------------	------------------------	------------------------

Fiber-Classic®

Mahogany Collection™



FMF31 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FMF220 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
---	--



FMF205 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FMF755 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FMF600 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FMF134 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FMF60 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FMF860 2'8" x 8'0" 3'0" x 8'0"	FMF100 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	FMF8100 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	--	--	--	---	--------------------------------------	---	--

Oak Collection™




FCF31 2'8" x 6'8" 3'0" x 6'8"	FCF809 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCF862 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCF808 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCF755 2'8" x 6'8" 3'0" x 6'8"	FCF134 2'8" x 6'8" 3'0" x 6'8"	FCF160* 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	FCF8160 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCF100 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	FCF8100 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
-------------------------------------	--	--	--	--------------------------------------	--------------------------------------	--	---	---	--

\*Available with elevated 10" bottom rail.

Note: See page 273 for important product details that may help with your purchase decision.



<b>SSF93</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>SSF220*</b> 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>SSF8220</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>SSF200</b> 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>SSF8200</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>SSF205</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>SSF8205</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>SSF31</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>SSF831</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>SSF960</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>SSF755</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	--	--	--	--	---	--	--	---	---	---




<b>SSF600</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>SSF8600</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>SSF11</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>SSF160*</b> 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>SSF8160</b> 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>SSF100</b> ■ 6 2'0" x 6'8" 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>SSF8100</b> ■ 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	--	--	---	---	--	--

## Profiles™




<b>969HD</b> ■ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>978HD</b> ■ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>1005HD</b> ■ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
---	---	--

## Traditions



<b>205HD</b> ■ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>203HD</b> ■ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>210HD</b> ■ 6 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>100</b> ■ 6 2'0" x 6'8" 2'4" x 6'8" 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡
---	---	--	--



<b>TS290</b> ■ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>TS214</b> ■ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>TS210</b> ■ 6 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>TS100</b> ■ 6 2'0" x 6'8" 2'4" x 6'8" ▲ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" ▲ 3'0" x 6'8"
---	---	--	--

### Options Key

- ▲ 6'6" Height Available
- ‡ 7'0" Height Available

### Features Key

- No Stile Lines
- 6 WBDR / HVHZ Options



# PULSE



232

• Modern design. Upbeat living.




Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement.

With three distinct aesthetic approaches – Ari, Línea and Echo – the entrance becomes modern art.

\*Please verify that there is a Therma-Tru product approval for the configuration before buying.  
Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass designs may differ from depiction due to size of glass and hand craftsmanship. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more, including details on limited warranties and exclusions, ENERGY STAR qualified products and product approvals.  
Top: Pulse Ari, Satin Etch Glass with Flat Lite Frame, Door – S83XE

## It's your decision, by design.

Pulse is geometry with energy. Designed to be fun and easy to mix and match with sleek, flush door and sidelite styles, you can create a modern entrance without missing a beat. Explore all the possible combinations at [www.thermatru.com/pulse](http://www.thermatru.com/pulse). Mix and match to get the style numbers needed to order. Turn the page for a glimpse of available styles and sizes.



## The creativity is unlimited. Stain or paint the entrance any color.

These doors and sidelites come ready to stain or paint. So there's no limit to the creativity you can use when it comes to finishing touches.




**6** WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.\*




**1 Start with a STYLE.**

Combine doors and sidelites to create an entrance that fits your vision.



**2 Choose a MATERIAL.**

Each style is available in any of these material choices.




**3 Select a GLASS.**

Find an available glass design to complete the statement you want to make.


**Privacy & Textured Glass**

Available for all Pulse door styles.




**Decorative Glass**

Available for Línea.



Available for Ari.



- 1 Blackstone™
- 2 Crystalline™
- 3 Sedona™
- 4 Salinas™
- 5 Element (Left)™
- 6 Element (Right)™
- 7 Maple Park™
- 8 Avonlea™
- 9 Saratoga™
- 10 Arden™
- 11 **NEW** Riserva™
- 12 Texas Star™
- 13 Crystal Diamonds™
- 14 Axis™
- 15 Internal Blinds™

Available for Echo.



**4 Then select a FRAME.**

Choose the flat profile for modern appeal or scrolled profile for vintage style.



**Frame Options**

- NEW Flat Lite Frame
- Scrolled Lite Frame

**NEW** Flat Profile Lite Frame\*      Scrolled Profile Lite Frame

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
Right Page: Pulse Ari, Chinchilla Glass with Scrolled Lite Frame, Door – S2XJ

### Pulse® Size Options

	Wood-Grained Fiberglass		Smooth Fiberglass		Steel	
	6'8"	8'0"	6'8"	8'0"	6'8"	8'0"
Doors	2'6" x 6'8"	2'6" x 8'0" ◦	2'6" x 6'8"	2'6" x 8'0" ◦	2'6" x 6'8"	2'6" x 8'0" ◦
	2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"	2'8" x 8'0"
	2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"	2'10" x 8'0"
	3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"
			3'6" x 6'8"	3'6" x 8'0"	3'6" x 6'8"	
Sidelites	10" x 6'8" •	12" x 8'0"	10" x 6'8" •	12" x 8'0"	10" x 6'8" •	12" x 8'0"
	12" x 6'8"	14" x 8'0"	12" x 6'8"	14" x 8'0"	12" x 6'8"	14" x 8'0"
	14" x 6'8"		14" x 6'8"		14" x 6'8"	

- Available in full-lite sidelites only.
- Available in Línea and Echo only.





**Note: Door and sidelite styles shown in smooth fiberglass with scrolled lite frame. To see styles in other material choices, go to [www.thermatru.com/pulse](http://www.thermatru.com/pulse).**

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
Note: See page 273 for important product details that may help with your purchase decision.

Top: Pulse Ari, Axis Glass with Scrolled Lite Frame, Door – S83AX

Bottom: Pulse Linea, Chinchilla Glass with Scrolled Lite Frame, Door – S1LXJ





S1LSA X6  
S81LSA X6



S1SA X6  
S81SA X6



S1RSA X6  
S81RSA X6



S1LEML 6




S1EML 6



S1REML 6




S1LEMR 6




S1EMR 6




S1REMR 6



S1LFW 6



S1FW 6



S1RFB 6



S1LAV 6




S1AV 6




S1RAV 6




S1LSG 6  
S81LSG 6




S1SG 6  
S81SG 6



S1RSG 6  
S81RSG 6



S1LANR 6  
S1LANG 6





S1ANR 6  
S1ANG 6



S1RANR 6  
S1RANG 6

**Note: Door and sidelite styles shown in smooth fiberglass with scrolled lite frame. To see styles in other material choices, go to [www.thermatru.com/pulse](http://www.thermatru.com/pulse).**

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
Note: See page 273 for important product details that may help with your purchase decision.



Línea *Continues on next page.*

**It's your decision, by design.**

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at [www.thermatru.com/pulse](http://www.thermatru.com/pulse).

Wood-Grained Fiberglass: Mahogany or Oak (Shown in Natural Oak stain.)	Smooth Fiberglass	Steel

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 234.

XE = NEW Satin Etch Glass  
XR = Rainglass  
XC = Chord Glass  
XJ = Chinchilla Glass  
XN = Granite Glass

**Options Key**

- 6 Brass Caming (1A)
- 6 Brushed Nickel Caming (1C)
- 6 Black Nickel Caming (1D)
- 6 Red Waterglass / Brushed Nickel Caming (1C)
- 6 Granite Glass / Black Nickel Caming (1D)
- 6 WBDP / HVHZ Options
- 6 NEW Flat Lite Frame\*
- 6 Scrolled Lite Frame

**Features Key**

- X Wrought Iron (1W)
- Low-E Glass (LE)



## Línea *Continued*



S1R  
S1RCL\*

S81R  
S81RCL\*



S1L

S81L



S1

S81



S1R

S81R


## Echo

Note: Product images show exterior side of door.




S4LAX

S84LAX




S4AX

S84AX



S4RAX

S84RAX




S5LAX

S85LAX



S5AX

S85AX



S5RAX

S85RAX




S86LAX




S86AX




S86RAX



Wood-Grained Fiberglass:  
Mahogany or Oak (Shown in Natural Oak stain.)



Smooth  
Fiberglass



Steel

### It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at [www.thermatru.com/pulse](http://www.thermatru.com/pulse).

**Note: Door and sidelite styles shown in smooth fiberglass with scrolled lite frame. To see styles in other material choices, go to [www.thermatru.com/pulse](http://www.thermatru.com/pulse).**

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
Note: See page 273 for important product details that may help with your purchase decision.



S9LAX



S9AX



S9RAX



S8LAX



S8AX



S8RAX



S811LAX



S811AX



S811RAX




S810LAX



S810AX




S810RAX



S4L\_  
 S4LCL\_




S84L\_  
 S84LCL\_



S4\_  
 S4CL\_




S84\_  
 S84CL\_



S4R\_  
 S4RCL\_



S84R\_  
 S84RCL\_



S5L\_  
 S5LCL\_



S85L\_  
 S85LCL\_

**Echo** Continues on next page.

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 234.

XE = **NEW** Satin Etch Glass  
 XJ = Chinchilla Glass

XR = Rainglass  
 XN = Granite Glass

XC = Chord Glass

**Options Key**


- Black Nickel Caming (1D)
- NEW** Flat Lite Frame\*
- Scrolled Lite Frame

**Features Key**

- Low-E Glass (LE)
- WBDR / HVHZ Options


**Echo** *Continued*

Note: Product images show exterior side of door.



S5  
S5CL \*

S85  
S85CL \*



S5R  
S5RCL \*

S85R  
S85RCL \*



S86L  
S86LCL \*



S86  
S86CL \*



S86R  
S86RCL \*



S9L  
S9LCL \*



S9  
S9CL \*



S9R  
S9RCL \*



S8L  
S8LCL \*



S8  
S8CL \*



S8R  
S8RCL \*



S811L  
S811LCL \*



S811  
S811CL \*



S811R  
S811RCL \*




S810L  
S810LCL \*



S810  
S810CL \*



S810R  
S810RCL \*


				<p><b>It's your decision, by design.</b></p> <p>Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at <a href="http://www.thermatru.com/pulse">www.thermatru.com/pulse</a>.</p>
Wood-Grained Fiberglass: Mahogany or Oak (Shown in Natural Oak stain.)		Smooth Fiberglass	Steel	

**Note: Door and sidelite styles shown in smooth fiberglass with scrolled lite frame. To see styles in other material choices, go to [www.thermatru.com/pulse](http://www.thermatru.com/pulse).**

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
Note: See page 273 for important product details that may help with your purchase decision.

# Sidelites

Note: Product images show exterior side of door.



**Sidelites** *Continue on next page.*

## Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 234.

XE = **NEW** Satin Etch Glass  
XJ = Chinchilla Glass

XR = Rainglass  
XN = Granite Glass

XC = Chord Glass

## Options Key

- ◆ Brass Caming (1A)
- Brushed Nickel Caming (1D)
- ◆ Black Nickel Caming (1D)
- Red Waterglass / Brushed Nickel Caming (1C)
- Red Waterglass / Black Nickel Caming (1D)
- Granite Glass / Brushed Nickel Caming (1C)
- Granite Glass / Black Nickel Caming (1D)


- Vented Sidelite (No Impact)  
(6'8" & 8'0" in 14")  
(6'8" full-lite only in 12")
- WBDR / HVHZ Options
- **NEW** Flat Lite Frame\*
- Scrolled Lite Frame

## Features Key

- ▶ Art Glass / Black Nickel Caming (1D)
- ✕ Wrought Iron (1W)
- ☀ Low-E Glass (LE)

**Sidelites** *Continued*

Note: Product images show exterior side of door.



			<p><b>It's your decision, by design.</b></p> <p>Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at <a href="http://www.thermatru.com/pulse">www.thermatru.com/pulse</a>.</p>
<p>Wood-Grained Fiberglass: Mahogany or Oak (Shown in Natural Oak stain.)</p>	<p>Smooth Fiberglass</p>	<p>Steel</p>	

**Options Key**

- ◆ Black Nickel Caming (1D)
- Vented Sidelite (No Impact)  
(6'8" & 8'0" in 14")  
(6'8" full-lite only in 12")
- └ NEW Flat Lite Frame\*
- └ Scrolled Lite Frame

**Features Key**

- ☀ Low-E Glass (LE)

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 234.

- XE = NEW Satin Etch Glass
- XN = Granite Glass
- XJ = Chinchilla Glass
- XC = Chord Glass
- XR = Rainglass

**Note: Door and sidelite styles shown in smooth fiberglass with scrolled lite frame. To see styles in other material choices, go to [www.thermatru.com/pulse](http://www.thermatru.com/pulse).**

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight. Note: See page 273 for important product details that may help with your purchase decision.

Top: Pulse Echo, Low-E Glass with Scrolled Lite Frame, Door – S85CL  
 Right Page: Pulse Linea, Sedona Glass with Scrolled Lite Frame, Doors – S1SN



# Hinged Patio Doors



246

• Simply beautiful, any way you see it.




Extend the beauty and quality of a Therma-Tru® entrance to the back of the home with hinged patio doors. Find style and convenience that's unsurpassed from any view with smart options to control the level of privacy and light, complement window patterns, and let fresh air into the home.



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on limited warranties and exclusions, Tru-Defense Rider and ENERGY STAR qualified products.

Top: Smooth-Star, Clear Glass with GBGs, Doors – S81828  
 Bottom: Smooth-Star, Clear Glass, Doors – S8000

## Door Selections



Classic-Craft<sup>®</sup>  
Mahogany  
Collection™

Classic-Craft<sup>®</sup>  
Oak Collection™



Classic-Craft<sup>®</sup>  
Rustic Collection™

Classic-Craft<sup>®</sup>  
Canvas  
Collection™



Fiber-Classic<sup>®</sup>  
Mahogany  
Collection™

Fiber-Classic<sup>®</sup>  
Oak Collection™



Smooth-Star<sup>®</sup>

Profiles™ & Traditions

(Wood-grained images shown in Natural Oak stain.)

## Glass Selections



Internal Blinds

Clear

### Divided Lites

For details on divided lite options, see page 120.




## Low-E Glass



Energy-efficient Low-E glass can help keep a home warm in the winter and cool in the summer. Available for internal blinds, divided lites and clear glass.

### Flush-Glazed Glass

Glass built directly into the door during the manufacturing process offers a seamless appearance, wider daylight opening and high-performance weather seal.



■ = Available • = Not Applicable

Door Selections	Classic-Craft <sup>®</sup>	Fiber-Classic <sup>®</sup>	Smooth-Star <sup>®</sup>	Profiles™	Traditions
Material	Fiberglass	Fiberglass	Fiberglass	Steel	Steel
Warranty	Lifetime	Lifetime	Lifetime	10 Years	Door: 5 Years / Glass: 10 Years
Finish Options	Stain or Paint	Stain or Paint	Paint	Paint	Paint
<b>Glass Selections</b>					
Internal Blinds	•	■	■	■	■
Flush-Glazed with Divided Lites	•	■	■	•	•
Flush-Glazed Clear	•	■	■	•	•
Low-E with Divided Lites	Standard	Option	Option	Option	Option
Low-E	Standard	Option	Option	Option	Option
Clear with Divided Lites	•	■	■	■	■
Clear	•	■	■	■	■
Also Available	13 Decorative / 4 Privacy & Textured	17 Decorative / 5 Privacy & Textured	17 Decorative / 5 Privacy & Textured	17 Decorative / 5 Privacy & Textured	17 Decorative / 5 Privacy & Textured
<b>Available Sizes</b>					
Heights	6'8", 8'0"	6'6", 6'8", 7'0", 8'0"	6'6", 6'8", 7'0", 8'0"	6'6", 6'8", 7'0"	6'6", 6'8", 8'0"
Single Widths	3'0"	2'0"-3'0"	2'0"-3'6"	2'0"-3'6"	2'0"-3'0"
Double Widths	6'0"	4'0"-6'0"	4'0"-6'0"	4'0"-6'0"	4'0"-6'0"
Triple Widths	9'0"	6'0"-9'0"	6'0"-9'0"	6'0"-9'0"	6'0"-9'0"
Retrofit Openings	•	5'0", 6'0"	5'0", 6'0"	5'0", 6'0"	5'0", 6'0"
<b>Additional Options</b>					
Vented Sidelites (Single / Double Widths)	•	6'6", 6'8", 8'0" Heights in 2'4"-6'0" Widths	6'6", 6'8", 8'0" Heights in 2'4"-6'0" Widths	•	•
Screens & Screen Accessories Available Colors: Bronze, Stone, White	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame
Impact-Rated Options	•	■	■	■	■
Tru-Defense Eligible	■	■	■	•	•



# Hinged Patio Door Systems




- 1 Multi-Point Locking System (Recommended)
- 2 Bottom Sweep
- 3 Sill
- 4 Hinges
- 5 Corner Seal Pads (Inswing Only)
- 6 Sill Pan (Recommended)
- 7 Astragal
- 8 Frame Components
- 9 Multi-Point Locking System (Included)
- 10 Removable Screens

A Therma-Tru® patio door with genuine Therma-Tru components is a complete door system with doors, glass and components engineered to work together for durability and reliability through the years.


## Patio Transoms

Transoms can be stained or painted to match a Fiber-Classic® or Smooth-Star® door system. Available for 5'0", 5'4", 5'8" and 6'0" patio openings.

Note: Patio transoms are designed for a unit with a mullion.



19250T



19050T

## Vented Sidelites

**Enjoy the view – and a fresh breeze, too.**

- Constructed to provide ventilation without sliding screens blocking the view, vented sidelites work as small swinging doors with convenient removable screens — available in bronze and white.
- Engineered for durability and safety with wide patio mullions for strength, and multi-point locking gears and recessed strike plates for security.

### Available Configurations



Single Door with Vented Sidelites (Inswing Only)



Double Doors with Vented Sidelites (Inswing Only)



## Internal Blinds




### Available Door Styles

Fiber-Classic® Mahogany (Page 175) / Fiber-Classic® Oak (Page 175) / Smooth-Star® (Page 176) / Profiles™ (Page 217) / Traditions (Page 222)  
 See page numbers above for door styles and sizes.



### Available Configurations



# Flush-Glazed Clear Glass with Divided Lites

## Colonial Style




### Available Door Styles

Fiber-Classic® Oak (Page 177) / Smooth-Star® (Page 178)  
 See page numbers above for door styles and sizes.



### Available Configurations



## Craftsman Style




### Available Door Styles

Fiber-Classic® Oak (Page 177) / Smooth-Star® (Page 179)  
 See page numbers above for door styles and sizes.



### Available Configurations




Note: See page 273 for important product details that may help with your purchase decision.

# Prairie Style




**Available Door Styles**

Fiber-Classic® Oak (Page 178) / Smooth-Star® (Page 179)  
 See page numbers above for door styles and sizes.



**Available Configurations**



# Flush-Glazed Clear Glass




**Available Door Styles**

Fiber-Classic® Oak (Page 180) / Smooth-Star® (Page 180)  
 See page numbers above for door styles and sizes.



**Available Configurations**



# Low-E / Clear Glass with Divided Lites

## Colonial Style




### Available Door Styles

Classic-Craft® Oak (Page 88) / Classic-Craft® Canvas (Page 105) /  
 Fiber-Classic® Mahogany (Page 180) / Fiber-Classic® Oak (Page 184) /  
 Smooth-Star® (Page 189) / Profiles™ (Page 217) / Traditions (Page 223)  
 See page numbers above for door styles and sizes.



### Available Configurations



## Craftsman Style




### Available Door Styles

Fiber-Classic® Mahogany (Page 182) / Fiber-Classic® Oak (Page 187) /  
 Smooth-Star® (Page 192) / Profiles™ (Page 218) / Traditions (Page 224)  
 See page numbers above for door styles and sizes.



### Available Configurations




Note: See page 273 for important product details that may help with your purchase decision.

# Prairie Style




### Available Door Styles

Fiber-Classic® Mahogany (Page 183) / Fiber-Classic® Oak (Page 188) / Smooth-Star® (Page 193) / Profiles™ (Page 219) / Traditions (Page 224)  
 See page numbers above for door styles and sizes.



### Available Configurations



# Low-E / Clear Glass




### Available Door Styles

Classic-Craft® Mahogany (Page 62) / Classic-Craft® Rustic (Page 76) / Classic-Craft® Oak (Page 88) / Classic-Craft® Canvas (Page 105) / Fiber-Classic® Mahogany (Page 194) / Fiber-Classic® Oak (Page 195) / Smooth-Star® (Page 196) / Profiles™ (Page 219) / Traditions (Page 225)  
 See page numbers above for door styles and sizes.



### Available Configurations





Top: Smooth-Star, Clear Glass with GBGs, Doors – S81828  
Bottom: Smooth-Star, Clear Glass, Doors – S8000

# Vinyl Sliding Patio Doors



• Fully assembled and ready to install.

Crafted to ensure smooth operation, Therma-Tru® vinyl sliding patio units are delivered fully assembled and ready to install.

- Features fully adjustable rollers for smooth operation.
- Reinforced windows help provide security and weather protection.
- Engineered with a tamper-resistant, adjustable locking system – standard for security.
- Available Sizes: 5'0"–8'0" widths in 6'6" height.
- Configurations: Available in double and triple units.
- Glass Options: Clear, insulated glass with optional Low-E for increased energy efficiency. Optional contour or flat grilles between glass available to customize the doors to complement window patterns.
- Optional DP-50 Impact-rated product available.



To view our full offering of vinyl sliding patio doors, please see your Therma-Tru seller or visit [www.thermatru.com/slidingpatio](http://www.thermatru.com/slidingpatio).







# Door System Components



• Engineered to work together.



More than a beautiful door. A Therma-Tru® door system with genuine Therma-Tru components is engineered with craftsman precision for durability and reliability through the years. With weather resistance and energy efficiency so the door performs as exceptionally as it looks.

Visit our online replacement parts configurator and helpful videos to maintain the integrity of a complete door system with genuine Therma-Tru components – [www.thermatru.com/parts](http://www.thermatru.com/parts).

# Sills

Allow for a tight seal to help block wind-driven moisture infiltration at the bottom of the door. Available in a variety of materials with features to meet the needs of different climates and exposures. Ask your Therma-Tru seller for a complete list of options.

## Inswing Options



**Composite Adjustable Sill** 

Thick, through-colored wood-grained composite cap and nosing resist wear and rot, U-shaped weather seal adds protection, and flush stainless steel screws adjust to help maintain a tight seal.

Continuous length with spread mullion capability available to fill 49"-75" rough openings.\*



**Hardwood Adjustable Sill**

Durable hardwood cap and nosing can be stained to match door and trim, U-shaped weather seal adds protection, and flush zinc dichromate screws adjust to help maintain a tight seal.



**Basic Composite Adjustable Sill**

Wood-grained composite cap and nosing resist rot, adds protection, and zinc dichromate screws with removable screw caps adjust to help maintain a tight seal.



**Basic Fixed Sill**


Slanted cap and nosing mates with the single-bulb bottom sweep to help form a tight seal.



**Moderate Climate Sill**  
(For Warmer Climates)


All-aluminum construction resists corrosion and slanted cap helps maintain contact with the door bottom.

## Inswing Sill Extenders



1"

2"



1-3/8"

3-1/4"

## Outswing Options



**Composite Outswing Sill** 

Thick, through-colored wood-grained composite cap and nosing resist wear and rot, and integrated weatherstrip helps form a tight seal under wind pressure.



**Aluminum Sill with Thermal Break**

All-aluminum construction resists corrosion, and integrated weatherstrip helps form a tight seal under wind pressure. Also available without thermal break.



**Coastal Sill** (For Coastal Regions)

All-aluminum construction resists corrosion, extra-high cap profile provides improved resistance to wind-driven moisture infiltration, and integrated weatherstrip helps form a tight seal under wind pressure. Helps meet code requirements in HVHZ coastal regions.

## Outswing Sill Extender



2"

Finishes:  
Lightwood (Premium)  
Darkwood (Premium)

## Public Access Sill



**Public Access Sill with Thermal Break\*\***  
(For ADA Applications)

All-aluminum construction resists corrosion, and 1/2" - high surface with 1:2 ramp slope meets Americans with Disabilities Act (ADA) requirements. Also available without thermal break.

## Options Key

 Tru-Defense Eligible

\*See the Therma-Tru *Architectural Details & Components* manual for actual unit size specifications.

\*\*Door systems built with public access sills have little resistance to water penetration and have a potential to leak if installed exposed to weather.

We recommend these systems be installed away from weather under large soffits or overhangs.


\*\*\*For full details on the Tru-Defense Warranty Rider, visit [www.thermatru.com/trudefense](http://www.thermatru.com/trudefense).

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 273 for important product details that may help with your purchase decision.

## Sill Finishes



**Mill**



**Bronze**



**Brass**



**Satin Nickel**

## Cap Colors



**Lightwood (Premium)**  
Composite Adjustable /  
Composite Outswing



**Darkwood (Premium)**  
Composite Adjustable /  
Composite Outswing



**Lightwood (Economy)**  
Basic Composite Adjustable



**Darkwood (Economy)**  
Basic Composite Adjustable /  
Basic Fixed



**Hardwood**  
Hardwood Adjustable


- = Available
- = Not Applicable

	Inswing Options					Outswing Options					Public Access (Inswing / Outswing)	
	Composite Adjustable	Hardwood Adjustable	Basic Composite Adjustable	Basic Fixed	Moderate Climate	Composite Outswing	Aluminum with Thermal Break	Aluminum without Thermal Break	Coastal	Public Access (Inswing / Outswing)	Public Access (ADA)**	
<b>Sill Finishes</b>												
Mill	■	■	■	■	■	■	■	■	■	■	■	
Bronze	■	■	■	■	•	■	■	■	•	■	■	
Brass	■	•	•	•	•	■	•	•	•	•	•	
Satin Nickel	■	•	•	•	•	■	•	•	•	•	•	
<b>Cap Colors</b>												
Lightwood	■	•	■	•	•	■	•	•	•	•	•	
Darkwood	■	•	■	■	•	■	•	•	•	•	•	
Hardwood	•	■	•	•	•	•	•	•	•	•	•	
<b>Sill Configurations</b>												
Single	■	■	■	■	■	■	■	■	■	■	■	
French	■	■	•	■	■	■	■	■	■	■	■	
Double Patio	■	■	•	•	•	■	•	•	•	•	•	
Triple Patio	■	■	•	•	•	■	•	•	•	•	•	
Lineal	■	■	•	•	•	•	•	•	•	•	•	
<b>Sidelite Configurations</b>												
Boxed Sidelites	■	•	•	•	•	•	•	•	•	•	•	
Single with Sidelites	■	■	•	•	•	■	•	•	•	•	•	
French with Sidelites	■	•	•	•	•	•	•	•	•	•	•	
Single Vented Sidelites	■	•	•	•	•	•	•	•	•	•	•	
French Vented Sidelites	■	•	•	•	•	•	•	•	•	•	•	
<b>Depths</b>												
4-9/16"	■	•	■	■	•	•	•	■	■	■	■	
5-3/4"	■	■	■	■	■	■	■	•	•	•	•	
6-9/16"	•	•	•	•	•	•	•	•	•	•	■	
7-3/4"	■	■	■	■	•	•	■	•	•	•	•	
<b>Substrates</b>												
Composite Extruded	■	•	•	•	•	■	•	•	•	•	•	
Composite Injection Molded	■	•	■	•	•	•	•	•	•	•	•	
Treated Pine	•	■	•	■	•	•	■	■	■	•	•	
Composite Blocked	•	•	•	•	■	•	•	•	•	•	•	
<b>Other Options</b>												
Integrated Thermal Break	■	■	■	■	•	■	■	•	•	■	■	
Screen Rail Available	■	■	•	•	•	■	•	•	•	•	•	
Sill Extenders Available	■	■	■	•	•	■	•	•	•	•	•	
Sill Covers Available	■	■	■	■	■	■	•	•	•	•	•	
Tru-Defense Eligible***	■	•	•	•	•	■	•	•	•	•	•	
With Anchor Holes	•	•	•	•	•	•	■	■	•	■	■	
Without Anchor Holes	■	■	■	■	■	■	■	•	■	•	•	

# Door Bottoms

Designed to mate with our sills and help provide added protection to help seal the margin between the door and sill. Kerf-applied for a secure fit and made of a heavy-duty material that holds its shape to help maintain contact.

## Inswing Options




### Kerf-Applied Dual-Bulb / Dual-Fin Bottom Sweep

**Sills:**  
Composite Adjustable  
Hardwood Adjustable  
Basic Composite Adjustable

**Colors:**  
Bronze  
Stone  
White



Non-kerf-applied option available for replacement applications. Available in bronze only.



### Kerf-Applied Single-Bulb Bottom Sweep

**Sills:**  
Moderate Climate  
Basic Fixed

**Colors:**  
Bronze  
Stone




### Inactive Door Bottom

**Sills:**  
Composite Adjustable  
Hardwood Adjustable

**Colors:**  
Bronze  
Stone


## Outswing Options



### Outswing Bottom Sweep

**Sills:**  
Composite Outswing  
Aluminum  
Coastal

**Color:**  
Bronze



### Inactive Door Bottom

**Sills:**  
Composite Outswing

**Colors:**  
Bronze  
Stone

## ADA / Replacement



### Bottom Sweep

**Sills:**  
Public Access

**Color:**  
Bronze

# Sill Protection



### Sill Covers (Recommended)

Fits over the sill to help protect cap and finish from damage during installation. Made of a heavy-duty material to withstand wear, and available in a variety of options to fit our sills.

See page 258 for availability.

Shown over composite adjustable sill.



### Sill Pan (Recommended)

Fits between the sill and subfloor for an added layer of protection against moisture. Engineered with sloped channels to help collect and drain moisture away.

# Corner Seal Pads (Inswing Only)

Fit securely behind weatherstrip and mate with our inswing sills to help block wind-driven moisture from pushing through the corner and up the frame. (Not required for outswing sills.)

## Classic-Craft. 7-Shape Pads



**Colors:**  
Bronze  
Stone  
White

**Sills:**  
Composite Adjustable  
Hardwood Adjustable  
Basic Composite Adjustable  
Public Access

## Fiber-Classic. / Smooth-Star. 7-Shape Pads



**Colors:**  
Bronze  
Stone  
White

**Sills:**  
Composite Adjustable  
Hardwood Adjustable  
Basic Composite Adjustable  
Public Access

## Basic Fixed Pads



**Colors:**  
Bronze

**Sills:**  
Basic Fixed  
Moderate Climate

# Weatherstrip

Engineered in a variety of profiles for a precise seal between the door and frame. Made of a flexible, foam-filled material protected by a durable jacket to resist moisture and wear.

## Medium-Reach Weatherstrip



**Colors:**  
Bronze  
Stone  
White

## Long-Reach Weatherstrip



**Colors:**  
Bronze  
Stone  
White

# Rain Protection (Recommended)

Helps repel moisture away from areas exposed to wind-driven moisture infiltration, enhancing weather protection. Highly recommended for applications directly exposed to wind and rain.

## Rain Deflector (Inswing)




**Colors:**  
Bronze  
Stone  
White

## Rain Guard (Outswing)



**Colors:**  
Bronze  
Stone  
White



Bottom of door; exterior view.



Top of door; exterior view.

## Options Key

Tru-Defense Eligible

# Hardware

## Multi-Point Locking Systems (MPLS) (Recommended)

Engages the door and frame at three critical points from top to bottom for enhanced stability compared to traditional deadbolt assemblies. Featuring premium stainless steel construction that resists corrosion.

(Highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors. Strike plate packages available to meet the installation needs of various MPLS applications.)

### Standard Door MPLS



**Tongue**  
(For single door systems.)  
Heights: 6'6", 6'8", 7'0", 8'0"  
Configurations: Inswing, Outswing



**Shootbolt**  
(For double door systems.)  
Heights: 6'6", 6'8", 7'0", 8'0"  
Configurations: Inswing, Outswing

### Vented Sidelite MPLS



**Tongue**  
(Included in vented sidelite units.)  
Heights: 6'6", 6'8", 8'0"

### Options Key

Tru-Defense Eligible



Side view of door.

Engages at three critical points.

Integrated mishandling device.

1" premium stainless steel deadbolt.

Self-lubricating locks.

\*ASTM-476. As tested by an independent laboratory. Not available in certain configurations. Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 273 for important product details that may help with your purchase decision.

## Handleset Options for Standard Door MPLS



Backplates:  
Wide  
Narrow  
Locking:  
Active  
Inactive

**Heirloom**

**Venture**

**Millennium**

**Ara**

**Decade**

## Finish Options for Handlesets & Hinges



Bright Brass

Antique Brass

Brushed Nickel

Black Nickel

Antique Nickel

Polished Chrome

Oil-Rubbed Bronze

## Hinges & Strike Plate

Hinge Finish Options	Hinges							Adjustable Security Strike Plate (For Latch & Deadbolt)
	Adjustable	Classic-Craft® Ball-Bearing	Self-Aligning Ball-Bearing	Self-Aligning	Self-Aligning NRP (Non-Removable Pin)	Security Tab	Spring-Loaded	
Bright Brass	■	■	■	•	•	•	•	•
Antique Brass	■	■	■	•	•	•	•	■
Brushed Nickel	■	■	■	■	■	■	■	■
Black Nickel	■	■	■	•	■	•	■	■
Antique Nickel	■	■	■	•	•	•	•	■
Polished Chrome	■	■	■	•	■	•	■	■
Oil-Rubbed Bronze	■	■	■	■	■	•	■	■
Stainless Steel	•	■	■	•	■	■	■	■
Zinc Dichromate	•	■	■	■	■	■	■	■

Hinges position the door to properly compress the weatherstrip and help ensure smooth operation. Featuring options to suit various applications and mate with mortise pockets machined into our doors. Adjustable security strike plate wraps around the jamb and engages the frame for added support and strength, and resistance against forced entry. Tested to withstand up to three times the force of standard strike plates.\*



# Astragals

Cover the margin between double doors to help complete the seal against air and moisture infiltration, with aluminum construction for stability, holding power and durability. Available in a stainable wood-grained vinyl wrap or paintable aluminum.



## Stainable Astragal

- Heights:**  
6'6"  
6'8"  
7'0"  
8'0"
- Width:**  
7/8"
- Configurations:**  
Inswing  
Outswing  
Multi-Point Lock  
Double Bore  
Left-Handed  
Right-Handed
- Grain Options:**  
Oak  
Mahogany  
Fir
- Weatherstrip:**  
Bronze

Shown in Oak grain with Mahogany stain.



## Aluminum Astragal

- Heights:**  
6'6"  
6'8"  
7'0"  
8'0"
- Width:**  
7/8"
- Configurations:**  
Inswing  
Outswing  
Multi-Point Lock  
Double Bore  
Left-Handed  
Right-Handed
- Finish Colors:**  
Bronze  
White
- Weatherstrip:**  
Bronze

Coastal option also available.

Available with strike plates to receive a latch and deadbolt or multi-point locking system.

Integrated weatherstrip helps form a tight seal between the astragal and active door when closed.

Durable boot engineered to work with the active bottom sweep to complete the seal across the sill.

16-1/2" locking steel slide bolt can be vertically adjusted for a secure fit with the sill and frame.

### Textures Available

Stainable (Shown in Natural Oak stain.)

Aluminum



Oak Grain

Mahogany Grain

Fir Grain

Bronze

White



## SAME-DAY STAIN

Finish with the same stain as the doors. Kit available in seven finish colors on pages 266-267.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 273 for important product details that may help with your purchase decision.

Bottom: Classic-Craft Rustic Collection, Provincial Glass, Doors – CCR804028

### Options Key

Tru-Defense Eligible



Top: Classic-Craft Mahogany Collection, Bella Glass, Doors – CCM895B  
Bottom: Classic-Craft Canvas Collection, Lucerna Glass, Doors – CCV820532

# SAME-DAY® STAIN

**Create the authentic look of real wood in just a few simple steps.**

- Achieve professional-looking results with an easy-to-use, quick-drying formula.
- Colorfast stain resists fading, bleaching and yellowing to create a beautiful finish.
- Finish colors can be applied in a variety of shades to complement multiple home styles.
- Specially formulated for Therma-Tru® fiberglass doors.

## All-Inclusive Kit

Contains everything needed to stain a Therma-Tru fiberglass double door system or a single door with two sidelites.\*



Watch easy-to-follow instructions at [www.samedaystain.com](http://www.samedaystain.com).



\*Actual coverage may vary based on product selected, application method and desired appearance.

**5 YEAR LIMITED WARRANTY**

For Therma-Tru fiberglass doors. For complete details on the Same-Day Stain and topcoat limited warranty, go to [www.samedaystain.com](http://www.samedaystain.com) or ask your seller for more details.

## Classic-Craft® American Style Collection™



## Classic-Craft® Mahogany Collection™




Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 273 for important product details that may help with your purchase decision.

### Classic-Craft® Rustic Collection™




### Classic-Craft® Oak Collection™



### Fiber-Classic® Mahogany Collection™



### Fiber-Classic® Oak Collection™





# Special Quote Program

Don't sacrifice the look you want. In addition to thousands of standard glass choices, we offer additional glass options through our Special Quote Program to help you find the right look for virtually any home.




## Privacy & Textured Glass

Achieve the desired look and level of privacy with additional options, including hammered glass doorlites shown above.



## Divided Lites

Match various window patterns and home styles with additional grid patterns and color options.



## Caming Colors

Pair black nickel, brushed nickel or brass caming with any decorative glass design to complement home hardware and fixtures.

# 3'6" Width Door Style Options

## Classic-Craft®

### Door Styles




### Glass Designs

Homeward..	■	◆		◆				◆
Augustine.		◆	◆	◆	◆	◆	◆	◆
Arborwatch.	■	◆		◆				◆
Borrassa-		◆	◆	◆	◆	◆	◆	◆
Lucerna.		◆		◆				◆
Privacy & Textured Glass	■	◆		◆				◆
Low-E	■	◆		◆				◆

## Key

- Classic-Craft® American Style Collection™
- ◆ Classic-Craft® Rustic Collection™
- ▲ Classic-Craft® Oak Collection™
- \* Smooth-Star®
- ▷ Profiles™ & Traditions

## Solid-Panel Door Styles



## Fiber-Classic®, Smooth-Star®, Profiles™ & Traditions

### Door Styles



### Glass Designs

Blackstone.	*▷	*				*▷	*				
Crystalline..	*▷	*				*▷	*				
Sedona	*▷					*▷	*				
Salinas.	*▷	*				*▷	*				
Element	*▷					*▷					
Maple Park.	*▷					*▷					
Avonlea.	*▷					*▷					
Saratoga.	*▷					*▷	*				
Arden.	*▷					*▷					
Texas Star	*▷					*▷					
Wellesley..	*▷	*									
<b>NEW</b> Riserva..	*▷	*		*▷	*	*▷	*				
Concorde..	*▷	*	*▷								
Kensington..	*▷										
Crystal Diamonds..	*▷		*▷			*▷					
Axis..	*▷	*		*▷	*	*▷	*	*▷	*		
Frosted Images.	*▷	*	*▷								
Privacy & Textured Glass	*▷	*		*▷	*	*▷	*	*▷	*		
Internal Blinds	*▷	*				*▷	*				
Divided Lites	*▷	*									
Clear	*▷	*	*▷	*▷	*	*▷	*	*▷	*		
Solid Panel										*▷	*

## 7'0" Height Door Style Options

Door Styles



Glass Designs

Blackstone.	▼▲*	▲*	*													▼▲*
Crystalline.	▼▲*	▲*	*		▸	▸	▸					▲*				▼▲*
Sedona	▼▲*	▲*	*			▸										▼▲*
Salinas.	▼▲*	▲*	*		▸	▸										▼▲*
Element	▼▲*															▼▲*
Maple Park.	▼▲*	▲*	*			▸					▲*					▼▲*
Avonlea.	▼▲*	▲*	*			▸										▼▲*
Saratoga.	▼▲*	▲*	*			▸					▲*					▼▲*
Arden.	▼▲*	▲*	*			▸										▼▲*
Texas Star	▼▲*	▲*	*			▸										▼▲*
Wellesley.	▼▲*	▲*	*			▸					▲*					▼▲*
<b>NEW</b> Riserva.	▼▲*	▲*	*			▸										▼▲*
Concorde.	▼▲*	▲*	*		▸	▸	▸	*		▸	▲*					▼▲*
Kensington.	▼▲*	▲*	*			▸										▼▲*
Crystal Diamonds.	▼▲*	▲*	*			▸	▸	*		▸						▼▲*
Axis.	▼▲*	▲*	*			▸						▲*				▼▲*
Frosted Images.	▼▲*	▲*	*		▸	▸	▸	*		▸						▼▲*
Privacy & Textured Glass	▼▲*	▲*	*	▼▲*		▸				▸	▲*	▲*				▼▲*
Internal Blinds	▼▲*	▲*	*	▼▲*												▼▲*
Screen Vented		*	*	*▸												
Divided Lites	▼▲*	▲*	*		▸	▸	▸		*	▸	▲*			▸	▸	▼▲*
Clear	▼▲*	▲*	*	▼▲*	▸	▸	▸	*	*	▸	▲*	▲*				▼▲*
Solid Panel																▼▲*

## 6'6" Height Door Style Options

Door Styles










Glass Designs

Blackstone.	▼▲*				▼▲*	
Crystalline.	▼▲*				▼▲*	
Sedona	▼▲*				▼▲*	
Salinas.	▼▲*				▼▲*	
Element	▼▲*				▼▲*	
Maple Park.	▼▲*				▼▲*	
Avonlea.	▼▲*				▼▲*	
Saratoga.	▼▲*				▼▲*	
Arden.	▼▲*				▼▲*	
Texas Star	▼▲*				▼▲*	
Wellesley.	▼▲*				▼▲*	
<b>NEW</b> Riserva.	▼▲*				▼▲*	
Concorde.	▼▲*		*▸		▼▲*	
Kensington.	▼▲*				▼▲*	
Crystal Diamonds.	▼▲*		*▸		▼▲*	
Axis.	▼▲*				▼▲*	
Frosted Images.	▼▲*		*▸		▼▲*	
Privacy & Textured Glass	▼▲*	▸			▼▲*	
Internal Blinds	▼▲*	▸			▼▲*	
Screen Vented		▸				
Divided Lites	▼▲*			▸	▼▲*	
Clear	▼▲*	▸	*▸	▸	▼▲*	
Solid Panel						▼▲*

## Key

- ▼ Fiber-Classic® Mahogany Collection™
- ▲ Fiber-Classic® Oak Collection™
- \* Smooth-Star®
- Profiles™ & Traditions
- Steel Edge

							
	▶						
	▶	▶	▶				
	▶						
	▶						
	▶						
	▶						
	▶						
	▶						
	▶						
	▶	▶					
	▶	▶					
	▶		▶				
	▶	▶					
	▶		▶				
	▶						
	▶	▶	▶				
	▶	▶	▶				
				■*	■	■▲*	■▼▲*



Bottom: Smooth-Star Door – SSF220



## Entry &amp; Patio Door Systems

Feature	Classic-Craft.	Fiber-Classic. & Pulse. Wood-Grained	Smooth-Star. & Pulse. Smooth	Profiles™ & Pulse. Steel (6'8")	Traditions & Pulse. Steel (8'0")	Vinyl Sliding
<b>Skin Material</b>	Fiberglass	Fiberglass	Fiberglass	24-Gauge Steel	6'8": 25-Gauge Steel / 8'0": 24-Gauge Steel	Vinyl
<b>Skin Texture</b>	Oak, Mahogany, Fir Grain; High-Detail Smooth	Oak, Mahogany Grain	High-Detail Smooth	Smooth	Smooth	Smooth
<b>Exterior Finish</b>	Stain or Paint	Stain or Paint	Paint	Paint	Paint	White
<b>Interior Finish</b>	Stain or Paint	Stain or Paint	Paint	Paint	Paint	White
<b>Panel – Top Rail</b>	Composite	Composite	Composite	Wood	Wood	Vinyl
<b>Panel – Bottom Rail</b>	Composite	Composite	Composite	Composite	Composite	Vinyl
<b>Lock Stile</b>	4-1/8" Full-Length Engineered Lumber Stile	1-1/4" Engineered Lumber	1-1/4" Engineered Lumber	1-1/4" Wood	1-1/4" Wood	–
<b>Lock Block</b>	4-1/8" Full-Length Engineered Lumber Stile	22-1/2" Wood	12-1/2" Wood	12-1/2" Wood	6'8": 12-1/2" Wood / 8'0": 22-1/2" Wood	–
<b>Height Options</b>	6'8" & 8'0"	6'6", 6'8", 7'0" & 8'0"	6'6", 6'8", 7'0" & 8'0"	6'6", 6'8" & 7'0"	6'6", 6'8" & 8'0"	6'6"
<b>Width Options</b>	2'8", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10" & 3'0"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10" & 3'0"	5'0" – 8'0"
<b>Panel Options</b>	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple
<b>Sidelite Options</b>	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"	–
<b>Glass Options</b>	SMC Frame; Deco / Privacy & Textured / Low-E IG	BTS Frame; Deco / Privacy & Textured / Low-E / Clear IG	BTS Frame; Deco / Privacy & Textured / Low-E / Clear IG	BTS Frame; Deco / Privacy & Textured / Low-E / Clear IG	BTS Frame; Deco / Privacy & Textured / Low-E / Clear IG	Low-E / Clear IG
<b>Sill*</b>	Inswing: Composite Adjustable Outswing: Composite Outswing	Inswing: Basic Composite Adjustable Outswing: Composite Outswing	Inswing: Basic Composite Adjustable Outswing: Composite Outswing	Inswing: Basic Fixed Outswing: Aluminum	Inswing: Basic Fixed Outswing: Aluminum	–
<b>Weatherstrip – Hinge</b>	Medium-Reach	Medium-Reach	Medium-Reach	Medium-Reach	Medium-Reach	–
<b>Weatherstrip – Lock</b>	Medium-Reach	Long-Reach	Long-Reach	Long-Reach or Magnetic	Long-Reach or Magnetic	–
<b>Weatherstrip – Head</b>	Medium-Reach	Long-Reach	Long-Reach	Long-Reach or Magnetic	Long-Reach or Magnetic	–
<b>Multi-Point Lock</b>	Recommended	Recommended	Recommended	–	–	–
<b>Security Strike Plate</b>	Recommended	Recommended	Recommended	Recommended	Recommended	–
<b>Hinges*</b>	Classic-Craft Ball-Bearing	Self-Aligning	Self-Aligning	Self-Aligning	Self-Aligning	–
<b>Frame*</b>	Hardwood	Rot-Resistant	Rot-Resistant	Primed Pine	Primed Pine	Vinyl
<b>Screens &amp; Screen Accessories Available</b> Colors: Bronze, Stone, White	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame	–
<b>Residential Limited Warranty</b>	Lifetime	Lifetime	Lifetime	10 Years	Door: 5 Years / Glass: 10 Years / Pulse 8'0": 10 Years	10 Years

For dimensional data, see your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for a copy of the Therma-Tru Unit & Rough Opening Sizing Booklet.

# Therma-Tru® Door Systems

## Independent Laboratory Performance Testing

At the time of manufacture, Therma-Tru exterior door systems (properly assembled with all genuine Therma-Tru components) have been tested under one or more of the following performance specifications: structural load, uniform load deflection, vertical load resistance, air infiltration, water penetration resistance, forced entry resistance, operating forces, force to latch, deglazing resistance, operating cycle performance, impact resistance, sound transmission, thermal performance and solar heat gain performance. Therma-Tru exterior door systems conform to the applicable Performance Standards / Test Methods that may include ANSI/AAMA/NWDA 101/I.S.2, AAMA/WDMA 101/I.S.2/NAFS, AAMA/WDMA/CSA 101/I.S.2-A440, ASTM E330, ASTM E547, ASTM E283, ASTM E 331, ANSI/BHMA A156.2, AAMA 1304, AAMA 920, AAMA 925, ASTM E2068, ASTM F842, ASTM E987, ASTM E1300, ASTM E90, ASTM E413, ASTM E1332, ASTM E1886, ASTM E1996, PA/TAS 201, PA/TAS 202, PA/TAS 203, HUD UM89, AAMA 1702.2, 24 CFR 3280, 24 CFR 3282, NFRC 100 and NFRC 200. Refer to [www.thermatru.com](http://www.thermatru.com) for design pressure and other performance ratings.

## Doors

**Recommended Door Overhang** – For best performance, all doors should be protected by an overhang. The recommended size is half the distance from the base of the door to the bottom of the overhang. So, as an example, a distance of 10' for this dimension would require an overhang of 5' minimum. For wetter climates, southern or western exposures, and for double doors, the overhang should be the same as the distance from the base of the door to the bottom of the overhang. In this same example, the dimension is 10' so the overhang should be 10'.

For best performance, double doors to be used in areas with severe weather exposure must be installed using entry alcoves or large soffit overhangs to protect entry unit from exposure. Multi-point locking systems are highly recommended for 8'0" and double door applications.

## Doorlites

Doorlites are insulated, and exposed panes are tempered. Optional wood grilles available for clear doorlites and transoms.

**Inserts** – All glass (except flush-glazed styles) shall be bedded with glazing mastic and secured in doors with screws. Therma-Tru's SMC and BTS doorlite frames are available for most styles except where noted. SMC and BTS frames shall resist significant deformation by heat up to 200 F, regardless of paint or stain color or placement behind a storm door.

PVC doorlite frames and dividers must be finished within 30 days of installation. Failure to do so will increase the chance for product damage of the type that is not covered by the warranty. PVC doorlite frames and dividers are not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

**Decorative Glass & Wrought Iron** – Each Therma-Tru decorative glass unit is handcrafted by skilled artisans replicating Old World techniques. Each piece is a unique work of art and many things that would appear to be imperfections (small bubbles, lines and waves within the glass) are normal and are part of the Old World charm.

Condensation occurs naturally in the home, caused by excessive humidity in the air. Often this harmless water vapor can be seen collecting on glass surfaces, such as doorlites. Energy-efficient glass units in Therma-Tru door systems are constructed to keep the glass as warm as possible, reducing condensation build-up. However, there is no such thing as a condensation-free window or doorlite in high-humidity conditions.

**NOTE: Glass privacy ratings are determined by the 1/2-lite glass size. As a result, the amount of privacy / glass transparency may be more or less than indicated by the privacy rating, based on the glass design and size of the glass that is inserted into the door, sidelite or transom.**

Glass designs may differ from depiction due to the size of glass and hand craftsmanship. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more details.

## Components

**Adjustable Security Strike Plate** – Proprietary adjustable type, permitting in-out adjustment of door in frame, up to 3/16".

**Hinges** – Minimum hinge size 4" x 4" x .098".

Ball-bearing hinges are recommended for 8'0" doors, doors using heavy lites (e.g., wrought iron), all 20-minute Fire-rated fiberglass doors, impact-rated doors and glass, and all Classic-Craft doors.

Use of the multi-point locking system is highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors.

Please be aware that single door units built with public access sills have little resistance to water penetration, and double doors built with these sills have a potential to leak if installed exposed to weather. We recommend that units be installed away from weather under large soffits or overhangs.

Use of a sill pan is recommended.

Fiber-Classic and Smooth-Star dentil shelves are not recommended for placement behind storm doors or to be painted dark colors, if exposed to direct sunlight.

## Impact-Rated Products

Impact-rated products must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Visit [www.thermatru.com](http://www.thermatru.com) for product approvals and full details on WBDR- (Wind-Borne Debris Region) / HVHZ- (High Velocity Hurricane Zone) compliant products. Follow weather and news reports in order to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

## Fire-Rating Performance Standards

Fire and building codes vary throughout the country and acceptance of products and labels is left to the discretion of the local authorities.

MODIFICATION OF PRODUCTS DESCRIBED IN THIS BROCHURE WHICH CARRY FIRE RATINGS (DOORS AND FRAMES) MAY VOID THE FIRE RATINGS.

Test conducted by Intertek, Warnock-Hersey.

## Limited Warranties

Please be aware of the applicable Therma-Tru Limited Warranty which contains important restrictions, disclaimers, exclusions and conditions, as well as the below listed Installation, Finishing & Maintenance documents, related to the Therma-Tru product purchased (e.g., Fiberglass, Steel, Patio Door Systems), all of which can be obtained from your Therma-Tru seller or found in their entirety at [www.thermatru.com](http://www.thermatru.com):

- Therma-Tru. Fiberglass and Steel Door Systems Residential Limited Warranty: Fiberglass – Classic-Craft®, Fiber-Classic®, Smooth-Star. and Pulse. Door Systems; Steel – Pulse®, Profiles®, Traditions and Therma-Tru. Fire Door (TR 12-24) Steel Edge Door Systems
- Therma-Tru. Vinyl Sliding Patio Door Systems Residential 10-Year Limited Warranty: PVI Sliding Patio Doors
- Therma-Tru. Tru-Defense. Door System Rider to Fiberglass Door Systems Limited Warranty: Classic-Craft®, Fiber-Classic®, Smooth-Star. and Pulse. Fiberglass Door Systems
- Therma-Tru. Construction Glass Breakage Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic-Craft®, Fiber-Classic. and Smooth-Star. Flush-Glazed Fiberglass Door Systems
- Same-Day. Stain 5-Year Limited Warranty: Same-Day. Stain and Topcoat for Use on Therma-Tru. Fiberglass Door Systems and Fypon. Stainable Polyurethane Products

## Installation, Finishing & Maintenance

Installation, finishing and maintenance must be performed according to Therma-Tru's recommendations to comply with warranty requirements. Obtain a copy of the following documents outlining recommendations from your Therma-Tru seller or find them in their entirety at [www.thermatru.com](http://www.thermatru.com):

- Installation Instructions
- Therma-Tru Fiberglass and Steel Door Systems Recommendations for Proper Finishing and Painting or Staining

**NOTE: Finish colors may vary from an actual application due to fluctuations in finishing or the printing of this catalog. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more details.**



**Therma-Tru. Owner's Manual & Warranties**

[www.thermatru.com/warranty](http://www.thermatru.com/warranty)



CCR8005.....	77	CCR820024B.....	71	CCR822238.....	74	CC109.....	82	CC822.....	87	CC92XR.....	87
CCR8005A.....	77	CCR820025.....	70	CCR8225.....	77	CC11.....	89	CC830.....	88	CC96.....	86
CCR8006SL.....	73	CCR820026.....	73	CCR8225R.....	77	CC110B.....	83	CC830XC.....	88	CC97.....	85
CCR8007SL.....	73	CCR820027.....	70	CCR89812SL.....	68	CC111B.....	83	CC830XJ.....	88	CC9811.....	82
CCR8008SL.....	72	CCR820028.....	72	CCR89819.....	68	CC112B.....	83	CC830XN.....	88	CC9812.....	82
CCR8009SL.....	69	CCR820029.....	69	CCR89821.....	68	CC113B.....	83	CC830XR.....	88	CC9812SL.....	82
CCR8010BSL.....	71	CCR820030.....	76	CCR89822.....	68	CC114B.....	83	CC831.....	89	CC9818.....	82
CCR8040.....	77	CCR820030A.....	76	CCR89918.....	68	CC1418.....	84	CC832.....	88	CC99.....	82
CCR804020.....	76	CCR820030AXC.....	76	CCR89919.....	68	CC1423.....	84	CC832XC.....	87	CC9922.....	82
CCR804020XC.....	75	CCR820030AXJ.....	76	CCR89921.....	68	CC1423SL.....	84	CC832XJ.....	87	CC9925.....	82
CCR804020XJ.....	75	CCR820030AXN.....	76	CCR89925SL.....	68	CC1424.....	84	CC832XN.....	87	CC9925SL.....	82
CCR804020XN.....	75	CCR820030AXR.....	76	CCR9812.....	68	CC16.....	86	CC832XR.....	87	CC9926.....	82
CCR804020XR.....	75	CCR820030XC.....	76	CCR9812SL.....	68	CC17.....	85	CC833.....	87	DLHRT.....	89
CCR804022.....	74	CCR820030XJ.....	76	CCR9819.....	68	CC19.....	83	CC836.....	86	HW30T.....	82
CCR804023.....	73	CCR820030XN.....	76	CCR9821.....	68	CC2020SL.....	89	CC837.....	85	HWRT.....	82
CCR804024B.....	71	CCR820030XR.....	76	CCR9822.....	68	CC2020XCSL.....	88	CC839.....	82	LC30T.....	87
CCR804025.....	70	CCR820032A.....	75	CCR9918.....	68	CC2020XJSL.....	88	CC860.....	89	LCET.....	87
CCR804026.....	73	CCR820035.....	70	CCR9919.....	68	CC2020XNSL.....	88	CC870.....	88	LCHRT.....	87
CCR804027.....	69	CCR820035A.....	70	CCR9921.....	68	CC2020XRSL.....	88	CC876.....	86	LCRT.....	87
CCR804028.....	72	CCR820037.....	70	CCR9925.....	68	CC2025SL.....	87	CC877.....	85	PRHRT.....	85
CCR804029.....	69	CCR820037A.....	70	CCR9925SL.....	68	CC2025XCSL.....	87	CC879.....	83	VG30T.....	82
CCR804030.....	76	DLHRT.....	76	DLHRT.....	76	CC2025XJSL.....	87	CC880.....	88	VGRT.....	82
CCR804030A.....	76	HW30T.....	68	HW30T.....	68	CC2025XNSL.....	87	CC880XC.....	88		
CCR804030AXC.....	76	HWRT.....	68	HWRT.....	68	CC2025XRSL.....	87	CC880XJ.....	88	<b>Canvas Collection.</b>	
CCR804030AXJ.....	76	LC30T.....	75	LC30T.....	75	CC2040SL.....	85	CC880XN.....	88	19020T.....	106
CCR804030AXN.....	76	LCET.....	75	LCET.....	75	CC2044SL.....	86	CC880XR.....	88	19200T.....	106
CCR804030AXR.....	76	LCHRT.....	75	LCHRT.....	75	CC2060SL.....	83	CC881.....	87	19210T.....	106
CCR804030XC.....	75	LCRT.....	75	LCRT.....	75	CC2080BSL.....	83	CC882.....	88	19220T.....	106
CCR804030XJ.....	75	LF30T.....	73	LF30T.....	73	CC2120SL.....	89	CC882XC.....	87	AB30T.....	99
CCR804030XN.....	75	LFET.....	73	LFET.....	73	CC2122SL.....	87	CC882XJ.....	87	ABRT.....	99
CCR804030XR.....	75	LFHRT.....	73	LFHRT.....	73	CC2140SL.....	85	CC882XN.....	87	ARHRT.....	96
CCR804032.....	75	LFRT.....	73	LFRT.....	73	CC2144SL.....	86	CC882XR.....	87	AS30T.....	98
CCR804032A.....	75	PRHRT.....	72	PRHRT.....	72	CC2160SL.....	83	CC886.....	86	ASET.....	98
CCR804035.....	70	VG30T.....	68	VG30T.....	68	CC2270SL.....	89	CC887.....	85	ASHRT.....	98
CCR804035A.....	70	VGRT.....	68	VGRT.....	68	CC2272SL.....	87	CC889.....	82	ASRT.....	98
CCR804037.....	69	ZHRT.....	74	ZHRT.....	74	CC2276SL.....	86	CC890.....	88	BEHRT.....	98
CCR804037A.....	69	ZHRT.....	74	ZHRT.....	74	CC2277SL.....	85	CC890XC.....	88	BEET-B.....	98
CCR8040R.....	77					CC2279SL.....	83	CC890XJ.....	88	BERT-B.....	98
CCR8100.....	77	<b>Oak Collection.</b>		<b>Oak Collection.</b>		CC3412SL.....	87	CC890XN.....	88	CBHRT.....	102
CCR8100A.....	77	19020T.....	88	19020T.....	88	CC3502SL.....	87	CC890XR.....	88	CC040T.....	100
CCR8100R.....	77	19020T.....	89	19020T.....	89	CC40.....	89	CC892.....	88	CC060T.....	96
CCR8102SL.....	75	19200T.....	88	19200T.....	88	CC400T.....	85	CC892XC.....	87	CC090T.....	102
CCR81414.....	71	19200T.....	89	19200T.....	89	CC420T.....	85	CC892XJ.....	87	CC400T.....	100
CCR81415.....	71	19220T.....	88	19220T.....	88	CC44.....	86	CC892XN.....	87	CC420T.....	100
CCR81417.....	71	19220T.....	89	19220T.....	89	CC45.....	82	CC892XR.....	87	CC600T.....	96
CCR81423SL.....	71	AB30T.....	84	AB30T.....	84	CC47.....	85	CC896.....	86	CC620T.....	96
CCR81511.....	72	ABRT.....	84	ABRT.....	84	CC48.....	88	CC897.....	85	CC900T.....	102
CCR81511A.....	72	ARHRT.....	83	ARHRT.....	83	CC49.....	88	CC898.....	87	CC920T.....	102
CCR81512.....	72	BEET-B.....	83	BEET-B.....	83	CC60.....	89	CC89812SL.....	82	CCV050.....	106
CCR81512A.....	72	BERT-B.....	83	BERT-B.....	83	CC600T.....	83	CC89816.....	82	CCV05012.....	105
CCR81514.....	72	CBHRT.....	86	CBHRT.....	86	CC61.....	89	CC89818.....	82	CCV05012XC.....	103
CCR81514A.....	72	CC040T.....	85	CC040T.....	85	CC612.....	87	CC899.....	82	CCV05012XJ.....	103
CCR81515.....	72	CC060T.....	83	CC060T.....	83	CC620T.....	83	CC89922.....	82	CCV05012XN.....	103
CCR81516.....	72	CC090T.....	86	CC090T.....	86	CC70.....	88	CC89924.....	82	CCV05012XR.....	103
CCR81518.....	72	CC10.....	89	CC10.....	89	CC76.....	86	CC89925SL.....	82	CCV05020.....	105
CCR81838.....	74	CC100.....	88	CC100.....	88	CC77.....	85	CC90.....	88	CCV05020XC.....	104
CCR81839.....	74	CC10022.....	87	CC10022.....	87	CC78.....	87	CC900B.....	83	CCV05020XJ.....	104
CCR81841.....	74	CC100XC.....	88	CC100XC.....	88	CC79.....	82	CC900T.....	86	CCV05020XN.....	104
CCR81845.....	74	CC100XJ.....	88	CC100XJ.....	88	CC8000SL.....	89	CC900B.....	83	CCV05020XR.....	104
CCR81845A.....	74	CC100XN.....	88	CC100XN.....	88	CC8000XCSL.....	88	CC900T.....	86	CCV05022.....	103
CCR81846.....	74	CC100XR.....	88	CC100XR.....	88	CC8000XJSL.....	88	CC901B.....	83	CCV05023.....	101
CCR81846A.....	74	CC101OSL.....	89	CC101OSL.....	89	CC8000XNSL.....	88	CC901B.....	83	CCV05024B.....	98
CCR81847.....	74	CC1016SL.....	86	CC1016SL.....	86	CC8000XRSL.....	88	CC902B.....	83	CCV05025.....	97
CCR81847A.....	74	CC1017SL.....	85	CC1017SL.....	85	CC8006SL.....	86	CC90XC.....	88	CCV05026.....	101
CCR81851SL.....	74	CC1019SL.....	83	CC1019SL.....	83	CC8007SL.....	85	CC90XJ.....	88	CCV05027.....	97
CCR8200.....	77	CC102.....	88	CC102.....	88	CC8009SL.....	83	CC90XN.....	88	CCV05028.....	100
CCR820020.....	76	CC1022.....	83	CC1022.....	83	CC8009SL.....	83	CC90XR.....	88	CCV05029.....	96
CCR820020XC.....	75	CC1020BSL.....	88	CC1020BSL.....	88	CC8010BSL.....	83	CC91.....	89	CCV060.....	106
CCR820020XJ.....	75	CC102XC.....	87	CC102XC.....	87	CC810.....	89	CC92.....	88	CCV06020.....	106
CCR820020XN.....	75	CC102XJ.....	87	CC102XJ.....	87	CC8102SL.....	87	CC920T.....	86	CCV06022.....	103
CCR820020XR.....	75	CC102XN.....	87	CC102XN.....	87	CC811.....	89	CC922.....	87	CCV06023.....	101
CCR820022.....	74	CC102XR.....	87	CC102XR.....	87	CC81418.....	84	CC92XC.....	87	CCV06024B.....	98
CCR820022A.....	74	CC106.....	86	CC106.....	86	CC81419.....	84	CC92XJ.....	87	CCV06025.....	98
CCR820022B.....	71	CC107.....	85	CC107.....	85	CC81420.....	84	CC92XN.....	87	CCV06026.....	102
CCR820022C.....	73					CC81423SL.....	84				
CCR820022D.....	70										
CCR820022E.....	73										
CCR820022F.....	70										
CCR820022G.....	70										
CCR820022H.....	72										
CCR820022I.....	72										
CCR820022J.....	69										

CCV06028.....	100	CCV1515.....	99	CCV4100.....	99	CCV805020XC.....	104	CCV820520.....	105	CCV910XJ.....	104
CCV06029.....	96	CCV1516.....	99	CCV4100SL.....	99	CCV805020XJ.....	104	CCV820520XC.....	104	CCV910XJSL.....	104
CCV0609.....	105	CCV1517.....	99	CCV4200.....	99	CCV805020XN.....	104	CCV820520XJ.....	104	CCV910XN.....	104
CCV10015.....	105	CCV1519.....	99	CCV4300.....	99	CCV805020XR.....	104	CCV820520XN.....	104	CCV910XNSL.....	104
CCV10015XC.....	103	CCV1528.....	99	CCV455.....	106	CCV805022.....	103	CCV820520XR.....	104	CCV910XR.....	104
CCV10015XJ.....	103	CCV1838.....	102	CCV45520.....	105	CCV805023.....	101	CCV820522.....	103	CCV910XRSL.....	104
CCV10015XN.....	103	CCV1839.....	102	CCV45520XC.....	104	CCV805024B.....	98	CCV820523.....	101	CCV911.....	96
CCV10015XR.....	103	CCV1840.....	102	CCV45520XJ.....	104	CCV805025.....	97	CCV820524B.....	98	CCV911SL.....	96
CCV10020.....	105	CCV1843.....	102	CCV45520XN.....	104	CCV805026.....	101	CCV820525.....	97	CCV912.....	95
CCV10020XC.....	104	CCV1851.....	102	CCV45520XR.....	104	CCV805027.....	97	CCV820526.....	101	CCV912SL.....	95
CCV10020XJ.....	104	CCV1851SL.....	102	CCV45522.....	103	CCV805028.....	100	CCV820527.....	97	CCV920.....	105
CCV10020XN.....	104	CCV200.....	106	CCV45523.....	101	CCV805029.....	96	CCV820528.....	100	CCV920XC.....	104
CCV10020XR.....	104	CCV205.....	106	CCV45524B.....	98	CCV806012.....	105	CCV820529.....	96	CCV920XCSSL.....	104
CCV10022.....	103	CCV20520.....	105	CCV45525.....	97	CCV806012XC.....	103	CCV820530.....	106	CCV920XJ.....	104
CCV10023.....	101	CCV20520XC.....	104	CCV45526.....	101	CCV806012XJ.....	103	CCV820530A.....	106	CCV920XJSL.....	104
CCV10024B.....	98	CCV20520XJ.....	104	CCV45527.....	97	CCV806012XN.....	103	CCV820530AXC.....	104	CCV920XN.....	104
CCV10025.....	97	CCV20520XN.....	104	CCV45528.....	100	CCV806012XR.....	103	CCV820530AXJ.....	104	CCV920XNSL.....	104
CCV10026.....	101	CCV20520XR.....	104	CCV45529.....	96	CCV806020.....	106	CCV820530AXN.....	104	CCV920XR.....	104
CCV10027.....	97	CCV20522.....	103	CCV45537.....	97	CCV806020XC.....	104	CCV820530AXR.....	104	CCV920XRSL.....	104
CCV10028.....	100	CCV20523.....	101	CCV45537A.....	97	CCV806020XJ.....	104	CCV820530XC.....	104	CCV921.....	96
CCV10029.....	96	CCV20524B.....	98	CCV455A.....	106	CCV806020XN.....	104	CCV820530XJ.....	104	CCV922.....	95
CCV100SL.....	106	CCV20525.....	97	CCV803012.....	105	CCV806020XR.....	104	CCV820530XN.....	104	CCV930.....	105
CCV100XCSSL.....	104	CCV20526.....	101	CCV803012XC.....	103	CCV806022.....	103	CCV820530XR.....	104	CCV930XC.....	104
CCV100XHSL.....	100	CCV20527.....	97	CCV803012XJ.....	103	CCV806023.....	101	CCV820532.....	103	CCV930XJ.....	104
CCV100XJSL.....	104	CCV20528.....	100	CCV803012XN.....	103	CCV806024B.....	98	CCV820532A.....	103	CCV930XN.....	104
CCV100XNSL.....	97	CCV20529.....	96	CCV803012XR.....	103	CCV806025.....	98	CCV820535.....	97	CCV930XR.....	104
CCV100XNSL.....	104	CCV20537.....	97	CCV803020.....	106	CCV806026.....	102	CCV820535A.....	98	CCV931.....	96
CCV100XRSL.....	104	CCV20537A.....	97	CCV803020XC.....	104	CCV806027.....	97	CCV820537.....	97	CCV932.....	95
CCV103SL.....	101	CCV205A.....	106	CCV803020XJ.....	104	CCV806028.....	100	CCV820537A.....	97	CCV940.....	105
CCV104BSL.....	98	CCV220.....	106	CCV803020XN.....	104	CCV806029.....	96	CCV8205A.....	106	CCV940XC.....	104
CCV105SL.....	98	CCV22020.....	105	CCV803020XR.....	104	CCV8100SL.....	106	CCV8220.....	106	CCV940XJ.....	104
CCV106SL.....	102	CCV22020XC.....	104	CCV803022.....	103	CCV8100XCSSL.....	104	CCV822012.....	105	CCV940XN.....	104
CCV108SL.....	100	CCV22020XJ.....	104	CCV803023.....	101	CCV8100XHSL.....	100	CCV822012XC.....	103	CCV940XR.....	104
CCV109SL.....	96	CCV22020XN.....	104	CCV803024B.....	98	CCV8100XJSL.....	104	CCV822012XJ.....	103	CCV950SL.....	105
CCV1414.....	99	CCV22020XR.....	104	CCV803025.....	98	CCV8100XNSL.....	97	CCV822012XN.....	103	CCV950XCSSL.....	104
CCV1415.....	99	CCV22022.....	103	CCV803026.....	102	CCV8100XRSL.....	104	CCV822012XR.....	103	CCV950XJSL.....	104
CCV1416.....	99	CCV22023.....	101	CCV803027.....	97	CCV8100XRSL.....	104	CCV822020.....	105	CCV950XNSL.....	104
CCV1418.....	99	CCV22024B.....	98	CCV803028.....	100	CCV8102SL.....	103	CCV822020XC.....	104	CCV950XRSL.....	104
CCV1423.....	99	CCV22025.....	97	CCV803029.....	96	CCV8103SL.....	101	CCV822020XJ.....	104	CCV960.....	105
CCV1423SL.....	99	CCV22026.....	101	CCV805015.....	105	CCV8104BSL.....	98	CCV822020XN.....	104	CCV960XC.....	104
CCV1424.....	99	CCV22027.....	97	CCV805015XC.....	103	CCV8105SL.....	98	CCV822020XR.....	104	CCV960XJ.....	104
CCV1512.....	99	CCV22028.....	100	CCV805015XJ.....	103	CCV8106SL.....	102	CCV822022.....	103	CCV960XN.....	104
CCV1512A.....	100	CCV22029.....	96	CCV805015XN.....	103	CCV8108SL.....	100	CCV822023.....	101	CCV960XR.....	104
CCV1513.....	100	CCV3412SL.....	103	CCV805015XR.....	103	CCV8109SL.....	96	CCV822024B.....	98	CCV9811.....	95
CCV1513A.....	100	CCV400.....	106	CCV805020.....	105	CCV8111SL.....	96	CCV822025.....	97	CCV9812.....	95
						CCV812SL.....	95	CCV822026.....	101	CCV9818.....	95
						CCV81414.....	99	CCV822027.....	97	CCV9820.....	95
						CCV81415.....	99	CCV822028.....	100	CCV9821.....	95
						CCV81417.....	99	CCV822029.....	96	CCV9822.....	95
						CCV81418.....	99	CCV831.....	106	CCV9818.....	95
						CCV81420.....	99	CCV860.....	106	CCV9919.....	95
						CCV81423SL.....	99	CCV8950SL.....	105	CCV9920.....	95
						CCV81512.....	99	CCV8950XCSSL.....	104	CCV9922.....	95
						CCV81512A.....	100	CCV8950XJSL.....	104	CCV9925.....	95
						CCV81515.....	99	CCV8950XNSL.....	104	CCV9926.....	95
						CCV81516.....	99	CCV8950XRSL.....	104	DLHRT.....	106
						CCV81518.....	100	CCV89815.....	95	HW30T.....	96
						CCV81519.....	99	CCV89818.....	95	HWRT.....	96
						CCV81520.....	100	CCV89819.....	95	LC30T.....	103
						CCV81838.....	102	CCV89821.....	95	LCET.....	103
						CCV81839.....	102	CCV89822.....	95	LCHRT.....	103
						CCV81840.....	102	CCV89918.....	95	LCRT.....	103
						CCV81841.....	102	CCV89919.....	95	LF30T.....	101
						CCV81843.....	102	CCV89921.....	95	LFET.....	101
						CCV81846.....	102	CCV89922.....	95	LFHRT.....	101
						CCV81851SL.....	102	CCV89924.....	96	LFRT.....	101
						CCV8205.....	106	CCV9010SL.....	106	PRHRT.....	100
						CCV820512.....	105	CCV9011SL.....	96	VG30T.....	95
						CCV820512XC.....	103	CCV9012SL.....	95	VGRT.....	95
						CCV820512XJ.....	103	CCV9020SL.....	105	ZHHRT.....	102
						CCV820512XN.....	103	CCV910.....	106	ZHRT.....	102
						CCV820512XR.....	103	CCV910XC.....	104		
								CCV910XCSSL.....	104		



Bottom: Classic-Craft Oak Collection, Cambridge Glass, Door – CC96, Sidelites – CC2044SL

# Fiber-Classic® & Smooth-Star®

## Fiber-Classic Mahogany Collection

FCM10.....	194	FCM1283XR.....	171	FCM18XC.....	168	FCM6021XN.....	171	FCM608XR.....	168	FCM707SL.....	126
FCM100.....	128	FCM1283XE.....	171	FCM18XE.....	168	FCM6021XR.....	171	FCM608XE.....	168	FCM708.....	194
FCM1000.....	198	FCM1284.....	181	FCM18XJ.....	168	FCM6021XE.....	171	FCM609.....	135	FCM708XC.....	172
FCM1006.....	135	FCM1284XC.....	168	FCM18XN.....	168	FCM6022.....	181	FCM6093.....	139	FCM708XJ.....	172
FCM100-A.....	128	FCM1284XJ.....	168	FCM18XR.....	168	FCM60221G.....	142	FCM6094.....	146	FCM708XN.....	172
FCM101.....	128	FCM1284XN.....	168	FCM198.....	183	FCM60221R.....	142	FCM6095.....	152	FCM708XR.....	172
FCM101-A.....	128	FCM1284XR.....	168	FCM205.....	198	FCM6022XC.....	168	FCM6097.....	181	FCM708XE.....	172
FCM101SL.....	128	FCM1284XE.....	168	FCM2101SL.....	182	FCM6022XJ.....	168	FCM61.....	194	FCM7125SL.....	182
FCM101SL-A.....	128	FCM1285.....	181	FCM2106.....	181	FCM6022XN.....	168	FCM6107.....	135	FCM721.....	147
FCM1027.....	137	FCM1285XC.....	168	FCM2107.....	181	FCM6022XR.....	168	FCM6108.....	135	FCM735.....	152
FCM1029.....	144	FCM1285XJ.....	168	FCM2108.....	181	FCM6022XE.....	168	FCM6124SL.....	183	FCM736.....	135
FCM104.....	146	FCM1285XN.....	168	FCM220.....	198	FCM6023.....	163	FCM6124XCSL.....	168	FCM752.....	182
FCM104XC.....	172	FCM1285XR.....	168	FCM2321G.....	142	FCM6024.....	157	FCM6124XJSL.....	168	FCM755.....	198
FCM104XJ.....	172	FCM1285XE.....	168	FCM2321R.....	142	FCM6025.....	128	FCM6124XNSL.....	168	FCM756.....	134
FCM104XN.....	172	FCM1286.....	175	FCM241.....	128	FCM6025-A.....	128	FCM6124XRSL.....	168	FCM757.....	157
FCM104XR.....	172	FCM1286SL.....	175	FCM241-A.....	128	FCM6026.....	152	FCM6124XESL.....	168	FCM758.....	137
FCM104XE.....	172	FCM1289.....	183	FCM3000-2C.....	182	FCM6027.....	125	FCM6125SL.....	183	FCM759.....	157
FCM105.....	146	FCM1289SL.....	183	FCM3000-3C.....	182	FCM6029.....	139	FCM6125XCSL.....	168	FCM759SL.....	158
FCM1051.....	134	FCM131.....	128	FCM3000-4C.....	182	FCM6030.....	146	FCM6125XJSL.....	168	FCM760.....	123
FCM105SL.....	147	FCM13101SL.....	163	FCM3000-6C.....	183	FCM6031.....	131	FCM6125XNSL.....	168	FCM761.....	137
FCM106.....	147	FCM131-A.....	128	FCM3000F-2C.....	182	FCM6032.....	123	FCM6125XRSL.....	168	FCM761SL.....	137
FCM108.....	123	FCM131SL.....	128	FCM3000F-3C.....	182	FCM6035.....	175	FCM6125XEL.....	168	FCM762.....	157
FCM1089SL.....	182	FCM131SL-A.....	128	FCM3000F-4C.....	183	FCM6036.....	155	FCM6126SL.....	183	FCM762SL.....	158
FCM109.....	123	FCM132.....	194	FCM3000F-6C.....	183	FCM604.....	128	FCM6126XCSL.....	168	FCM763.....	163
FCM109SL.....	123	FCM134.....	198	FCM31.....	198	FCM6041.....	194	FCM6126XJSL.....	168	FCM764.....	137
FCM10XC.....	171	FCM138.....	180	FCM310.....	123	FCM6041XC.....	172	FCM6126XNSL.....	168	FCM764SL.....	137
FCM10XJ.....	171	FCM138XC.....	168	FCM32.....	194	FCM6041XJ.....	172	FCM6126XRSL.....	168	FCM765.....	123
FCM10XN.....	171	FCM138XJ.....	168	FCM32SL.....	195	FCM6041XN.....	172	FCM6126XESL.....	168	FCM765SL.....	123
FCM10XR.....	171	FCM138XN.....	168	FCM32XC.....	171	FCM6041XR.....	172	FCM61XC.....	172	FCM768GSL.....	142
FCM10XE.....	171	FCM138XR.....	168	FCM32XCSSL.....	172	FCM6041XE.....	172	FCM61XJ.....	172	FCM768RSL.....	142
FCM11.....	163	FCM138XE.....	168	FCM32XJ.....	171	FCM6042.....	182	FCM61XN.....	172	FCM783.....	157
FCM110.....	123	FCM140.....	175	FCM32XJSL.....	172	FCM6042XC.....	168	FCM61XR.....	172	FCM783SL.....	158
FCM113.....	131	FCM1400SL.....	183	FCM32XN.....	171	FCM6042XJ.....	168	FCM61XE.....	172	FCM784.....	163
FCM114.....	131	FCM1402.....	183	FCM32XNSL.....	172	FCM6042XN.....	168	FCM62.....	194	FCM785.....	137
FCM114SL.....	131	FCM1405.....	183	FCM32XR.....	171	FCM6042XE.....	168	FCM626.....	155	FCM786.....	157
FCM115.....	131	FCM1405SL.....	183	FCM32XRSL.....	172	FCM6043.....	163	FCM626SL.....	195	FCM787.....	163
FCM115SL.....	131	FCM1406.....	183	FCM32XE.....	171	FCM6044.....	157	FCM62XC.....	171	FCM788.....	137
FCM116.....	175	FCM1408.....	183	FCM32XESL.....	172	FCM6045.....	128	FCM62XCSL.....	172	FCM789.....	155
FCM118.....	131	FCM1408SL.....	175	FCM3487SL.....	182	FCM6045-A.....	128	FCM62XJ.....	171	FCM799.....	158
FCM1200.....	181	FCM141.....	175	FCM3487XCSL.....	168	FCM6046.....	152	FCM62XJSL.....	172	FCM80.....	194
FCM1200SL.....	182	FCM142.....	144	FCM3487XJSL.....	168	FCM6047.....	125	FCM62XN.....	171	FCM800.....	137
FCM1201.....	180	FCM143.....	144	FCM3487XNSL.....	168	FCM6049.....	139	FCM62XNSL.....	172	FCM802.....	126
FCM1201SL.....	182	FCM143SL.....	145	FCM3487XRSL.....	168	FCM6049-A.....	128	FCM62XR.....	171	FCM806GSL.....	142
FCM1202.....	180	FCM144.....	144	FCM3487XESL.....	168	FCM605.....	183	FCM62XRSL.....	172	FCM806RSL.....	142
FCM1202SL.....	182	FCM144SL.....	145	FCM369.....	131	FCM6050.....	146	FCM62XE.....	171	FCM807SL.....	137
FCM1203.....	180	FCM146.....	144	FCM38.....	125	FCM6051.....	131	FCM62XESL.....	172	FCM808SL.....	123
FCM1208.....	181	FCM147.....	146	FCM38SL.....	126	FCM6052.....	123	FCM63.....	181	FCM809SL.....	152
FCM1209.....	180	FCM147SL.....	147	FCM45.....	125	FCM6055.....	175	FCM65.....	181	FCM81000.....	198
FCM12101SL.....	194	FCM148.....	155	FCM45SL.....	126	FCM6056.....	155	FCM65SL.....	182	FCM8101SL.....	182
FCM12101XCSL.....	172	FCM149.....	155	FCM506.....	149	FCM6056SL.....	168	FCM65XC.....	168	FCM8101XCSL.....	168
FCM12101XJSL.....	172	FCM149SL.....	155	FCM508.....	149	FCM605XC.....	168	FCM65XCSL.....	168	FCM8101XJSL.....	168
FCM12101XNSL.....	172	FCM150.....	155	FCM543.....	149	FCM605XJ.....	168	FCM65XJ.....	168	FCM8101XNSL.....	168
FCM12101XRSL.....	172	FCM151.....	155	FCM545SL.....	149	FCM605XN.....	168	FCM65XJSL.....	168	FCM8101XRSL.....	168
FCM12101XESL.....	172	FCM156.....	155	FCM547.....	157	FCM605XR.....	168	FCM65XN.....	168	FCM8101XESL.....	168
FCM12102SL.....	182	FCM16.....	125	FCM571.....	149	FCM605XE.....	168	FCM65XNSL.....	168	FCM8102SL.....	158
FCM12102XCSL.....	168	FCM160.....	194	FCM572SL.....	149	FCM606.....	183	FCM65XR.....	168	FCM8103SL.....	145
FCM12102XJSL.....	168	FCM163.....	147	FCM574.....	149	FCM606XC.....	168	FCM65XRSL.....	168	FCM8104SL.....	137
FCM12102XNSL.....	168	FCM163SL.....	147	FCM575.....	149	FCM606XJ.....	168	FCM65XE.....	168	FCM8105SL.....	126
FCM12102XRSL.....	168	FCM164.....	123	FCM577.....	149	FCM606XN.....	168	FCM65XESL.....	168	FCM8107SL.....	155
FCM12102XESL.....	168	FCM164SL.....	123	FCM581.....	149	FCM606XR.....	168	FCM66.....	163	FCM8109SL.....	163
FCM1211.....	180	FCM1645.....	160	FCM583SL.....	149	FCM606XE.....	168	FCM669.....	163	FCM8110SL.....	175
FCM1212.....	180	FCM1646SL.....	160	FCM60.....	198	FCM607.....	183	FCM66SL.....	163	FCM8111L.....	134
FCM124.....	126	FCM1647.....	160	FCM600.....	198	FCM6074.....	144	FCM67.....	194	FCM8111RSL.....	134
FCM125.....	147	FCM165.....	144	FCM601.....	194	FCM6075.....	144	FCM6721G.....	142	FCM8113.....	163
FCM126.....	128	FCM1650.....	160	FCM601XC.....	172	FCM6077C.....	168	FCM6721GS.....	142	FCM8113SL.....	163
FCM126-A.....	128	FCM1651.....	160	FCM601XJ.....	172	FCM6077J.....	168	FCM6721R.....	142	FCM8114.....	125
FCM1283.....	194	FCM1652.....	160	FCM601XN.....	172	FCM6077N.....	168	FCM6721RSL.....	142	FCM8114SL.....	126
FCM1283XC.....	171	FCM1654.....	160	FCM601XR.....	172	FCM6077XR.....	168	FCM701G.....	142	FCM8115.....	175
FCM1283XJ.....	171	FCM1656.....	160	FCM601XE.....	172	FCM6077XE.....	168	FCM701R.....	142	FCM8115SL.....	175
FCM1283XN.....	171	FCM1656SL.....	160	FCM602.....	139	FCM608.....	183	FCM701SL.....	195	FCM811L.....	134
		FCM1658.....	160	FCM6021.....	194	FCM608XC.....	168	FCM704.....	183	FCM811RSL.....	134
		FCM18.....	181	FCM6021XC.....	171	FCM608XJ.....	168	FCM707.....	140		
		FCM18101SL.....	126	FCM6021XJ.....	171	FCM608XN.....	168				

FCM81200.....	194	FCM83000F-3C.....	182	FCM870XR.....	171	FCM918G.....	142	2000XNSL.....	167	81921PSL.....	148
FCM81200SL.....	194	FCM83000F-4C.....	183	FCM870XRSL.....	172	FCM918R.....	142	2000XR.....	167	81921SL.....	148
FCM81200XC.....	171	FCM83000F-6C.....	183	FCM870XE.....	171	FCM920G.....	142	2000XRSL.....	167	81928P.....	152
FCM81200XCSSL.....	172	FCM8310SL.....	182	FCM870XESL.....	172	FCM920R.....	142	2000XE.....	167	81928PSL.....	153
FCM81200XJ.....	171	FCM8311SL.....	182	FCM871.....	123	FCM922G.....	142	2000XESL.....	167	81928SL.....	153
FCM81200XJSL.....	172	FCM8313SL.....	182	FCM871SL.....	123	FCM922R.....	142	2009SL.....	178	81929P.....	195
FCM81200XN.....	171	FCM8321.....	182	FCM872.....	128	FCM923G.....	142	2010XC.....	165	81929PSL.....	196
FCM81200XNSL.....	172	FCM8321XC.....	168	FCM8721.....	147	FCM923R.....	142	2010XJ.....	165	81929PXC.....	172
FCM81200XR.....	171	FCM8321XJ.....	168	FCM872-A.....	128	FCM92SL.....	182	2010XR.....	165	81929PXJ.....	172
FCM81200XRSL.....	172	FCM8321XN.....	168	FCM872SL.....	128	FCM92XCSSL.....	168	2010XE.....	165	81929PXN.....	172
FCM81200XE.....	171	FCM8321XR.....	168	FCM872SL-A.....	128	FCM92XJSL.....	168	2020XN.....	165	81929PXR.....	172
FCM81200XESL.....	172	FCM8321XE.....	168	FCM873.....	131	FCM92XNSL.....	168	2050SL.....	177	81929PXE.....	172
FCM81208P.....	181	FCM8322.....	181	FCM8735.....	152	FCM92XRSL.....	168	2050XC.....	165	81929XCSSL.....	173
FCM81208PSL.....	182	FCM8323.....	181	FCM8736.....	135	FCM92XESL.....	168	2050XCSSL.....	165	81929XJSL.....	173
FCM81208SL.....	182	FCM8324.....	181	FCM873SL.....	131	FCM966.....	137	2050XJ.....	165	81929XNSL.....	173
FCM81225.....	175	FCM8545SL.....	149	FCM874.....	146	FCM968.....	137	2050XJSL.....	165	81929XRSL.....	173
FCM81225SL.....	175	FCM8571.....	149	FCM874SL.....	147	<b>Fiber-Classic</b>		2050XN.....	165	81929XESL.....	173
FCM812SL.....	135	FCM8572SL.....	149	FCM8752.....	182	<b>Oak Collection.</b>		2050XNSL.....	165	81930P.....	158
FCM813.....	163	FCM8573SL.....	149	FCM881SL.....	195	1000.....	199	2050XR.....	165	81930PSL.....	158
FCM81300SL.....	163	FCM8574.....	149	FCM881XCSSL.....	172	1283.....	195	2050XRSL.....	165	81931P.....	163
FCM813SL.....	155	FCM8581.....	149	FCM881XJSL.....	172	1284.....	184	2050XE.....	165	81932P.....	138
FCM814.....	125	FCM8583SL.....	149	FCM881XNSL.....	172	1285.....	184	2050XESL.....	165	81932PSL.....	138
FCM81421GSL.....	142	FCM860.....	198	FCM881XRSL.....	172	1286.....	175	2100SL.....	180	81933P.....	123
FCM81421RSL.....	142	FCM860221G.....	142	FCM881XESL.....	172	1289.....	188	2150SL.....	177	81933PSL.....	124
FCM8145.....	183	FCM860221R.....	142	FCM882SL.....	123	1289.....	188	8000-12.....	177	81935P.....	126
FCM8145SL.....	183	FCM861.....	194	FCM883SL.....	128	2000.....	180	8000-18.....	177	81935PSL.....	127
FCM8149.....	155	FCM861XC.....	172	FCM883SL-A.....	128	2009.....	178	8000-9.....	178	81936P.....	129
FCM814SL.....	131	FCM861XJ.....	172	FCM884SL.....	131	2010.....	177	8000XC.....	167	81936P-A.....	129
FCM815SL.....	140	FCM861XN.....	172	FCM885SL.....	147	2050.....	177	8000XJ.....	167	81936PSL.....	129
FCM816.....	123	FCM861XR.....	172	FCM886.....	135	2100.....	180	8000XN.....	167	81936PSL-A.....	129
FCM81645.....	160	FCM861XE.....	172	FCM886SL.....	135	2150.....	177	8000XR.....	167	81937P.....	131
FCM81646SL.....	160	FCM862.....	194	FCM887SL.....	135	8000.....	180	8000XE.....	167	81937PSL.....	132
FCM81651.....	160	FCM862SL.....	195	FCM888.....	139	81000.....	199	81200P.....	195	81938P.....	140
FCM81651SL.....	160	FCM862XC.....	171	FCM888SL.....	140	81200.....	195	81200PSL.....	196	81938PSL.....	140
FCM81652.....	160	FCM862XCSSL.....	172	FCM889SL.....	140	81208.....	184	81200PXC.....	172	81939P.....	135
FCM81652SL.....	160	FCM862XJ.....	171	FCM890.....	152	81225.....	175	81200PXCSSL.....	173	81939PSL.....	136
FCM81654.....	160	FCM862XJSL.....	172	FCM890SL.....	152	81828.....	184	81200PXJ.....	172	81940P.....	145
FCM81654SL.....	160	FCM862XN.....	171	FCM891.....	152	12101SL.....	196	81200PXJSL.....	173	81940PSL.....	145
FCM816SL.....	128	FCM862XNSL.....	172	FCM891SL.....	152	12101XCSSL.....	173	81200PXN.....	172	81941P.....	147
FCM816SL-A.....	128	FCM862XR.....	171	FCM892SL.....	152	12101XJSL.....	173	81200PXNSL.....	173	81941PSL.....	148
FCM817.....	131	FCM862XRSL.....	172	FCM893SL.....	140	12101XNSL.....	173	81200PXR.....	172	81942P.....	152
FCM817SL.....	145	FCM862XE.....	171	FCM894.....	157	12101XRSL.....	173	81200PXRSL.....	173	81942PSL.....	153
FCM81800SL.....	126	FCM862XESL.....	172	FCM894SL.....	158	12101XESL.....	173	81200PXE.....	172	81943P.....	195
FCM81828.....	181	FCM863.....	123	FCM895.....	163	12102SL.....	186	81200PXESL.....	173	81943PSL.....	196
FCM81829.....	181	FCM863SL.....	123	FCM896.....	137	12102XCSSL.....	169	81200SL.....	196	81943PXC.....	172
FCM818SL.....	147	FCM864.....	128	FCM896SL.....	137	12102XJSL.....	169	81200XC.....	172	81943PXJ.....	172
FCM81900SL.....	183	FCM864-A.....	128	FCM898.....	125	12102XNSL.....	169	81200XCSSL.....	173	81943PXN.....	172
FCM81918SL.....	123	FCM864SL.....	128	FCM898SL.....	126	12102XRSL.....	169	81200XJ.....	172	81943PXR.....	172
FCM81919SL.....	131	FCM864SL-A.....	128	FCM899.....	144	12102XESL.....	169	81200XJSL.....	173	81943PXE.....	172
FCM81921SL.....	147	FCM865.....	131	FCM899SL.....	145	1283XC.....	172	81200XNSL.....	173	81943XCSSL.....	173
FCM81928SL.....	152	FCM865SL.....	131	FCM900.....	135	1283XJ.....	172	81200XRSL.....	173	81943XJSL.....	173
FCM81944SL.....	183	FCM866.....	146	FCM901.....	135	1283XN.....	172	81200XR.....	172	81943XNSL.....	173
FCM81947SL.....	183	FCM866SL.....	147	FCM901SL.....	135	1283XR.....	172	81200XRSL.....	173	81943XRSL.....	173
FCM81949SL.....	183	FCM86721GSL.....	142	FCM902.....	135	1283XE.....	172	81200XE.....	172	81943XESL.....	173
FCM81968SL.....	128	FCM86721RSL.....	142	FCM9021G.....	142	1284XC.....	169	81200XESL.....	173	81944P.....	188
FCM81968SL-A.....	128	FCM8675SL.....	182	FCM9021R.....	142	1284XJ.....	169	81208P.....	184	81944PSL.....	188
FCM81986SL.....	140	FCM867SL.....	155	FCM902SL.....	135	1284XN.....	169	81208PSL.....	187	81945P.....	185
FCM82.....	181	FCM870.....	194	FCM904.....	135	1284XR.....	169	81208SL.....	187	81945PXC.....	169
FCM820.....	152	FCM8704.....	183	FCM905.....	139	1284XE.....	169	81225P.....	175	81945PXJ.....	169
FCM821.....	146	FCM8707.....	140	FCM906.....	139	1285XC.....	168	81225PSL.....	175	81945PXN.....	169
FCM822.....	128	FCM8708.....	194	FCM906SL.....	140	1285XJ.....	168	81225SL.....	175	81945PXR.....	169
FCM822-A.....	128	FCM8708XC.....	172	FCM907.....	139	1285XN.....	168	81300SL.....	164	81945PXE.....	169
FCM828.....	181	FCM8708XJ.....	172	FCM907SL.....	140	1285XR.....	168	81800P.....	126	81946P.....	185
FCM82XC.....	168	FCM8708XN.....	172	FCM909.....	139	1285XE.....	168	81800PSL.....	126	81946PSL.....	187
FCM82XJ.....	168	FCM8708XR.....	172	FCM910.....	152	1286SL.....	175	81800SL.....	127	81946PXC.....	169
FCM82XN.....	168	FCM8708XE.....	172	FCM911.....	152	13101SL.....	164	81900PSL.....	188	81946PXCSSL.....	169
FCM82XR.....	168	FCM870SL.....	195	FCM911SL.....	152	18101SL.....	127	81918P.....	123	81946PXJ.....	169
FCM82XE.....	168	FCM870XC.....	171	FCM912.....	152	2000SL.....	180	81918PSL.....	124	81946PXJSL.....	169
FCM83000-2C.....	182	FCM870XCSSL.....	172	FCM912SL.....	152	2000XC.....	167	81918SL.....	124	81946PXN.....	169
FCM83000-3C.....	182	FCM870XJ.....	171	FCM914.....	152	2000XCSSL.....	167	81919P.....	131	81946PXNSL.....	169
FCM83000-4C.....	182	FCM870XJSL.....	172	FCM915.....	152	2000XJ.....	167	81919PSL.....	132	81946PXR.....	169
FCM83000-6C.....	183	FCM870XN.....	171	FCM916.....	152	2000XJSL.....	167	81919SL.....	132	81946PXRSL.....	169
FCM83000F-2C.....	182	FCM870XNSL.....	172	FCM916SL.....	152	2000XN.....	167	81921P.....	147	81946PXE.....	169

81946PXESL.....	169	FC02000XC-3C.....	165	FC082000XN-4C.....	166	FC1206SL.....	177	FC1651SL.....	161	FC48.....	195
81947P.....	187	FC02000XC-4C.....	166	FC082000XN-6C.....	166	FC1207.....	177	FC1652.....	160	FC48SL.....	196
81947PSL.....	188	FC02000XC-6C.....	166	FC082000XR-2C.....	165	FC1208.....	184	FC1652SL.....	161	FC48XC.....	173
81948P.....	187	FC02000XJ-2C.....	165	FC082000XR-3C.....	165	FC1208SL.....	186	FC1654.....	160	FC48XCSSL.....	173
81949P.....	187	FC02000XJ-3C.....	165	FC082000XR-4C.....	166	FC1209.....	184	FC1655.....	161	FC48XJ.....	173
81949PSL.....	188	FC02000XJ-4C.....	166	FC082000XR-6C.....	166	FC1209SL.....	186	FC1656SL.....	161	FC48XJSL.....	173
81950P.....	188	FC02000XJ-6C.....	166	FC082000XE-2C.....	165	FC1211.....	184	FC1661.....	161	FC48XN.....	173
81952P.....	123	FC02000XN-2C.....	165	FC082000XE-3C.....	165	FC1211SL.....	186	FC18.....	184	FC48XNSL.....	173
81952PSL.....	124	FC02000XN-3C.....	165	FC082000XE-6C.....	166	FC1212.....	184	FC18SL.....	186	FC48XR.....	173
81953P.....	126	FC02000XN-4C.....	166	FC082000XE-4C.....	166	FC124.....	126	FC18XC.....	169	FC48XRSL.....	173
81953PSL.....	127	FC02000XN-6C.....	166	FC083000F-2C.....	187	FC125.....	147	FC18XCSSL.....	169	FC48XE.....	173
81954P.....	129	FC02000XR-2C.....	165	FC083000F-3C.....	187	FC126.....	129	FC18XJ.....	169	FC48XESL.....	173
81954P-A.....	129	FC02000XR-3C.....	165	FC083000F-4C.....	187	FC126-A.....	129	FC18XJSL.....	169	FC506.....	150
81954PSL.....	129	FC02000XR-4C.....	166	FC083000F-6C.....	187	FC127.....	147	FC18XN.....	169	FC507.....	150
81954PSL-A.....	129	FC02000XR-6C.....	166	FC083000P-2C.....	187	FC127.....	147	FC18XNSL.....	169	FC529.....	150
81955P.....	131	FC02000XE-2C.....	165	FC083000P-3C.....	187	FC128.....	129	FC18XR.....	169	FC543.....	150
81955PSL.....	132	FC02000XE-3C.....	165	FC083000P-4C.....	187	FC128-A.....	129	FC18XRSL.....	169	FC545SL.....	150
81956P.....	140	FC02000XE-4C.....	166	FC083000P-6C.....	187	FC129.....	124	FC18XE.....	169	FC547.....	158
81956PSL.....	140	FC02000XE-6C.....	166	FC10.....	195	FC130.....	131	FC18XESL.....	169	FC549.....	150
81957P.....	135	FC03000F-2C.....	187	FC100.....	129	FC131.....	129	FC198.....	188	FC571.....	150
81957PSL.....	136	FC03000F-3C.....	187	FC1006.....	135	FC131-A.....	129	FC198SL.....	188	FC572SL.....	150
81958P.....	145	FC03000F-4C.....	187	FC100-A.....	129	FC131SL.....	129	FC20042.....	155	FC573SL.....	150
81958PSL.....	145	FC03000F-6C.....	187	FC100SL.....	129	FC131SL-A.....	129	FC21.....	126	FC574.....	150
81959P.....	147	FC06184SL.....	188	FC100SL-A.....	129	FC132.....	195	FC2101.....	185	FC581.....	150
81959PSL.....	148	FC06184XCSSL.....	169	FC101.....	129	FC134.....	199	FC2101SL.....	187	FC583SL.....	150
81960P.....	152	FC06184XJSL.....	169	FC101-A.....	129	FC138.....	184	FC2102.....	185	FC585.....	150
81960PSL.....	153	FC06184XNSL.....	169	FC101SL.....	129	FC138XC.....	168	FC2106.....	184	FC60.....	199
81961P.....	155	FC06184XRSL.....	169	FC101SL-A.....	129	FC138XJ.....	168	FC2107.....	184	FC60221G.....	142
81961PSL.....	156	FC06184XESL.....	169	FC1027.....	137	FC138XN.....	168	FC2108.....	184	FC60221R.....	142
81963P.....	163	FC06185SL.....	188	FC1029.....	145	FC138XR.....	168	FC23.....	186	FC6093.....	140
81963PSL.....	164	FC06185XCSSL.....	169	FC104.....	147	FC138XE.....	168	FC2321G.....	143	FC6094.....	147
81964P.....	175	FC06185XJSL.....	169	FC104SL.....	148	FC140.....	175	FC2321R.....	143	FC6095.....	152
81964PSL.....	175	FC06185XNSL.....	169	FC104XC.....	173	FC1400.....	188	FC241.....	129	FC61.....	196
81965LPSL.....	134	FC06185XRSL.....	169	FC104XJ.....	173	FC1400SL.....	188	FC241-A.....	129	FC61XC.....	173
81965P.....	134	FC06185XESL.....	169	FC104XN.....	173	FC1402.....	188	FC3000-2C.....	187	FC61XJ.....	173
81965RPSL.....	134	FC06186SL.....	188	FC104XR.....	173	FC1404.....	188	FC3000-3C.....	187	FC61XN.....	173
81966P.....	158	FC06186XCSSL.....	169	FC104XE.....	173	FC1408.....	188	FC3000-4C.....	187	FC61XR.....	173
81966PSL.....	158	FC06186XJSL.....	169	FC105.....	147	FC1408SL.....	188	FC3000-6C.....	187	FC61XE.....	173
81967P.....	138	FC06186XNSL.....	169	FC1051.....	134	FC1409.....	178	FC31.....	198	FC62.....	195
81967PSL.....	138	FC06186XRSL.....	169	FC105SL.....	148	FC1409SL.....	178	FC310.....	123	FC626.....	155
81968P.....	129	FC06186XESL.....	169	FC108.....	123	FC140SL.....	175	FC32.....	195	FC62XC.....	172
81968P-A.....	129	FC06188SL.....	188	FC1089.....	185	FC141.....	175	FC32SL.....	196	FC62XJ.....	172
81968PSL.....	129	FC06188XCSSL.....	169	FC1089SL.....	187	FC1411.....	188	FC32XC.....	172	FC62XN.....	172
81968PSL-A.....	129	FC06188XJSL.....	169	FC108SL.....	124	FC1411SL.....	175	FC32XCSSL.....	173	FC62XR.....	172
81968SL.....	129	FC06188XNSL.....	169	FC109.....	123	FC142.....	145	FC32XJ.....	172	FC62XE.....	172
81968SL-A.....	129	FC06188XRSL.....	169	FC109SL.....	124	FC142SL.....	145	FC32XJSL.....	173	FC63.....	186
81970P.....	163	FC06188XESL.....	169	FC10XC.....	172	FC143.....	145	FC32XN.....	172	FC63SL.....	187
81971P.....	195	FC06189SL.....	188	FC10XJ.....	172	FC143SL.....	145	FC32XNSL.....	173	FC63XCSSL.....	169
81971PXC.....	173	FC06189XCSSL.....	169	FC10XN.....	172	FC144.....	145	FC32XR.....	172	FC63XJSL.....	169
81971PXJ.....	173	FC06189XJSL.....	169	FC10XR.....	172	FC1442SL.....	156	FC32XRSL.....	173	FC63XNSL.....	169
81971PXN.....	173	FC06189XNSL.....	169	FC10XE.....	172	FC144SL.....	145	FC32XE.....	172	FC63XRSL.....	169
81971PXR.....	173	FC06189XRSL.....	169	FC11.....	163	FC145.....	145	FC32XESL.....	173	FC63XESL.....	169
81971PXE.....	173	FC06189XESL.....	169	FC113.....	131	FC146.....	145	FC3487SL.....	187	FC65.....	186
81972P.....	158	FC06190SL.....	188	FC113SL.....	132	FC147.....	147	FC3487XCSSL.....	169	FC65XC.....	169
81973P.....	163	FC06190XCSSL.....	169	FC114.....	131	FC147SL.....	148	FC3487XJSL.....	169	FC65XJ.....	169
81974P.....	138	FC06190XJSL.....	169	FC114SL.....	132	FC148.....	155	FC3487XNSL.....	169	FC65XN.....	169
81975P.....	124	FC06190XNSL.....	169	FC115.....	131	FC148SL.....	156	FC3487XRSL.....	169	FC65XR.....	169
81977P.....	126	FC06190XRSL.....	169	FC115SL.....	132	FC149.....	155	FC3487XESL.....	169	FC65XE.....	169
81978P.....	129	FC06190XESL.....	169	FC116.....	175	FC149SL.....	156	FC369.....	131	FC66.....	163
81978P-A.....	129	FC082000-2C.....	177	FC118.....	131	FC150.....	156	FC38.....	126	FC668.....	126
81980P.....	131	FC082000-3C.....	177	FC11SL.....	164	FC151.....	156	FC38SL.....	127	FC669.....	163
81981P.....	140	FC082000-4C.....	177	FC1200.....	184	FC152.....	155	FC43.....	126	FC670.....	195
81982P.....	135	FC082000-6C.....	177	FC1200SL.....	186	FC156.....	155	FC43SL.....	127	FC6721GSL.....	143
81983P.....	145	FC082000XC-2C.....	165	FC1201.....	184	FC16.....	126	FC44.....	163	FC6721RSL.....	143
81984P.....	147	FC082000XC-3C.....	165	FC1201SL.....	186	FC160.....	195	FC44SL.....	164	FC701G.....	143
81985P.....	152	FC082000XC-4C.....	166	FC1202.....	184	FC163.....	147	FC45.....	126	FC701R.....	143
81986PSL.....	140	FC082000XC-6C.....	166	FC1202SL.....	186	FC164.....	124	FC46SL.....	126	FC701SL.....	196
81986SL.....	140	FC082000XJ-2C.....	165	FC1203.....	184	FC1645.....	161	FC47SL.....	196	FC704.....	188
FC02000-2C.....	177	FC082000XJ-3C.....	165	FC1204.....	177	FC1646.....	160	FC47XCSSL.....	173	FC707.....	140
FC02000-3C.....	177	FC082000XJ-4C.....	166	FC1204SL.....	177	FC1646SL.....	161	FC47XJSL.....	173	FC707SL.....	127
FC02000-4C.....	177	FC082000XJ-6C.....	166	FC1205.....	177	FC1647.....	160	FC47XNSL.....	173	FC708.....	195
FC02000-6C.....	177	FC082000XN-2C.....	165	FC1205SL.....	177	FC165.....	145	FC47XRSL.....	173	FC708XC.....	173
FC02000XC-2C.....	165	FC082000XN-3C.....	165	FC1206.....	177	FC1651.....	160	FC47XESL.....	173	FC708XJ.....	173



FC708XN.....	173	FC802.....	126	FC81649.....	161	FC862203XJ.....	169	FC916SL.....	153	S100XESL.....	174
FC708XR.....	173	FC803.....	195	FC81651.....	160	FC862203XN.....	169	FC917.....	153	S102.....	196
FC708XE.....	173	FC803021G.....	142	FC81651SL.....	161	FC862203XR.....	169	FC918G.....	142	S1027.....	138
FC709.....	156	FC803021R.....	142	FC81652.....	160	FC862203XE.....	169	FC918R.....	142	S1029.....	145
FC710.....	195	FC803XC.....	173	FC81652SL.....	161	FC86220XC.....	173	FC919G.....	142	S103.....	164
FC7125SL.....	187	FC803XJ.....	173	FC81653.....	161	FC86220XE.....	173	FC919R.....	142	S104.....	196
FC713.....	147	FC803XN.....	173	FC81654.....	160	FC86220XJ.....	173	FC92.....	185	S104XC.....	174
FC714.....	124	FC803XR.....	173	FC81654SL.....	161	FC86220XN.....	173	FC920G.....	143	S104XJ.....	174
FC721.....	148	FC803XE.....	173	FC816SL.....	129	FC86220XR.....	173	FC920R.....	143	S104XN.....	174
FC735.....	153	FC805.....	158	FC816SL-A.....	129	FC86221G.....	143	FC921G.....	143	S104XR.....	174
FC736.....	136	FC806.....	164	FC817.....	131	FC86221R.....	143	FC921R.....	143	S104XE.....	174
FC752.....	186	FC806GSL.....	143	FC817SL.....	145	FC86241.....	126	FC922G.....	142	S105.....	197
FC755.....	199	FC806RSL.....	143	FC818SL.....	148	FC86242.....	156	FC922R.....	142	S1051.....	134
FC756.....	134	FC807.....	186	FC82.....	184	FC86243.....	124	FC924G.....	143	S108.....	189
FC756LSL.....	134	FC807SL.....	138	FC820.....	152	FC86245.....	164	FC924R.....	143	S1089.....	189
FC756RSL.....	134	FC807XC.....	169	FC821.....	147	FC86247.....	153	FC925.....	175	S1089SL.....	191
FC757.....	158	FC807XJ.....	169	FC822.....	129	FC86249.....	148	FC92SL.....	187	S108XC.....	170
FC757SL.....	158	FC807XN.....	169	FC822-A.....	129	FC86252.....	129	FC92XC.....	169	S108XJ.....	170
FC758.....	137	FC807XR.....	169	FC828.....	184	FC86252-A.....	129	FC92XCSL.....	169	S108XN.....	170
FC758SL.....	138	FC807XE.....	169	FC82XC.....	169	FC86253.....	132	FC92XJ.....	169	S108XR.....	170
FC759.....	158	FC808.....	199	FC82XJ.....	169	FC86254.....	140	FC92XJSL.....	169	S108XE.....	170
FC759SL.....	158	FC808SL.....	124	FC82XN.....	169	FC86255.....	136	FC92XN.....	169	S11.....	199
FC761.....	138	FC809.....	198	FC82XR.....	169	FC86256.....	138	FC92XNSL.....	169	S115.....	191
FC761SL.....	138	FC80920.....	195	FC82XE.....	169	FC86257.....	145	FC92XR.....	169	S1170SL.....	191
FC762.....	158	FC809203.....	186	FC8310.....	185	FC86258.....	158	FC92XRSL.....	169	S1170XCSL.....	170
FC762SL.....	158	FC809203XC.....	169	FC8310SL.....	187	FC86721GSL.....	143	FC92XE.....	169	S1170XJSL.....	170
FC763.....	163	FC809203XJ.....	169	FC8311.....	185	FC86721RSL.....	143	FC92XESL.....	169	S1170XNSL.....	170
FC764.....	137	FC809203XN.....	169	FC8311SL.....	187	FC8675SL.....	187			S1170XRSL.....	170
FC764SL.....	138	FC809203XR.....	169	FC8313.....	185	FC8704.....	188	<b>Smooth-Star.</b>		S1170XESL.....	170
FC765.....	123	FC809203XE.....	169	FC8313SL.....	187	FC8707.....	140	19020T.....	194	S118.....	196
FC765SL.....	124	FC80920XC.....	173	FC8316.....	185	FC8708.....	195	19020T.....	197	S118XC.....	173
FC766.....	195	FC80920XJ.....	173	FC8318.....	186	FC8708XC.....	173	19055T.....	130	S118XJ.....	173
FC766XC.....	172	FC80920XN.....	173	FC8319.....	186	FC8708XJ.....	173	19055T-A.....	130	S118XN.....	173
FC766XJ.....	172	FC80920XR.....	173	FC832.....	186	FC8708XN.....	173	19080T.....	128	S118XR.....	173
FC766XN.....	172	FC80920XE.....	173	FC8320.....	186	FC8708XR.....	173	19200T.....	194	S118XE.....	173
FC766XR.....	172	FC80921G.....	143	FC8321.....	186	FC8708XE.....	173	19200T.....	197	S12.....	130
FC766XE.....	172	FC80921R.....	143	FC8321XC.....	169	FC8721.....	148	19210T.....	197	S1200.....	189
FC767.....	158	FC80941.....	126	FC8321XJ.....	169	FC8735.....	153	19220T.....	194	S1200SL.....	191
FC768.....	163	FC80942.....	156	FC8321XN.....	169	FC8736.....	136	19220T.....	197	S1201.....	189
FC768GSL.....	143	FC80943.....	124	FC8321XR.....	169	FC8752.....	186	19520T.....	130	S1201SL.....	191
FC768RSL.....	143	FC80945.....	164	FC8321XE.....	169	FC8867SL.....	156	19520T-A.....	130	S1202.....	189
FC769.....	138	FC80947.....	153	FC8322.....	186	FC89701.....	155	19720T.....	149	S1202SL.....	191
FC770.....	123	FC80949.....	148	FC8323.....	186	FC8972.....	175	19730T.....	149	S1203.....	189
FC772.....	126	FC80952.....	129	FC8324.....	186	FC900.....	135	19740T.....	141	S1204.....	178
FC773.....	129	FC80952-A.....	129	FC832XC.....	169	FC900SL.....	136	19750T.....	141	S1204SL.....	179
FC773-A.....	129	FC80953.....	131	FC832XJ.....	169	FC901.....	135	19800T.....	128	S1205.....	178
FC775.....	131	FC80954.....	140	FC832XN.....	169	FC901SL.....	136	19810T.....	128	S1205SL.....	179
FC776.....	140	FC80955.....	136	FC832XR.....	169	FC902.....	135	19820T.....	128	S1206.....	178
FC777.....	135	FC80956.....	138	FC832XE.....	169	FC9021G.....	142	85901SL.....	146	S1206SL.....	179
FC778.....	145	FC80957.....	145	FC8529.....	150	FC9021GSL.....	143	85919SL.....	146	S1207.....	178
FC779.....	147	FC80958.....	158	FC8545SL.....	150	FC9021R.....	142	ANRTG.....	144	S1208.....	189
FC780.....	152	FC809SL.....	153	FC8571.....	150	FC9021RSL.....	143	ANRTR.....	144	S1208SL.....	191
FC781.....	158	FC810SL.....	158	FC8572SL.....	150	FC902SL.....	136	AVRT.....	139	S1209.....	189
FC782.....	138	FC8113SL.....	164	FC8573SL.....	150	FC903.....	135	AXRT.....	162	S1209SL.....	191
FC783.....	158	FC811LSL.....	134	FC8574.....	150	FC904.....	136	BLHRT.....	128	S1211.....	189
FC783SL.....	158	FC811RSL.....	134	FC8579.....	150	FC905.....	140	BSHRT.....	125	S1211SL.....	191
FC784.....	163	FC812SL.....	136	FC8581.....	150	FC905SL.....	140	BSRT.....	125	S1212.....	189
FC785.....	138	FC813.....	163	FC8583SL.....	150	FC906.....	140	CNHRT.....	154	S128.....	189
FC786.....	158	FC813SL.....	156	FC85901G.....	142	FC906SL.....	140	CNRT.....	154	S128XC.....	170
FC787.....	163	FC814.....	126	FC85901R.....	142	FC907.....	140	DLHRT.....	197	S128XJ.....	170
FC788.....	138	FC8141.....	188	FC860.....	199	FC907SL.....	140	EMRT.....	134	S128XN.....	170
FC789.....	195	FC81421GSL.....	143	FC860221G.....	142	FC908.....	140	FWRT.....	137	S128XR.....	170
FC790.....	158	FC81421RSL.....	143	FC860221R.....	142	FC909.....	140	KNRT.....	157	S128XE.....	170
FC791.....	164	FC8144.....	188	FC861.....	196	FC910.....	152	RSRT.....	151	S12-A.....	130
FC792.....	138	FC8145.....	188	FC861XC.....	173	FC910SL.....	153	S10.....	197	S130.....	176
FC794.....	124	FC8145SL.....	188	FC861XJ.....	173	FC911.....	152	S100.....	199	S130SL.....	176
FC795.....	145	FC8149.....	155	FC861XN.....	173	FC911SL.....	153	S1000.....	154	S131.....	176
FC796.....	147	FC814SL.....	132	FC861XR.....	173	FC912.....	152	S1001.....	157	S132.....	176
FC797.....	153	FC815SL.....	140	FC861XE.....	173	FC912SL.....	153	S1006.....	136	S132SL.....	176
FC798.....	156	FC816.....	123	FC862.....	198	FC913.....	153	S100SL.....	197	S137.....	176
FC799.....	158	FC81645.....	161	FC86220.....	195	FC914.....	153	S100XCSL.....	174	S138.....	164
FC800.....	138	FC81646.....	160	FC862203.....	186	FC915.....	153	S100XJSL.....	174	S138SL.....	165
FC801.....	124	FC81646SL.....	161	FC862203XC.....	169	FC916.....	153	S100XNSL.....	174	S139.....	129
								S100XRSL.....	174		

S139-A.....	129	S2000SL.....	180	S2106.....	189	S3000F-2C.....	192	S6000SL.....	125	S6047.....	127
S139SL.....	130	S2000SL-2C.....	179	S2107.....	189	S3000F-3C.....	192	S6002.....	124	S6049.....	141
S139SL-A.....	130	S2000SL-4C.....	179	S2108.....	189	S3000F-4C.....	192	S6002SL.....	125	S604-A.....	130
S140.....	196	S2000XC.....	167	S210SL.....	197	S3000F-6C.....	192	S6006.....	132	S604SL.....	130
S1400.....	193	S2000XC-2C.....	166	S210XCSSL.....	174	S308SL.....	191	S6006SL.....	133	S604SL-A.....	130
S1400SL.....	194	S2000XC-3C.....	166	S210XJSL.....	174	S308XCSSL.....	170	S6008.....	132	S605.....	192
S1401.....	179	S2000XC-4C.....	166	S210XNSL.....	174	S308XJSL.....	170	S6008SL.....	133	S6050.....	148
S1401SL.....	179	S2000XC-6C.....	166	S210XRSL.....	174	S308XNSL.....	170	S6009.....	132	S6051.....	132
S1402.....	193	S2000XCSSL.....	167	S210XESL.....	174	S308XRSL.....	170	S6009SL.....	133	S6052.....	125
S1404.....	193	S2000XCSSL-2C.....	166	S211.....	130	S308XESL.....	170	S601.....	197	S6054.....	176
S1405.....	193	S2000XCSSL-4C.....	166	S211-A.....	130	S30XC.....	174	S6010.....	132	S6055.....	176
S1405SL.....	194	S2000XJ.....	167	S213.....	141	S30XJ.....	174	S6011.....	132	S6056.....	156
S1406.....	193	S2000XJ-2C.....	166	S214.....	148	S30XN.....	174	S6012.....	132	S605SL.....	193
S1407.....	193	S2000XJ-3C.....	166	S2150.....	179	S30XR.....	174	S6013.....	125	S605XC.....	171
S1408.....	193	S2000XJ-4C.....	166	S220.....	199	S30XE.....	174	S6014.....	132	S605XCSSL.....	171
S1409.....	179	S2000XJ-6C.....	166	S2200.....	180	S31.....	199	S601SL.....	197	S605XJ.....	171
S140STC.....	198	S2000XJSL.....	167	S2250.....	178	S310.....	124	S601XC.....	174	S605XJSL.....	171
S140XC.....	173	S2000XJSL-2C.....	166	S2321G.....	144	S32.....	190	S601XCSSL.....	174	S605XN.....	171
S140XJ.....	173	S2000XJSL-4C.....	166	S2321R.....	144	S32XC.....	170	S601XJ.....	174	S605XNSL.....	171
S140XN.....	173	S2000XN.....	167	S236.....	191	S32XJ.....	170	S601XJSL.....	174	S605XR.....	171
S140XR.....	173	S2000XN-2C.....	166	S237.....	191	S32XN.....	170	S601XN.....	174	S605XRSL.....	171
S140XE.....	173	S2000XN-3C.....	166	S241.....	129	S32XR.....	170	S601XNSL.....	174	S605XE.....	171
S141.....	189	S2000XN-4C.....	166	S241-A.....	129	S32XE.....	170	S601XR.....	174	S605XESL.....	171
S1411.....	193	S2000XN-6C.....	166	S243.....	176	S34.....	164	S601XRSL.....	174	S606.....	192
S141STC.....	198	S2000XNSL.....	167	S250.....	164	S3487SL.....	192	S601XE.....	174	S6060.....	134
S141XC.....	170	S2000XNSL-2C.....	166	S250SL.....	165	S3487XCSSL.....	170	S601XESL.....	174	S6060SL.....	134
S141XJ.....	170	S2000XNSL-4C.....	166	S255.....	191	S3487XJSL.....	170	S602.....	141	S6060RSL.....	134
S141XN.....	170	S2000XR.....	167	S256.....	197	S3487XNSL.....	170	S6021.....	196	S6061.....	176
S141XR.....	170	S2000XR-2C.....	166	S256XC.....	174	S3487XRSL.....	170	S6021XC.....	173	S6062.....	193
S141XE.....	170	S2000XR-3C.....	166	S256XJ.....	174	S3487XESL.....	170	S6021XJ.....	173	S6062SL.....	194
S1442SL.....	157	S2000XR-4C.....	166	S256XN.....	174	S35.....	130	S6021XN.....	173	S6063.....	189
S150.....	196	S2000XR-6C.....	166	S256XR.....	174	S3570SL.....	159	S6021XR.....	173	S6063STC.....	198
S150SL.....	197	S2000XRSL.....	167	S256XE.....	174	S35-A.....	130	S6021XE.....	173	S6063XC.....	170
S151.....	191	S2000XRSL-2C.....	166	S260.....	165	S36.....	159	S6022.....	190	S6063XJ.....	170
S151SL.....	192	S2000XRSL-4C.....	166	S262.....	190	S369.....	132	S60221G.....	143	S6063XN.....	170
S154.....	141	S2000XE.....	167	S262XC.....	170	S37.....	154	S60221R.....	143	S6063XR.....	170
S154SL.....	141	S2000XE-2C.....	166	S262XJ.....	170	S38.....	127	S6022XC.....	170	S6063XE.....	170
S155.....	148	S2000XE-3C.....	166	S262XN.....	170	S400.....	154	S6022XJ.....	170	S606SL.....	193
S155SL.....	149	S2000XE-4C.....	166	S262XR.....	170	S4070SL.....	154	S6022XN.....	170	S606XC.....	171
S156.....	156	S2000XE-6C.....	166	S262XE.....	170	S41.....	141	S6022XR.....	170	S606XCSSL.....	171
S16.....	159	S2000XESL.....	167	S263SL.....	192	S416SL.....	154	S6022XE.....	170	S606XJ.....	171
S160.....	156	S2000XESL-2C.....	166	S263XCSL.....	170	S42.....	148	S6023.....	164	S606XJSL.....	171
S160SL.....	157	S2000XESL-4C.....	166	S263XJSL.....	170	S426.....	153	S6024.....	159	S606XN.....	171
S161.....	156	S20042.....	156	S263XNSL.....	170	S43.....	156	S6025.....	130	S606XNSL.....	171
S161SL.....	157	S2009.....	179	S263XRSL.....	170	S430.....	154	S6025-A.....	130	S606XR.....	171
S162.....	156	S2009SL.....	179	S263XESL.....	170	S430SL.....	154	S6026.....	153	S606XRSL.....	171
S163.....	157	S2010.....	178	S289.....	196	S450.....	154	S6027.....	127	S606XE.....	171
S1645.....	162	S2010SL.....	179	S289E.....	164	S450SL.....	154	S6029.....	141	S606XESL.....	171
S1646.....	161	S2010XCSSL.....	166	S289ESL.....	165	S454.....	154	S602SL.....	141	S607.....	192
S1646SL.....	162	S2010XJSL.....	166	S289XC.....	174	S4570SL.....	125	S6030.....	148	S6070.....	145
S1647.....	161	S2010XNSL.....	166	S289XJ.....	174	S506.....	151	S6031.....	132	S6070SL.....	146
S1650.....	161	S2010XRSL.....	166	S289XN.....	174	S507.....	151	S6032.....	124	S6071.....	145
S1651.....	161	S2010XESL.....	166	S289XR.....	174	S508.....	151	S6034.....	176	S6071SL.....	146
S1651SL.....	162	S205.....	199	S289XE.....	174	S529.....	151	S6035.....	176	S6072.....	146
S1652.....	161	S2050.....	178	S291.....	141	S543.....	150	S6036.....	156	S6073.....	146
S1652SL.....	162	S206.....	196	S291SL.....	141	S545SL.....	151	S604.....	130	S6073SL.....	146
S1653.....	161	S206E.....	164	S292.....	148	S547.....	159	S6041.....	196	S6074.....	146
S1654.....	161	S206XC.....	173	S292SL.....	149	S549.....	151	S6041XC.....	174	S6075.....	146
S1655.....	161	S206XJ.....	173	S294.....	130	S571.....	150	S6041XJ.....	174	S6076.....	146
S1656.....	161	S206XN.....	173	S294-A.....	130	S572SL.....	151	S6041XN.....	174	S6077.....	146
S1656SL.....	162	S206XR.....	173	S294SL.....	130	S573SL.....	151	S6041XR.....	174	S6078.....	146
S1658.....	161	S206XE.....	173	S294SL-A.....	130	S574.....	150	S6041XE.....	174	S6079.....	146
S1661.....	162	S2070SL.....	165	S296.....	197	S575.....	151	S6042.....	190	S607SL.....	193
S17.....	154	S210.....	199	S296XC.....	174	S577.....	151	S6042XC.....	170	S607XC.....	171
S198.....	193	S2100.....	180	S296XJ.....	174	S579.....	151	S6042XJ.....	170	S607XCSSL.....	171
S198SL.....	194	S2101.....	189	S296XN.....	174	S581.....	151	S6042XN.....	170	S607XJ.....	171
S20.....	141	S2101SL.....	191	S296XR.....	174	S583SL.....	151	S6042XR.....	170	S607XJSL.....	171
S200.....	199	S2102.....	189	S296XE.....	174	S585.....	151	S6042XE.....	170	S607XN.....	171
S2000.....	180	S2103.....	178	S30.....	196	S5870SL.....	149	S6043.....	164	S607XNSL.....	171
S2000-2C.....	179	S2103SL.....	179	S3000-2C.....	192	S5901G.....	143	S6044.....	159	S607XR.....	171
S2000-3C.....	179	S2104.....	178	S3000-3C.....	192	S5901R.....	143	S6045.....	130	S607XRSL.....	171
S2000-4C.....	179	S2104SL.....	179	S3000-4C.....	192	S600.....	199	S6045-A.....	130	S607XE.....	171
S2000-6C.....	179	S2105.....	178	S3000-6C.....	192	S6000.....	124	S6046.....	154	S607XESL.....	171

S608	193	S6721GSL	144	S80XR	173	S81940P	146	S82116	179	S83152	130
S6080	197	S6721R	143	S80XE	173	S81941P	148	S82116XC	166	S83152-A	130
S6081	164	S6721RSL	144	S810	199	S81942P	153	S82116XJ	166	S83153	132
S6082	148	S700	159	S81000	199	S81983	146	S82116XN	166	S83154	141
S6083	159	S701G	144	S81086SL	197	S82	189	S82116XR	166	S83155	136
S6084	154	S701R	144	S81086XCSL	174	S820	153	S82116XE	166	S83156	139
S6085	125	S704	193	S81086XJSL	174	S8200	199	S82200	180	S83157	146
S608XC	171	S707	141	S81086XNSL	174	S82000-2C	179	S82200XC	167	S83158	159
S608XJ	171	S708	197	S81086XRSL	174	S82000-3C	179	S82200XJ	167	S8316	189
S608XN	171	S708XC	174	S81086XESL	174	S82000-4C	179	S82200XN	167	S8317	191
S608XR	171	S708XJ	174	S811	190	S82000-6C	179	S82200XR	167	S8318	190
S608XE	171	S708XN	174	S8113SL	165	S82000XC-2C	166	S82200XE	167	S8319	190
S609	136	S708XR	174	S81186SL	191	S82000XC-3C	166	S82250	178	S832	190
S6090	153	S708XE	174	S812	164	S82000XC-4C	166	S822XC	170	S8320	190
S6091	148	S709	156	S81208	189	S82000XC-6C	166	S822XJ	170	S8321	191
S6091SL	149	S7125SL	192	S81225	176	S82000XJ-2C	166	S822XN	170	S8321XC	170
S6092	141	S716	159	S813	164	S82000XJ-3C	166	S822XR	170	S8321XJ	170
S6092SL	141	S716SL	159	S81300SL	165	S82000XJ-4C	166	S822XE	170	S8321XN	170
S6093	141	S721	149	S814	127	S82000XJ-6C	166	S828	189	S8321XR	170
S6094	148	S726	159	S8140	196	S82000XN-2C	166	S829	176	S8321XE	170
S6095	153	S730	159	S81401	179	S82000XN-3C	166	S829SL	176	S8322	190
S6097	190	S730SL	159	S8140STC	198	S82000XN-4C	166	S82SL	191	S8323	191
S6100	136	S735	154	S8140XC	173	S82000XN-6C	166	S82XC	170	S8324	191
S6100SL	137	S736	137	S8140XJ	173	S82000XR-2C	166	S82XCSSL	170	S832XC	170
S6101	136	S750SL	159	S8140XN	173	S82000XR-3C	166	S82XJ	170	S832XJ	170
S6101SL	137	S751SL	197	S8140XR	173	S82000XR-4C	166	S82XJSL	170	S832XN	170
S6102	136	S751XCSSL	174	S8140XE	173	S82000XR-6C	166	S82XN	170	S832XR	170
S6102SL	137	S751XJSL	174	S8141	193	S82000XE-2C	166	S82XNSL	170	S832XE	170
S6103	136	S751XNSL	174	S81421GSL	144	S82000XE-3C	166	S82XR	170	S833	130
S6104	136	S751XRSL	174	S81421RSL	144	S82000XE-4C	166	S82XRSL	170	S833-A	130
S6105	136	S751XESL	174	S8144	193	S82000XE-6C	166	S82XE	170	S834	164
S6106	136	S752	191	S8145	193	S8201	199	S82XESL	170	S836	159
S6107	136	S754	159	S8145SL	194	S8202	192	S830	196	S837	154
S6108	136	S755	199	S8149	156	S8202SL	193	S83000-2C	192	S84	164
S6111	125	S756SL	159	S8149L	127	S8203	192	S83000-3C	192	S84586SL	128
S6113	127	S757SL	154	S815	127	S8204	192	S83000-4C	192	S8508	151
S6117	148	S758SL	128	S816	124	S8204SL	193	S83000-6C	192	S8529	151
S6119	157	S761SL	197	S81645	162	S8205	192	S83000F-2C	192	S8545SL	151
S6121	139	S766SL	159	S81646	161	S8207SL	193	S83000F-3C	192	S8571	150
S6123	127	S767SL	154	S81646SL	162	S821	148	S83000F-4C	192	S8572SL	151
S6124SL	193	S768GSL	144	S81649	162	S82103	178	S83000F-6C	192	S8573SL	151
S6124XCSSL	171	S768RSL	144	S81650	161	S82104	178	S830XC	174	S8574	150
S6124XJSL	171	S768SL	128	S81651	161	S82105	178	S830XJ	174	S8581	151
S6124XNSL	171	S770	196	S81651SL	162	S82106	178	S830XN	174	S8583SL	151
S6124XRSL	171	S771	125	S81652	161	S82106XC	166	S830XR	174	S85892	124
S6124XESL	171	S772	159	S81652SL	162	S82106XJ	166	S830XE	174	S85892SL	125
S6125SL	193	S773	154	S81653	161	S82106XN	166	S831	199	S85893	132
S6125XCSSL	171	S774	148	S81654	161	S82106XR	166	S8310	190	S85893SL	133
S6125XJSL	171	S80	196	S81654SL	162	S82106XE	166	S8310SL	191	S85895	153
S6125XNSL	171	S8000	180	S817	132	S82107	178	S8311	189	S85895SL	154
S6125XRSL	171	S8000-12	178	S818	196	S82107XC	166	S8311SL	191	S85896	148
S6125XESL	171	S8000-18	178	S81828	189	S82107XJ	166	S83120	197	S85896SL	149
S6126SL	193	S8000-9	179	S818XC	173	S82107XN	166	S831203	191	S85897	136
S6126XCSSL	171	S8000XC	167	S818XJ	173	S82107XR	166	S831203XC	170	S85898	136
S6126XJSL	171	S8000XJ	167	S818XN	173	S82107XE	166	S831203XJ	170	S85898SL	137
S6126XNSL	171	S8000XN	167	S818XR	173	S82112	179	S831203XN	170	S85900	138
S6126XRSL	171	S8000XR	167	S818XE	173	S82112XC	166	S831203XR	170	S85900SL	139
S6126XESL	171	S8000XE	167	S81929P	196	S82112XJ	166	S831203XE	170	S85901	146
S6127SL	139	S803021G	143	S81929PXC	173	S82112XN	166	S83120XC	174	S85901G	143
S6128SL	176	S803021R	143	S81929PXJ	173	S82112XR	166	S83120XJ	174	S85901R	143
S6130SL	128	S806GSL	144	S81929PXN	173	S82112XE	166	S83120XN	174	S85902	153
S6131SL	137	S806RSL	144	S81929PXR	173	S82113	179	S83120XR	174	S85902SL	154
S6132SL	157	S807	191	S81929PXE	173	S82113XC	166	S83120XE	174	S85903	134
S6134SL	133	S807XC	170	S81930P	159	S82113XJ	166	S83121G	144	S85903SL	134
S6135SL	146	S807XJ	170	S81931P	164	S82113XN	166	S83121R	144	S85903RSL	134
S6136SL	134	S807XN	170	S81932P	138	S82113XR	166	S8313	189	S85905	125
S6136RSL	134	S807XR	170	S81933P	124	S82113XE	166	S8313SL	191	S85906	139
S626	156	S807XE	170	S81935P	127	S82114	179	S83141	127	S85907	127
S63	190	S808	189	S81936P	130	S82114XC	166	S83142	157	S85908	141
S668	127	S808SL	191	S81936P-A	130	S82114XJ	166	S83143	125	S85909	148
S669	164	S80XC	173	S81937P	132	S82114XN	166	S83145	165	S85910SL	197
S6721G	143	S80XJ	173	S81938P	141	S82114XR	166	S83147	154	S85910XCSSL	174
		S80XN	173	S81939P	136	S82114XE	166	S83149	148	S85910XJSL	174

# Steel

S85910XNSL ..... 174	S867SL ..... 157	S9021G ..... 143	S94 ..... 164	<b>Profiles..</b>	103HD ..... 215
S85910XRSL ..... 174	S8704 ..... 193	S9021GSL ..... 144	S94SL ..... 165	310..... 205	1040HD ..... 210
S85910XESL ..... 174	S8707 ..... 141	S9021R ..... 143	S95 ..... 130	100..... 220	1040SLHD ..... 210
S85911SL ..... 139	S8708 ..... 197	S9021RSL ..... 144	S950 ..... 127	100SL ..... 220	1041HD ..... 211
S85912SL ..... 125	S8708XC ..... 174	S902SL ..... 157	S950SL ..... 128	102..... 220	1041SLHD ..... 211
S85914SL ..... 128	S8708XJ ..... 174	S90SL ..... 180	S95-A ..... 130	104..... 219	1042HD ..... 205
S85915SL ..... 130	S8708XN ..... 174	S90XC ..... 173	S96 ..... 159	105..... 220	1044HD ..... 208
S85915SL-A ..... 130	S8708XR ..... 174	S90XJ ..... 173	S960 ..... 199	108..... 217	1045HD ..... 210
S85916SL ..... 133	S8708XE ..... 174	S90XN ..... 173	S962 ..... 138	118..... 219	1047HD ..... 208
S85917SL ..... 141	S8721 ..... 149	S90XR ..... 173	S962SL ..... 139	128..... 217	1048HD ..... 210
S85918SL ..... 137	S8735 ..... 154	S90XE ..... 173	S964 ..... 138	130..... 217	104XC ..... 216
S85922SL ..... 149	S8736 ..... 137	S91 ..... 130	S964SL ..... 139	131..... 217	104XJ ..... 216
S85923SL ..... 159	S8752 ..... 191	S912 ..... 153	S966 ..... 138	137..... 217	104XN ..... 216
S85924SL ..... 193	S880 ..... 196	S916 ..... 127	S968 ..... 138	138..... 215	104XR ..... 216
S85925SL ..... 193	S880SL ..... 197	S916SL ..... 127	S96SL ..... 159	139..... 206	104XE ..... 216
S85926SL ..... 193	S880XC ..... 173	S918G ..... 143	S97 ..... 153	198..... 219	1055HD ..... 206
S85927SL ..... 125	S880XCSL ..... 174	S918R ..... 143	S970 ..... 139	369..... 207	1089SLHD ..... 218
S85928SL ..... 176	S880XJ ..... 173	S919G ..... 143	S971 ..... 176	571..... 212	108XC ..... 216
S85930SL ..... 154	S880XJSL ..... 174	S919R ..... 143	S972 ..... 125	610..... 209	108XJ ..... 216
S85931SL ..... 133	S880XN ..... 173	S91-A ..... 130	S973 ..... 132	620..... 211	108XN ..... 216
S85932SL ..... 141	S880XNSL ..... 174	S91SL ..... 130	S975 ..... 124	626..... 213	108XR ..... 216
S85934SL ..... 149	S880XR ..... 173	S91SL-A ..... 130	S975SL ..... 125	700..... 214	108XE ..... 216
S86 ..... 159	S880XRSL ..... 174	S92 ..... 190	S976 ..... 138	716..... 214	1101HD ..... 219
S8600 ..... 199	S880XE ..... 173	S920G ..... 144	S976SL ..... 139	916..... 205	1101XCHD ..... 216
S8600XC ..... 174	S880XESL ..... 174	S920R ..... 144	S977 ..... 127	1006..... 208	1101XJHD ..... 216
S8600XJ ..... 174	S881 ..... 190	S921G ..... 144	S979 ..... 124	1010..... 207	1101XNHD ..... 216
S8600XN ..... 174	S881SL ..... 192	S921R ..... 144	S97SL ..... 154	1027..... 208	1101XRHD ..... 216
S8600XR ..... 174	S881XC ..... 170	S922G ..... 143	S980 ..... 138	1028..... 212	1101XEHD ..... 216
S8600XE ..... 174	S881XCSL ..... 170	S922R ..... 143	S981 ..... 127	1029..... 210	1102HD ..... 217
S8601 ..... 197	S881XJ ..... 170	S923G ..... 143	S982 ..... 141	1200..... 217	1107HD ..... 208
S8601SL ..... 197	S881XJSL ..... 170	S923R ..... 143	S983 ..... 148	1201..... 217	1109HD ..... 214
S8601XCSL ..... 174	S881XN ..... 170	S924G ..... 144	S985 ..... 139	1202..... 217	1110HD ..... 215
S8601XJSL ..... 174	S881XNSL ..... 170	S924R ..... 144	S988 ..... 139	1203..... 217	1111HD ..... 210
S8601XNSL ..... 174	S881XR ..... 170	S925 ..... 176	S989 ..... 164	03142HD ..... 213	1112HD ..... 209
S8601XRSL ..... 174	S881XRSL ..... 170	S926 ..... 127	S991 ..... 139	1001HD ..... 205	1113HD ..... 213
S8601XESL ..... 174	S881XE ..... 170	S92SL ..... 179	S992 ..... 197	1002HD ..... 207	1114HD ..... 206
S8602 ..... 141	S881XESL ..... 170	S92XC ..... 170	S993 ..... 159	1004HD ..... 217	1114HD-A ..... 206
S860221G ..... 143	S882 ..... 190	S92XJ ..... 170	S994 ..... 164	1005HD ..... 220	1115HD ..... 207
S860221R ..... 143	S884 ..... 164	S92XN ..... 170	S995 ..... 139	1006SL ..... 208	1116HD ..... 208
S8602SL ..... 141	S884SL ..... 165	S92XR ..... 170	S997 ..... 125	1007HD ..... 208	1117HD ..... 205
S8604 ..... 130	S886 ..... 159	S92XE ..... 170	S998 ..... 146	1007SLHD ..... 208	1118HD ..... 212
S8604-A ..... 130	S886SL ..... 159	S93 ..... 199	S999 ..... 148	1008HD ..... 208	1119HD ..... 205
S8605 ..... 192	S887 ..... 130	S930 ..... 127	SART ..... 133	1009HD ..... 208	1120HD ..... 211
S8605SL ..... 193	S887-A ..... 130	S930SL ..... 128	WLHRT ..... 149	1009SLHD ..... 208	1121HD ..... 217
S8605XC ..... 171	S887SL ..... 130	S9320 ..... 197		100SL ..... 220	1122HD ..... 218
S8605XJ ..... 171	S887SL-A ..... 130	S93203 ..... 191		100XCSL ..... 216	1123HD ..... 218
S8605XN ..... 171	S888 ..... 127	S93203XC ..... 170		100XJSL ..... 216	1123HDXC ..... 216
S8605XR ..... 171	S888SL ..... 128	S93203XJ ..... 170		100XNSL ..... 216	1123HDXJ ..... 216
S8605XE ..... 171	S891 ..... 141	S93203XN ..... 170		100XRSL ..... 216	1123HDXN ..... 216
S8606 ..... 192	S891SL ..... 141	S93203XR ..... 170		100XESL ..... 216	1123HDXR ..... 216
S8606SL ..... 193	S892 ..... 148	S93203XE ..... 170		1010LSL ..... 207	1123HDXE ..... 216
S8606XC ..... 171	S892SL ..... 149	S9320XC ..... 174		1010RSL ..... 207	115HD ..... 218
S8606XJ ..... 171	S893 ..... 132	S9320XJ ..... 174		1011HD ..... 208	118XC ..... 216
S8606XN ..... 171	S894 ..... 124	S9320XN ..... 174		1020HD ..... 220	118XJ ..... 216
S8606XR ..... 171	S894SL ..... 125	S9320XR ..... 174		1021HD ..... 215	118XN ..... 216
S8606XE ..... 171	S895 ..... 132	S9320XE ..... 174		1022HD ..... 211	118XR ..... 216
S8607 ..... 192	S895SL ..... 133	S9321G ..... 144		1023HD ..... 214	118XE ..... 216
S8607SL ..... 193	S896 ..... 197	S9321R ..... 144		1024HD ..... 213	1200SL ..... 218
S8607XC ..... 171	S896XC ..... 174	S9341 ..... 127		1025HD ..... 205	1201SL ..... 218
S8607XJ ..... 171	S896XJ ..... 174	S9342 ..... 157		1027SL ..... 209	1202SL ..... 218
S8607XN ..... 171	S896XN ..... 174	S9343 ..... 125		1029SL ..... 210	128XC ..... 216
S8607XR ..... 171	S896XR ..... 174	S9345 ..... 165		1031HD ..... 208	128XJ ..... 216
S8607XE ..... 171	S896XE ..... 174	S9347 ..... 154		1031SLHD ..... 209	128XN ..... 216
S8608 ..... 193	S897 ..... 199	S9349 ..... 148		1032HD ..... 210	128XR ..... 216
S8608XC ..... 171	S89701 ..... 156	S9352 ..... 130		1032SLHD ..... 210	128XE ..... 216
S8608XJ ..... 171	S8972 ..... 176	S9352-A ..... 130		1034HD ..... 208	130SL ..... 217
S8608XN ..... 171	S8973 ..... 132	S9353 ..... 132		1035HD ..... 210	132HD ..... 217
S8608XR ..... 171	S898 ..... 193	S9354 ..... 141		1037HD ..... 205	132SLHD ..... 217
S8608XE ..... 171	S898SL ..... 194	S9355 ..... 136		1037SLHD ..... 205	138SL ..... 215
S8609 ..... 136	S90 ..... 196	S9356 ..... 139		1038HD ..... 208	139-A ..... 206
S86721GSL ..... 144	S901 ..... 176	S9357 ..... 146		1038SLHD ..... 209	139SL ..... 206
S86721RSL ..... 144	S901SL ..... 176	S9358 ..... 159		1039HD ..... 209	139SL-A ..... 206
S8675SL ..... 192	S902 ..... 156	S936 ..... 127		1039SLHD ..... 209	1400SLHD ..... 219

1403HD.....	219	256HDXC.....	216	576HD.....	212	959HD.....	219	RSRT.....	212	8206XN.....	221
1405HD.....	219	256HDXJ.....	216	578HD.....	212	959HDXC.....	216	SART.....	207	8206XR.....	221
1405SLHD.....	219	256HDXN.....	216	582HD.....	212	959HDXCJSL.....	216	TS572SL.....	212	8206XE.....	221
1406HD.....	219	256HDXR.....	216	584SLHD.....	212	959HDXJ.....	216	WLHRT.....	211	828SL.....	224
1408HD.....	219	256HDXE.....	216	588HD.....	212	959HDXJSL.....	216	<b>Traditions</b>		829SL.....	222
1411HD.....	219	260HD.....	215	6023HD.....	218	959HDXN.....	216	800.....	226	83000-2C.....	224
150HD.....	219	262HD.....	218	610SL.....	209	959HDXNSL.....	216	808.....	223	83000-3C.....	224
150SLHD.....	220	262HDXC.....	216	613HD.....	209	959HDXR.....	216	810.....	226	83000-4C.....	224
151HD.....	218	262HDXJ.....	216	615HD.....	209	959HDXRSL.....	216	818.....	225	83000-6C.....	224
151SLHD.....	218	262HDXN.....	216	615SLHD.....	209	959HDXE.....	216	828.....	223	8321XC.....	221
153HD.....	220	262HDXR.....	216	6184SL.....	219	959HDXESL.....	216	829.....	222	8321XJ.....	221
154HD.....	218	262HDXE.....	216	6185SL.....	219	959SLHD.....	220	896.....	225	8321XN.....	221
1643HD.....	214	263HD.....	218	6186SL.....	219	961HD.....	218	8145.....	224	8321XR.....	221
1643SLHD.....	215	263HDXC.....	216	620SL.....	211	961HDXC.....	216	8206.....	225	8321XE.....	221
1644HD.....	214	263HDXJ.....	216	623HD.....	211	961HDXJ.....	216	8317.....	223	86184SL.....	224
1644SLHD.....	215	263HDXN.....	216	625HD.....	211	961HDXN.....	216	8321.....	223	86185SL.....	224
1651HD.....	214	263HDXR.....	216	625SLHD.....	211	961HDXR.....	216	8322.....	223	86186SL.....	224
1651SL.....	214	263HDXE.....	216	626SL.....	213	961HDXE.....	216	8323.....	223	8708XC.....	221
1657HD.....	214	263SLHD.....	218	627HD.....	213	963HD.....	215	8324.....	223	8708XJ.....	221
1657SLHD.....	215	263SLHDXC.....	216	628HD.....	213	964HD.....	214	8704.....	224	8708XN.....	221
1659HD.....	214	263SLHDXJ.....	216	628SLHD.....	213	964SLHD.....	214	8708.....	225	8708XR.....	221
1660HD.....	214	263SLHDXN.....	216	630HD.....	213	965HD.....	206	8708.....	225	8708XE.....	221
1662HD.....	214	263SLHDXR.....	216	631HD.....	213	965HD-A.....	206	8752.....	223	896XC.....	222
19020T.....	219	263SLHDXE.....	216	632SL.....	218	965SLHD.....	206	100SL.....	225	896XJ.....	222
19055T.....	206	289EHD.....	215	6720HDXCJSL.....	216	965SLHD-A.....	206	100XCJSL.....	222	896XN.....	222
19055T-A.....	206	289ESLHD.....	215	6720HDXCJSL.....	216	966GHD.....	210	100XJSL.....	222	896XR.....	222
19080T.....	206	289HD.....	219	6720HDXNSL.....	216	966GSLHD.....	210	100XNSL.....	222	896XE.....	222
19200T.....	219	289HDXC.....	216	6720HDXRSL.....	216	966RHD.....	210	100XRSL.....	222	TS100.....	226
19200T.....	220	289HDXJ.....	216	6720HDXESL.....	216	966RSLHD.....	210	100XESL.....	222	TS102.....	225
19210T.....	220	289HDXN.....	216	6720SLHD.....	218	966SLHD.....	213	1200SL.....	223	TS104.....	225
19220T.....	219	289HDXR.....	216	6721GHD.....	210	967HD.....	212	1201SL.....	223	TS104XC.....	221
19220T.....	220	289HDXE.....	216	6721GSL.....	210	967SLHD.....	213	1202SL.....	223	TS104XJ.....	221
19520T.....	206	294HD.....	206	6721RHD.....	210	968HD.....	207	130SL.....	222	TS104XN.....	221
19520T-A.....	206	294HD-A.....	206	6721RSL.....	210	969HD.....	220	19200T.....	225	TS104XR.....	221
19720T.....	211	294SLHD.....	206	7021GHD.....	210	970SLHD.....	220	19210T.....	225	TS104XE.....	221
19730T.....	211	294SLHD-A.....	206	7021RHD.....	210	971SLHD.....	207	19220T.....	225	TS105.....	225
19740T.....	209	296HD.....	220	704HD.....	219	974SLHD.....	214	198SL.....	224	TS108.....	223
19750T.....	209	296HDXC.....	216	707HD.....	209	975SLHD.....	206	6184SL.....	224	TS108XC.....	221
19800T.....	206	296HDXJ.....	216	708HD.....	220	977SLHD.....	213	6184XCJSL.....	221	TS108XJ.....	221
19810T.....	206	296HDXN.....	216	708HDXC.....	220	978HD.....	220	6184XJSL.....	221	TS108XN.....	221
19820T.....	206	296HDXR.....	216	708HDXJ.....	216	980HD.....	219	6184XNSL.....	221	TS108XR.....	221
198SL.....	219	296HDXE.....	216	708HDXN.....	216	980HDXC.....	216	6184XRSL.....	221	TS108XE.....	221
203HD.....	220	296SLHD.....	220	708HDXR.....	216	980HDXJ.....	216	6184XESL.....	221	TS115.....	223
205HD.....	220	296SLHDXC.....	216	708HDXE.....	216	980HDXN.....	216	6185SL.....	224	TS118.....	225
206EHD.....	215	296SLHDXJ.....	216	716SL.....	214	980HDXR.....	216	6185XCJSL.....	221	TS118XC.....	221
206HD.....	219	296SLHDXN.....	216	721HD.....	211	980HDXE.....	216	6185XJSL.....	221	TS118XJ.....	221
206HDXC.....	216	296SLHDXR.....	216	726HD.....	214	982HD.....	218	6185XNSL.....	221	TS118XN.....	221
206HDXJ.....	216	296SLHDXE.....	216	730HD.....	214	982HDXC.....	216	6185XRSL.....	221	TS118XR.....	221
206HDXN.....	216	3000-2C.....	218	730SLHD.....	214	982HDXJ.....	216	6185XESL.....	221	TS118XE.....	221
206HDXR.....	216	3000-3C.....	218	735HD.....	213	982HDXN.....	216	6186SL.....	224	TS1200.....	223
206HDXE.....	216	3000-4C.....	219	736HD.....	208	982HDXR.....	216	6186XCJSL.....	221	TS1201.....	223
207GHD.....	210	3000-6C.....	219	750SLHD.....	214	982HDXE.....	216	6186XJSL.....	221	TS1202.....	223
207RHD.....	210	309HD.....	205	752HD.....	218	984HD.....	217	6186XNSL.....	221	TS1203.....	223
2109HD.....	217	310SL.....	205	753HD.....	214	985HD.....	215	6186XESL.....	221	TS128.....	223
210HD.....	220	311HD.....	205	754HD.....	214	988HD.....	209	632SL.....	224	TS128XC.....	221
210SLHD.....	220	311SLHD.....	205	806GSL.....	210	989HD.....	211	632XCJSL.....	221	TS128XJ.....	221
210SLHDXC.....	216	369SL.....	207	806RSL.....	210	990HD.....	214	632XNSL.....	221	TS128XN.....	221
210SLHDXJ.....	216	371HD.....	207	916SL.....	206	991HD.....	205	632XRSL.....	221	TS128XR.....	221
210SLHDXN.....	216	371SLHD.....	207	922G.....	210	996HD.....	206	632XESL.....	221	TS128XE.....	221
210SLHDXR.....	216	372HD.....	207	922R.....	210	996HD-A.....	206	818SL.....	225	TS130.....	222
210SLHDXE.....	216	374HD.....	207	923GHD.....	210	999HD.....	212	818XJ.....	221	TS131.....	222
2110HD.....	217	400HD.....	213	923RHD.....	210	ANRTG.....	210	818XC.....	221	TS132.....	222
2111HD.....	218	416SL.....	213	924GHD.....	210	ANRTR.....	210	818XCJSL.....	222	TS132SL.....	222
211HD.....	206	426HD.....	212	924RHD.....	210	AVRT.....	209	818XJ.....	221	TS137.....	222
211HD-A.....	206	430HD.....	212	926HD.....	205	AXRT.....	215	818XJSL.....	222	TS1405SL.....	224
236HD.....	218	430SLHD.....	213	930HD.....	205	BLHRT.....	206	818XN.....	221	TS1408.....	224
237HD.....	218	450HD.....	212	930SLHD.....	206	BSHRT.....	205	818XNSL.....	222	TS1411.....	224
243HD.....	217	450SLHD.....	213	936HD.....	206	BSRT.....	205	818XR.....	221	TS150.....	225
250HD.....	215	453HD.....	212	936SLHD.....	206	CNHRT.....	213	818XRSL.....	222	TS150SL.....	225
250SLHD.....	215	454HD.....	213	950HD.....	205	CNRT.....	213	818XE.....	221	TS151.....	223
253HD.....	215	4572SLHD.....	218	950SLHD.....	206	EMRT.....	207	818XESL.....	222	TS151SL.....	224
255HD.....	218	544HD.....	212	953HD.....	205	FWRT.....	208	8206XC.....	221	TS153.....	225
256HD.....	220	546SLHD.....	212	956SLHD.....	206	KNRT.....	213	8206XJ.....	221	TS154.....	223
										TS198.....	224

# Fire

TS206..... 225  
 TS206XC..... 221  
 TS206XJ..... 221  
 TS206XN..... 221  
 TS206XR..... 221  
 TS206XE..... 221  
 TS210..... 226  
 TS210SL..... 225  
 TS210XCSL..... 222  
 TS210XJSL..... 222  
 TS210XNSL..... 222  
 TS210XRSL..... 222  
 TS210XESL..... 222  
 TS214..... 226  
 TS236..... 223  
 TS237..... 223  
 TS243..... 222  
 TS255..... 223  
 TS256..... 225  
 TS256XC..... 221  
 TS256XJ..... 221  
 TS256XN..... 221  
 TS256XR..... 221  
 TS256XE..... 221  
 TS262..... 223  
 TS262XC..... 221  
 TS262XJ..... 221  
 TS262XN..... 221  
 TS262XR..... 221  
 TS262XE..... 221  
 TS263..... 223  
 TS263SL..... 224  
 TS263XC..... 221  
 TS263XCSL..... 221  
 TS263XJ..... 221  
 TS263XJSL..... 221  
 TS263XN..... 221  
 TS263XNSL..... 221  
 TS263XR..... 221  
 TS263XRSL..... 221  
 TS263XE..... 221  
 TS263XESL..... 221  
 TS289..... 225  
 TS289XC..... 221  
 TS289XJ..... 221  
 TS289XN..... 221  
 TS289XR..... 221  
 TS289XE..... 221  
 TS290..... 226  
 TS291..... 225  
 TS296..... 225  
 TS296SL..... 225  
 TS296XC..... 222  
 TS296XCSL..... 222  
 TS296XJ..... 222  
 TS296XJSL..... 222  
 TS296XN..... 222  
 TS296XNSL..... 222  
 TS296XR..... 222  
 TS296XRSL..... 222  
 TS296XE..... 222  
 TS296XESL..... 222  
 TS3000-2C..... 224  
 TS3000-3C..... 224  
 TS3000-4C..... 224  
 TS3000-6C..... 224  
 TS704..... 224  
 TS708..... 225  
 TS708XC..... 221  
 TS708XJ..... 221  
 TS708XN..... 221  
 TS708XR..... 221  
 TS708XE..... 221  
 TS752..... 223

## Classic-Craft Mahogany Collection™

CCMF060..... 228  
 CCMF701..... 228  
 CCMF890..... 228

## Classic-Craft Rustic Collection™

CCRF040..... 229  
 CCRF040F..... 229  
 CCRF200..... 229  
 CCRF200A..... 229  
 CCRF205..... 229  
 CCRF205A..... 229  
 CCRF8005..... 229  
 CCRF8005A..... 229  
 CCRF8040..... 229  
 CCRF8040F..... 229  
 CCRF8200..... 229  
 CCRF8200A..... 229  
 CCRF8205..... 229  
 CCRF8205A..... 229  
 CCRF8220..... 229  
 CCRF8220R..... 229  
 CCRF8225..... 229  
 CCRF8225R..... 229

## Classic-Craft Oak Collection

CCF060..... 229  
 CCF810..... 229  
 CCF831..... 229  
 CCF91..... 229

## Classic-Craft Canvas Collection

CCVF050..... 230  
 CCVF060..... 230  
 CCVF200..... 230  
 CCVF205..... 229  
 CCVF205A..... 229  
 CCVF220..... 230  
 CCVF400..... 229  
 CCVF455..... 229  
 CCVF455A..... 229  
 CCVF8060..... 230  
 CCVF8205..... 229  
 CCVF8205A..... 229  
 CCVF8220..... 230  
 CCVF831..... 230

## Fiber-Classic Mahogany Collection™

FMF100..... 230  
 FMF134..... 230  
 FMF205..... 230  
 FMF220..... 230  
 FMF31..... 230  
 FMF60..... 230  
 FMF600..... 230  
 FMF755..... 230  
 FMF8100..... 230  
 FMF860..... 230

## Fiber-Classic Oak Collection™

FCF100..... 230  
 FCF134..... 230  
 FCF160..... 230  
 FCF31..... 230  
 FCF755..... 230  
 FCF808..... 230  
 FCF809..... 230  
 FCF8100..... 230  
 FCF8160..... 230  
 FCF862..... 230

## Smooth-Star.

SSF100..... 231  
 SSF11..... 231  
 SSF160..... 231  
 SSF200..... 231  
 SSF205..... 231  
 SSF220..... 231  
 SSF31..... 231  
 SSF600..... 231  
 SSF755..... 231  
 SSF8100..... 231  
 SSF8160..... 231  
 SSF8200..... 231  
 SSF8205..... 231  
 SSF8220..... 231  
 SSF831..... 231  
 SSF8600..... 231  
 SSF93..... 231  
 SSF960..... 231

## Profiles™

100..... 231  
 1005HD..... 231  
 203HD..... 231  
 205HD..... 231  
 210HD..... 231  
 969HD..... 231  
 978HD..... 231

## Traditions

TS100..... 231  
 TS210..... 231  
 TS214..... 231  
 TS290..... 231

## Steel Edge

SE100..... 228  
 SE1005HD..... 228  
 SE210HD..... 228  
 SE514..... 228  
 SE969HD..... 228  
 SE978HD..... 228

# Pulse®

## Ari

S2AX..... 237  
 S2CL..... 237  
 S2RS..... 237  
 S2XC..... 237  
 S2XJ..... 237  
 S2XN..... 237  
 S2XR..... 237  
 S2XE..... 237  
 S83AX..... 237  
 S83CL..... 237  
 S83RS..... 237  
 S83XC..... 237  
 S83XJ..... 237  
 S83XN..... 237  
 S83XR..... 237  
 S83XE..... 237

## Linea

S1RANR..... 238  
 S1RANG..... 238  
 S1..... 240  
 S1ANG..... 238  
 S1ANR..... 238  
 S1AV..... 238  
 S1AX..... 239  
 S1BL..... 237  
 S1BS..... 237  
 S1CD..... 239  
 S1CL..... 239  
 S1EML..... 238  
 S1EMR..... 238  
 S1FW..... 238  
 S1L..... 240  
 S1LANG..... 238  
 S1LANR..... 238  
 S1LAV..... 238  
 S1LAX..... 239  
 S1LBL..... 237  
 S1LBS..... 237  
 S1LCD..... 239  
 S1LCL..... 239  
 S1LEML..... 238  
 S1LEMR..... 238  
 S1LFW..... 238  
 S1LRS..... 239  
 S1LSA..... 238  
 S1LSG..... 238  
 S1LSN..... 237  
 S1LSNA..... 237  
 S1LTX..... 239  
 S1LXC..... 239  
 S1LXJ..... 239  
 S1LXN..... 239  
 S1LXR..... 239  
 S1LXE..... 239  
 S1R..... 240  
 S1RANG..... 238  
 S1RAV..... 238  
 S1RAX..... 239  
 S1RBL..... 237  
 S1RBS..... 237  
 S1RCD..... 239  
 S1RCL..... 240  
 S1REML..... 238  
 S1REMR..... 238  
 S1RFW..... 238  
 S1RRS..... 239  
 S1RS..... 239  
 S1RSA..... 238  
 S1RSG..... 238  
 S1RSN..... 237  
 S1RSNA..... 237

S1RTX..... 239  
 S1RXC..... 240  
 S1RXJ..... 240  
 S1RXN..... 240  
 S1RXR..... 240  
 S1RXE..... 240  
 S1SA..... 238  
 S1SG..... 238  
 S1SN..... 237  
 S1SNA..... 237  
 S1TX..... 239  
 S1XC..... 239  
 S1XJ..... 239  
 S1XN..... 239  
 S1XR..... 239  
 S1XE..... 239  
 S81..... 240  
 S81AX..... 239  
 S81BL..... 237  
 S81BS..... 237  
 S81CL..... 239  
 S81L..... 240  
 S81LAX..... 239  
 S81LBL..... 237  
 S81LBS..... 237  
 S81LCL..... 239  
 S81LRS..... 239  
 S81LSA..... 238  
 S81LSG..... 238  
 S81LSN..... 237  
 S81LSNA..... 237  
 S81LXC..... 239  
 S81LXJ..... 239  
 S81LXN..... 239  
 S81LXR..... 239  
 S81LXE..... 239  
 S81R..... 240  
 S81RAX..... 239  
 S81RBL..... 237  
 S81RBS..... 237  
 S81RCL..... 240  
 S81RRS..... 239  
 S81RS..... 239  
 S81RSA..... 238  
 S81RSG..... 238  
 S81RSN..... 237  
 S81RSNA..... 237  
 S81RXC..... 240  
 S81RXJ..... 240  
 S81RXN..... 240  
 S81RXR..... 240  
 S81SA..... 238  
 S81SG..... 238  
 S81SN..... 237  
 S81SNA..... 237  
 S81XC..... 239  
 S81XJ..... 239  
 S81XN..... 239  
 S81XR..... 239  
 S81XE..... 239

S4RCL..... 241  
 S4RXC..... 241  
 S4RXJ..... 241  
 S4RXN..... 241  
 S4RXR..... 241  
 S4RXE..... 241  
 S4XC..... 241  
 S4XJ..... 241  
 S4XN..... 241  
 S4XR..... 241  
 S4XE..... 241  
 S5AX..... 240  
 S5CL..... 242  
 S5LAX..... 240  
 S5LCL..... 241  
 S5LXC..... 241  
 S5LXJ..... 241  
 S5LXN..... 241  
 S5LXR..... 241  
 S5LXE..... 241  
 S5RAX..... 240  
 S5RCL..... 242  
 S5RXC..... 242  
 S5RXJ..... 242  
 S5RXN..... 242  
 S5RXR..... 242  
 S5RXE..... 242  
 S5XC..... 242  
 S5XJ..... 242  
 S5XN..... 242  
 S5XR..... 242  
 S5XE..... 242  
 S810AX..... 241  
 S810CL..... 242  
 S810LAX..... 241  
 S810LCL..... 242  
 S810LXC..... 242  
 S810LXJ..... 242  
 S810LXN..... 242  
 S810LXR..... 242  
 S810LXE..... 242  
 S810RAX..... 241  
 S810RCL..... 242  
 S810RXC..... 242  
 S810RXJ..... 242  
 S810RXN..... 242  
 S810RXR..... 242  
 S810RXC..... 242  
 S810XJ..... 242  
 S810XN..... 242  
 S810XR..... 242  
 S810XE..... 242  
 S811AX..... 241  
 S811CL..... 242  
 S811LAX..... 241  
 S811LCL..... 242  
 S811LXC..... 242  
 S811LXJ..... 242  
 S811LXN..... 242  
 S811LXR..... 242  
 S811LXE..... 242  
 S811RAX..... 241  
 S811RCL..... 242  
 S811RXC..... 242  
 S811RXJ..... 242  
 S811RXN..... 242  
 S811RXR..... 242  
 S811RXC..... 242  
 S811XJ..... 242  
 S811XN..... 242  
 S811XR..... 242

## Echo

S4AX..... 240  
 S4CL..... 241  
 S4LAX..... 240  
 S4LCL..... 241  
 S4LXC..... 241  
 S4LXJ..... 241  
 S4LXN..... 241  
 S4LXR..... 241  
 S4LXE..... 241  
 S4RAX..... 240

S811XE.....	242	S8RAX.....	241	S6130SL.....	243
S84AX.....	240	S8RCL.....	242	S6131SL.....	243
S84CL.....	241	S8RXC.....	242	S6134SL.....	243
S84LAX.....	240	S8RXJ.....	242	S6135SL.....	243
S84LCL.....	241	S8RXN.....	242	S806GSL.....	243
S84LXC.....	241	S8RXX.....	242	S806RSL.....	243
S84LXJ.....	241	S8RXE.....	242	S81086SL.....	243
S84LXN.....	241	S8XC.....	242	S81086XCSSL.....	243
S84LXR.....	241	S8XJ.....	242	S81086XJSL.....	243
S84LXE.....	241	S8XN.....	242	S81086XNSL.....	243
S84RAX.....	240	S8XR.....	242	S81086XRSL.....	243
S84RCL.....	241	S8XE.....	242	S81086XESL.....	243
S84RXC.....	241	S9AX.....	241	S810AXSL.....	243
S84RXJ.....	241	S9CL.....	242	S810CLSL.....	244
S84RXN.....	241	S9LAX.....	241	S810XCSSL.....	244
S84RXX.....	241	S9LCL.....	242	S810XJSL.....	244
S84RXE.....	241	S9LXC.....	242	S810XNSL.....	244
S84XC.....	241	S9LXJ.....	242	S810XRSL.....	244
S84XJ.....	241	S9LXN.....	242	S810XESL.....	244
S84XN.....	241	S9LXR.....	242	S811AXSL.....	243
S84XR.....	241	S9LXE.....	242	S811CLSL.....	244
S84XE.....	241	S9RAX.....	241	S811XCSSL.....	244
S85AX.....	240	S9RCL.....	242	S811XJSL.....	244
S85CL.....	242	S9RXC.....	242	S811XNSL.....	244
S85LAX.....	240	S9RXJ.....	242	S811XRSL.....	244
S85LCL.....	241	S9RXN.....	242	S811XESL.....	244
S85LXC.....	241	S9RXX.....	242	S81651SL.....	243
S85LXJ.....	241	S9RXE.....	242	S84586SL.....	243
S85LXN.....	241	S9XC.....	242	S84AXSL.....	243
S85LXR.....	241	S9XJ.....	242	S84CLSL.....	244
S85LXE.....	241	S9XN.....	242	S84XCSSL.....	244
S85RAX.....	240	S9XR.....	242	S84XJSL.....	244
S85RCL.....	242	S9XE.....	242	S84XNSL.....	244
S85RXC.....	242			S84XRSL.....	244
S85RXJ.....	242	<b>Sidelites</b>		S84XESL.....	244
S85RXN.....	242	S10AXSL.....	244	S8572SL.....	243
S85RXX.....	242	S10CLSL.....	244	S85927SL.....	243
S85RXE.....	242	S10XCSSL.....	244	S85928SL.....	243
S85XC.....	242	S10XJSL.....	244	S85931SL.....	243
S85XJ.....	242	S10XNSL.....	244	S85932SL.....	243
S85XN.....	242	S10XRSL.....	244	S85933SL.....	243
S85XR.....	242	S10XESL.....	244	S85933SL-A.....	243
S85XE.....	242	S1651SL.....	243	S85AXSL.....	243
S86AX.....	240	S3570SL.....	243	S85CLSL.....	244
S86CL.....	242	S4570SL.....	243	S85XCSSL.....	244
S86LAX.....	240	S4AXSL.....	243	S85XJSL.....	244
S86LCL.....	242	S4CLSL.....	244	S85XNSL.....	244
S86LXC.....	242	S4XCSSL.....	244	S85XRSL.....	244
S86LXJ.....	242	S4XJSL.....	244	S85XESL.....	244
S86LXN.....	242	S4XNSL.....	244	S86AXSL.....	243
S86LXR.....	242	S4XRSL.....	244	S86CLSL.....	244
S86LXE.....	242	S4XESL.....	244	S86XCSSL.....	244
S86RAX.....	240	S572SL.....	243	S86XJSL.....	244
S86RCL.....	242	S5AXSL.....	243	S86XNSL.....	244
S86RXC.....	242	S5CLSL.....	244	S86XRSL.....	244
S86RXJ.....	242	S5XCSSL.....	244	S86XESL.....	244
S86RXN.....	242	S5XJSL.....	244	S9AXSL.....	243
S86RXX.....	242	S5XNSL.....	244	S9CLSL.....	244
S86RXE.....	242	S5XRSL.....	244	S9XCSSL.....	244
S86XC.....	242	S5XESL.....	244	S9XJSL.....	244
S86XJ.....	242	S601SL.....	243	S9XNSL.....	244
S86XN.....	242	S601XCSSL.....	243	S9XRSL.....	244
S86XR.....	242	S601XJSL.....	243	S9XESL.....	244
S86XE.....	242	S601XNSL.....	243		
S8AX.....	241	S601XRSL.....	243		
S8CL.....	242	S601XESL.....	243		
S8LAX.....	241	S602SL.....	243		
S8LCL.....	242	S604SL.....	243		
S8LXC.....	242	S604SL-A.....	243		
S8LXJ.....	242	S6060LSL.....	243		
S8LXN.....	242	S6060RSL.....	243		
S8LXR.....	242	S6127SL.....	243		
S8LXE.....	242	S6128SL.....	243		



Top: Smooth-Star Door – S8200; Granite Glass, Sidelites – S81086XNSL  
 Bottom: Smooth-Star, Concorde Glass, Door – S97, Sidelites – S416SL



Top: Smooth-Star, Element Glass, Door – S6060, Sidelites – S6136LSL, S6136RSL  
Bottom Left: Classic-Craft Mahogany Collection, Longford Glass, Door – CCM703, Sidelites – CCM3303SL, Transom – LFET  
Bottom Right: Classic-Craft Rustic Collection Door – CCR205; Low-E Glass, Sidelites – CCR3400SL






Top: Fiber-Classic Mahogany Collection, Blackstone Glass, Door – FCM765; Rainglass, Sidelites – FCM12101XRSL  
Middle Right: Fiber-Classic Oak Collection, Saratoga Glass, Door – 81956P  
Bottom Right: Classic-Craft Canvas Collection, Lucerna Glass, Doors – CCV22022



Top Left: Fiber-Classic Mahogany Collection, Maple Park Glass, Door – FCM609  
Middle Left: Classic-Craft Mahogany Collection, Ashurst Glass, Door – CCM305, Sidelites – CCM3305SL, Transom – ASRT  
Bottom: Classic-Craft American Style Collection, Low-E Glass with SDLs, Door – CCA8220



Top: Smooth-Star, Clear Glass with GBGs, Door – S82104  
Middle Right: Pulse Ari, Chinchilla Glass with Scrolled Lite Frame, Door – S2XJ  
Bottom Right: Fiber-Classic Oak Collection, Crystalline Glass, Door – FC16, Sidelites – FC46SL, Transom – 19820T


# Tools of the Trade

Check out these helpful resources for dealers, builders and remodelers.

## Trade Professionals Online

Go to one place to find everything Therma-Tru, from selling tools to training materials to technical information.

- Dealer** – [www.thermatru.com/trade/dealer](http://www.thermatru.com/trade/dealer)
- Builder** – [www.thermatru.com/trade/builder](http://www.thermatru.com/trade/builder)
- Remodeler** – [www.thermatru.com/trade/remodeler](http://www.thermatru.com/trade/remodeler)



## Education Center

Learn from the experts in fiberglass doors and test your door IQ on a variety of topics at [www.thermatru.com/learning](http://www.thermatru.com/learning).

Can **you** make the grade?



## Unlock the Opportunities

Learn about our new products and door system solutions, and enter for a chance to win prizes at [www.unlocktheopportunities.com](http://www.unlocktheopportunities.com).

Promotion runs January 19–April 30, 2016.




## DoorWays™ App

The power to create the perfect entrance is at your fingertips – it's easier than ever to design and visualize entrances at [www.thermatru.com/doorways](http://www.thermatru.com/doorways).



## Design Your Door

Let homeowners research and design a door with their own personal touch – all from the convenience of home – at [www.thermatru.com](http://www.thermatru.com).



## Consumers Digest Best Buy

Order free, ready-to-use promotional material to promote Classic-Craft and Fiber-Classic in your showroom at [www.thermatru.com/trade-professionals/consumersdigest](http://www.thermatru.com/trade-professionals/consumersdigest).





**THERMA-TRU®**  
DOORS

[www.thermatru.com](http://www.thermatru.com)

1-800-THERMA-TRU (843-7628)

1750 Indian Wood Circle

Maumee, OH 43537



Cover: Classic-Craft Oak Collection, Lucerna Glass,  
Door – CC922, Sidelites – CC3412SL, Transom – LCRT

Top: Fiber-Classic Oak Collection, Riserva Glass,  
Door – FC8529, Sidelites – FC8572SL

Bottom Left: Pulse Ari, Satin Etch Glass with Flat Lite Frame,  
Door – S83XE

Bottom Right: Smooth-Star, Chinchilla Glass, Door – S2000XJ